

### MATERIAL SAFETY DATA SHEET GEON E7370 WHITE 1233

Version Number 1.0 Revision Date 10/27/2003

Page 1 of 6 Print Date 11/12/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440) 930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON E7370 WHITE 1233
Product code	:	VC10000664
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5
Titanium dioxide	13463-67-7	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that the OSHA action level and the OSHA exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.



## MATERIAL SAFETY DATA SHEET GEON E7370 WHITE 1233

POLYONE CORPORATION

Version Number 1.0 Revision Date 10/27/2003 Page 2 of 6 Print Date 11/12/2011

Medical Conditions Aggravated by Exposure:	:	: None known.		
Aggravated by Exposure.				
		4. FIRST AID MEASURES		
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
		5. FIRE-FIGHTING MEASURES		
Flash point	:	Not applicable		
Flammable Limits				
Upper explosion limit	:	Not applicable		
Lower explosion limit	:	Not applicable		
Autoignition temperature	:	Not applicable		
Suitable extinguishing media	:	water, foam, carbon dioxide (CO2), dry powdernone.		
Special Fire Fighting	:	Fullface self-contained breathing apparatus (SCBA) used in positive		
Procedures		pressure mode should be worn to prevent inhalation of airborne		
		contaminants.		
Unusual Fire/Explosion Hazards	:	May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.		
	6. A	CCIDENTAL RELEASE MEASURES		
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		



# MATERIAL SAFETY DATA SHEET GEON E7370 WHITE 1233

Version Number 1.0 Revision Date 10/27/2003 Page 3 of 6 Print Date 11/12/2011

	7.	HANDLING AND STO	ORAGE		
Handling		ake measures to prevent to nly in areas with appropri- ondensates may contain c lean hoods, ducts, and oth nese materials.	iate exhaust ventil ombustible or tox	ation. Proc	essing fume Periodically
Storage		Leep containers dry and tinn d contamination. Keep			e absorption
8. E	XPOSURE	CONTROLS / PERSO	NAL PROTECT	ION	
Respiratory protection	: N	lo personal respiratory pr	otective equipmer	nt normally 1	equired.
Eye/Face Protection	: S	afety glasses with side-sh	ields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		landle in accordance with Vash hands before breaks			afety practice.
Engineering measures <u>Exposure limit(s)</u>		leat only in areas with apppropriate exhaust ventila			Provide
Components	Value	Exposure time	Exposu	ire type	List:
Calcium carbonate	5 mg/m3	PEL:		e fraction.	OSHA Z1
	15 mg/m3	PEL:		dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):			ACGIH
	15 mg/m3	PEL:	Total	dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
Form Appearance Color Odor Melting point/range Boiling Point:	: WHI : Very : Not o	ets, powder S TE B V faint V determined V	vaporation rate pecific Gravity ulk density 'apor pressure 'apour density H	: Not : Not : Not : Not	applicable determined established applicable applicable applicable

<u>PolyOne</u>.

# MATERIAL SAFETY DATA SHEET **GEON E7370 WHITE 1233**

Version Number 1.0 Revision Date 10/27/2003

Page 4 of 6 Print Date 11/12/2011

	10. STABILITY AND REACTIVITY
Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> <li>Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.</li> </ul>

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use
Bioaccumulation Potential	: No data available
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.



## MATERIAL SAFETY DATA SHEET GEON E7370 WHITE 1233

Version Number 1.0 Revision Date 10/27/2003 Page 5 of 6 Print Date 11/12/2011

Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Not regulated for transportation.
IMO / IMDG (maritime)	:	Not regulated for transportation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Ext	Irem	ery nazardous Substance
Not applicable		
SARA Title III Section 313 To:	xic (	hemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	ise Ii	
Chemical Name		CAS-No. Weight % NPRI ID#
Aluminum oxide		1344-28-1 0.25 13

	PolvOne.			
POLYONE CORPORATION				
MATERIAL SAFETY DATA SHEE	Т			
GEON E7370 WHITE 12	33			
Version Number 1.0 Revision Date 10/27/2003	Page 6 of 6 Print Date 11/12/2011			
WHMIS Classification WHMIS Ingredient Disclo				
CAS-No. 14807-96-6				
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
National Inventories:				
Australia AICS	Listed			
China IECS	Listed			
Europe EINECS	Not determined			
Japan ENCS	Not determined			
Korea KECI	Not determined			
Philippines PICCS	Listed			
	16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.