

MATERIAL SAFETY DATA SHEET

# GEON D7000 NATURAL 0000

Version Number 1.0 Revision Date 06/11/2002 Page 1 of 7 Print Date 11/5/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON D7000 NATURAL 0000
Product code	:	VC10000724
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Barium bis(nonylphenolate)	28987-17-9	0.1 - 1
Quartz	14808-60-7	0.1 - 1
Calcium carbonate	1317-65-3	30 - 60

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that the OSHA action level and the OSHA exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	re: : Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul>	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	



MATERIAL SAFETY DATA SHEET

# GEON D7000 NATURAL 0000

Version Number 1.0 Revision Date 06/11/2002 Page 2 of 7 Print Date 11/5/2011

Medical Conditions       : None known.         Aggravated by Exposure:       : None known.		
		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: : :	Not applicable Not applicable Not applicable. water, dry powder, foam, carbon dioxide (CO2).
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. A(	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.



MATERIAL SAFETY DATA SHEET

# GEON D7000 NATURAL 0000

Version Number 1.0 Revision Date 06/11/2002 Page 3 of 7 Print Date 11/5/2011

	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.			
	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.			
XPOSURE	CONTROLS / PERSON	NAL PROTECTION		
: N	lo personal respiratory pro	otective equipment normally	v required.	
: S	afety glasses with side-sh	nields.		
: P	rotective gloves.			
: L	ong sleeved clothing.			
Additional Protective : Safety shoes. Measures				
General Hygiene: Handle in accordance with good industrial hygiene and safety practice.ConsiderationsWash hands before breaks and at the end of workday.				
ngineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Value	Exposure time	Exposure type	List:	
10 mg/m3	-		ACGIH	
5 mg/m3	PEL:	Respirable dust.	OSHA Z1	
15 mg/m3	PEL:	Total dust.	OSHA Z1	
0.05 mg/m3	(TWA):	-	ACGIH	
0.1 mg/m3	PEL:	Respirable dust.	OSHA	
0.3 mg/m3	PEL:	Total dust.	OSHA	
9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
: Solic		vaporation rate : No	ot applicable.	
		1	ot determined	
			ot established	
	o         c:         c:         c:         c:         c:         c:         c:         c:         ka         XPOSURE         :       N         :       S         :       I         :       S         :       H         :       H         value       N         :       H         value       N         :       H         value       N         :       H         0.05       mg/m3         0.1 mg/m3       0.3 mg/m3         0.3 mg/m3       Solic         :       Solic         :       Solic         :       Solic	only in areas with approprion         condensates may contain condensates may contain contained clean hoods, ducts, and other these materials.         :       Keep containers dry and tiand contamination. Keep         XPOSURE CONTROLS / PERSON         :       No personal respiratory propriation is safety glasses with side-shifts.         :       No personal respiratory propriation is safety glasses with side-shifts.         :       Protective gloves.         :       Long sleeved clothing.         :       Safety shoes.         :       Handle in accordance with Wash hands before breaks         :       Heat only in areas with appropriate exhaust ventilated in appropriate exhaust ventilated is appropriated in a specific propriated is appropriated in a specific propriate exhaust ventilated is appropriated in a specific propriated is appropriated in a specific propriate is appropriate in a specific proprise is approprime in a specific propriate in a specific propriate	only in areas with appropriate exhaust ventilation. Procondensates may contain combustible or toxic residue. clean hoods, ducts, and other surfaces to minimize acc these materials.         : Keep containers dry and tightly closed to avoid moisture and contamination. Keep in a dry, cool place.         XPOSURE CONTROLS / PERSONAL PROTECTION         : No personal respiratory protective equipment normally         : Safety glasses with side-shields.         : Protective gloves.         : Long sleeved clothing.         : Safety shoes.         : Handle in accordance with good industrial hygiene and Wash hands before breaks and at the end of workday.         : Heat only in areas with appropriate exhaust ventilation appropriate exhaust ventilation at machinery.         Value       Exposure time       Exposure type         10 mg/m3       Time Weighted Average       Total dust.         (TWA):       Total dust.       15 mg/m3       PEL:         15 mg/m3       PEL:       Total dust.         0.05       Time Weighted Average       Respirable dust.         0.1 mg/m3       PEL:       Total dust.         0.3 mg/m3       PEL:       Total dust.         0.3 mg/m3       PEL:       Total dust.         0.1 mg/m3       PEL:       Total dust.         0.3 mg/m3       PEL:       Total dust.         0.3 mg/m3	



#### MATERIAL SAFETY DATA SHEET

## GEON D7000 NATURAL 0000

Version Number 1.0 Revision Date 06/11/2002			Page 4 of 7 Print Date <u>11/5/2011</u>
Melting point/range Boiling Point: Water solubility	<ul><li>Not determined</li><li>Not applicable</li><li>Insoluble</li></ul>	Vapor density pH	: Not applicable : Not applicable
	10. STABILITY AND	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from or decomposition, do		flame. To avoid thermal
Incompatible Materials	-	-	ng agents. Avoid contact ymers during processing.
Hazardous decomposition products	(NOx), other hazar Prolonged heating (200 °C) or short te		ke are all possible. es or more) above 392 °F 0 °C) may result in product

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
28987-17-9	Barium	Irritant	Eyes, Skin.
	bis(nonylphenolate)		
14808-60-7	Quartz	Systemic effects	Eyes, Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

1	CAS-No.	Chemical Name	OSHA	IARC	NTP
	14808-60-7	Quartz	no	1	1

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.



MATERIAL SAFETY DATA SHEET

## GEON D7000 NATURAL 0000

Version Number 1.0 Revision Date 06/11/2002 Page 5 of 7 Print Date 11/5/2011

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### Additional Health Hazard Information:

**Quartz** 14808-60-7 This material in its free releasable form may cause respiratory tract irritation, and possibly silicosis which is a scarring of the lungs.

<ul> <li>Not readily biodegradable.</li> <li>Adverse ecological impact is not known or expected under normal use</li> <li>No data available.</li> <li>Not applicable</li> </ul>
<ul><li>No data available.</li><li>Not applicable</li></ul>
: Not applicable
13. DISPOSAL CONSIDERATIONS
: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
14. TRANSPORT INFORMATION
: Not regulated for transportation.
: Not regulated for transportation.
: Not regulated for transportation.
15. REGULATORY INFORMATION
: Classified as hazardous based on components.
: All components of this product are listed on the TSCA inventory or are exempt.



MATERIAL SAFETY DATA SHEET

## GEON D7000 NATURAL 0000

Version Number 1.0 Revision Date 06/11/2002 Page 6 of 7 Print Date 11/5/2011

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition 65

: WARNING! This product contains a chemical known in the State of California to cause cancer., WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

Canadian Regulations:

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.
112-34-5
7439-92-1
7439-97-6
544-63-8
112-80-1
14808-60-7
57-11-4
2457-01-4
28987-17-9

DSL

: Listed.

National Inventories:

Australia AICS	: Listed.
China IECS	: Not determined.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Not determined.

Philippines PICCS : Listed.

## **16. OTHER INFORMATION**



MATERIAL SAFETY DATA SHEET

# GEON D7000 NATURAL 0000

Version Number 1.0 Revision Date 06/11/2002 Page 7 of 7 Print Date 11/5/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.