

MATERIAL SAFETY DATA SHEET

GEON EXP DB 15020603205 WHITE 1278

Version Number 1.0 Revision Date 05/31/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON EXP DB 15020603205 WHITE 1278
Product code	:	VC10000772
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that the OSHA action level and the OSHA exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to 		
Skin	eyes.Experience shows no unusual dermatitis hazard from routine handling.		



MATERIAL SAFETY DATA SHEET

GEON EXP DB 15020603205 WHITE 1278

Version Number 1.0 Revision Date 05/31/2002 Page 2 of 6 Print Date 11/4/2011

Medical Conditions : None known.			
Aggravated by Exposure:			
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable. water, dry powder, foam, carbon dioxide (CO2). 		
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne		
Unusual Fire/Explosion Hazards	 contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		



MATERIAL SAFETY DATA SHEET

GEON EXP DB 15020603205 WHITE 1278

ion Number 1.0 sion Date 05/31/2002		Page 3 or Print Date 11/4/20			
Handling		ake measures to prevent the bunch nly in areas with appropriate e ondensates may contain combu lean hoods, ducts, and other su nese materials.	xhaust ventilation. Procustible or toxic residue.	essing fume Periodically	
Storage	: K	Geep containers dry and tightly	ainers dry and tightly closed to avoid moisture absorption nination. Keep in a dry, cool place.		
8. F	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally 1	required.	
Eye/Face Protection	: S	afety glasses with side-shields			
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		afety practice.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	I ist.	
Components Calcium carbonate	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust.	List: ACGIH	
		-			
Calcium carbonate	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
Calcium carbonate	10 mg/m3 5 mg/m3	Time Weighted Average (TWA): PEL:	Total dust. Respirable dust.	ACGIH OSHA Z1	
Calcium carbonate Calcium carbonate	10 mg/m3 5 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average	Total dust. Respirable dust. Total dust.	ACGIH OSHA Z1 OSHA Z1	
Calcium carbonate Calcium carbonate Titanium dioxide	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA):	Total dust. Respirable dust. Total dust. Total dust. Total dust.	ACGIH OSHA Z1 OSHA Z1 ACGIH	
Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. Respirable dust. Total dust. Total dust. Total dust. DPERTIES	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1	
Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solic	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. Respirable dust. Total dust. Total dust. Total dust. DPERTIES ration rate : Not	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 applicable.	
Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide Form Appearance	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRC d Evapo ets, powder Specif	Total dust. Respirable dust. Total dust. Total dust. Total dust. DPERTIES ration rate : Not ic Gravity : Not	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 applicable. determined	
Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide Form Appearance Color	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : WHI	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapo ets, powder Specifi TTE Bulk d	Total dust. Respirable dust. Total dust. Total dust. Total dust. DPERTIES ration rate : Not ic Gravity : Not ensity : Not	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 applicable. determined established	
Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide Form Appearance Color Odor	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : WHI : Very	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapo ets, powder Specifi TTE Bulk d faint Vapor	Total dust. Respirable dust. Total dust. Total dust. Total dust. DPERTIES ration rate : Not ensity : Not pressure : Not	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 applicable. determined established applicable	
Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide Form Appearance Color	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIO : Solid : Pelle : WHI : Very : Not of	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapo ets, powder Specifi TTE Bulk d faint Vapor	Total dust. Respirable dust. Total dust. Total dust. Total dust. DPERTIES ration rate : Not ic Gravity : Not pressure : Not density : Not	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 applicable. determined established	



MATERIAL SAFETY DATA SHEET

GEON EXP DB 15020603205 WHITE 1278

Version Number 1.0 Revision Date 05/31/2002 Page 4 of 6 Print Date 11/4/2011

	10. STABILITY AND REACTIVITY
Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing
Hazardous decomposition products	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 Deg F (200 deg C) or short term heating at 482 Deg F (250 deg C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: No data available.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where



MATERIAL SAFETY DATA SHEET

GEON EXP DB 15020603205 WHITE 1278

	2002				Page 5 c Print Date 11/4/20
Contaminated packaging : Recycling is preferred when possible. The generator of waste m has the responsibility for proper waste classification, transportat and disposal in accordance with applicable federal, state/province and local regulations.			cation, transportation		
		14. TRAN	SPORT INFOR	RMATION	
U.S. D.O.T. / CA Classification (Nor ground)		: Not reg	ulated for transpo	ortation.	
ICAO/IATA		: Not reg	ulated for transpo	ortation.	
IMO / IMDG		: Not reg	ulated for transpo	ortation.	
		15. REGU	LATORY INFO	RMATION	
US Regulations:					
OSHA Stat	tus	: Classifi	ed as hazardous l	based on components.	
TSCA Stat	us	: All components of this product are listed on the TSCA inventory or are exempt.			
US. EPA CERCLA	A Hazardo	-			
Chemical N	ame	CAS-No.	% in Product	RQ for component	RQ for Mixture/Product
	ide	75-01-4		1lbs	7,576 LB
Vinyl chlori monomer					
•	Propositio	Californ	nia to cause cance		l known in the State of
California 65	Proposition ction 302	Californ	nia to cause cance		l known in the State of
California 65 SARA Title III Sec	Proposition ction 302 ons:	Californ Extremely Hazar	nia to cause cance		l known in the State of
California 65 SARA Title III Sec Canadian Regulati	Proposition ction 302 ons:	Californ Extremely Hazar	nia to cause cance		l known in the State of
California 65 SARA Title III Sec Canadian Regulati WHMIS C	Proposition ction 302 ons: lassificati	Californ Extremely Hazar on : D2A	nia to cause cance		l known in the State of



MATERIAL SAFETY DATA SHEET

GEON EXP DB 15020603205 WHITE 1278

Version Number 1.0 Revision Date 05/31/2002 Page 6 of 6 Print Date 11/4/2011

China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.