

MATERIAL SAFETY DATA SHEET

GEON E7547 BEIGE 3440

Version Number 1.1 Revision Date 01/06/2003 Page 1 of 6 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON E7547 BEIGE 3440
Product code	:	VC10000909
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Dibutyltin mercaptide	10584-98-2	1 - 5
Calcium carbonate	1317-65-3	5 - 10
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that the OSHA action level and the OSHA exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.



MATERIAL SAFETY DATA SHEET

GEON E7547 BEIGE 3440

Version Number 1.1 Revision Date 01/06/2003 Page 2 of 6 Print Date 11/7/2011

Modical Conditions		News large and			
Medical Conditions Aggravated by Exposure:	None known.				
		4. FIRST AID MEASURES			
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
		5. FIRE-FIGHTING MEASURES			
Flash point	:	Not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	::	Not applicable Not applicable Not applicable. water, dry powder, foam, carbon dioxide (CO2).			
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.			
	6. A	CCIDENTAL RELEASE MEASURES			
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			



MATERIAL SAFETY DATA SHEET

GEON E7547 BEIGE 3440

Version Number 1.1 Revision Date 01/06/2003 Page 3 of 6 Print Date 11/7/2011

	7.	HANDLING AND STORAG	ј Е		
Handling		: Take measures to prevent the build up of electrostatic char only in areas with appropriate exhaust ventilation. Process condensates may contain combustible or toxic residue. P clean hoods, ducts, and other surfaces to minimize accum- these materials.			
Storage	: Keep containers dry and tightly closed to avoid moisture absor and contamination. Keep in a dry, cool place.				
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally 1	equired.	
Eye/Face Protection	: S	: Safety glasses with side-shields.			
Hand protection	: P	: Protective gloves.			
Skin and body protection	: L	Long sleeved clothing.			
Additional Protective Measures	: S	Safety shoes.			
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and a		afety practice.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Calcium carbonate	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	

Culcium curbonate	10 mg/ms	Time weighted Tweidge	i otur dubt.	neom
		(TWA):		
Calcium carbonate	5 mg/m3	PEL:	Respirable dust.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average	Dust.	ACGIH
		(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1
Dibutyltin mercaptide	0.1 mg/m3	Time Weighted Average	Total dust. as Sn	ACGIH
		(TWA):		
	0.2 mg/m3	Short Term Exposure Limit	Total dust. as Sn	ACGIH
		(STEL):		
Dibutyltin mercaptide	0.1 mg/m3	PEL:	Total dust. as Sn	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES



MATERIAL SAFETY DATA SHEET

GEON E7547 BEIGE 3440

Version Number 1.1 Revision Date 01/06/2003		Page 4 of 6 Print Date 11/7/2011
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: SolidEvaporation rate: Pellets, powderSpecific Gravity: TANBulk density: Very faintVapor pressure: Not determinedVapor density: Not applicablepH: Insoluble	Not applicable. Not determined Not established Not applicable Not applicable Not applicable
	10. STABILITY AND REACTIVITY	
Stability	: Stable.	
Hazardous Polymerization	: Will not occur.	
Conditions to avoid	: Keep away from oxidizing agents and open flame. decomposition, do not overheat.	To avoid thermal
Incompatible Materials	: Incompatible with strong acids and oxidizing agen with acetal homopolymers and acetal copolymers	
Hazardous decomposition products	 Carbon dioxide (CO2), carbon monoxide (CO), ox (NOx), other hazardous materials, and smoke are a Prolonged heating (approximately 30 minutes or n (200 °C) or short term heating at 482 °F (250 °C) n decomposition and evolution of carbon monoxide chloride. 	all possible. nore) above 392 °F nay result in product

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
10584-98-2	Dibutyltin mercaptide	Irritant	Eyes, Skin.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	:	No data available.

: Not applicable Additional advice



MATERIAL SAFETY DATA SHEET

GEON E7547 BEIGE 3440

Version Number 1.1 Revision Date 01/06/2003 Page 5 of 6 Print Date 11/7/2011

	13. DISPOSAL CONSIDERATIONS			
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPORT INFORMATION			
U.S. DOT Classification	: Not regulated for transportation.			
ICAO/IATA	: Not regulated for transportation.			
IMO / IMDG	: Not regulated for transportation.			
	15. REGULATORY INFORMATION			
US Regulations:				
OSHA Status	: Classified as hazardous based on components.			
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)			
Not applicable				
California Proposition 65	n : WARNING! This product contains a chemical known to the State of California to cause cancer.			
SARA Title III Section 313 7	Foxic Chemicals:			
Chemical Nar	ne CAS-No. Weight %			
Chemical Nat	III COMPOUNDS 68187-09-7 00.10			



MATERIAL SAFETY DATA SHEET

GEON E7547 BEIGE 3440

Version Number 1.1 Revision Date 01/06/2003 Page 6 of 6 Print Date 11/7/2011

Chemical Name		CAS-No. 71750-83-9	Weight %	
	CHROMIUM III COMPOUNDS MANGANESE COMPOUNDS		00.21	
ZINC COMPOU		(010(00 2	00.00	
ANTIMONY CO	I COMPOUNDS	68186-90-3	00.69	
ANTIMONT CO	JMPOUNDS			
Canadian Regulations:				
WHMIS Classification	: D2A			
WHMIS Ingredient Disc	losure List			
CAS-No. 10584-98-2	-			
DSL	Inventories of product is on	mponents of this produ r are exempt. Howeve the Canadian Non-Do in Canada is restricted	r, at least one compone mestic Substances List	ent of this
National Inventories:				
Australia AICS	: Listed.			
China IECS	: Not determin	ed.		
Europe EINECS	: Not determin	ed.		
Japan ENCS	: Not determin	ed.		
Korea KECI	: Not determin	ed.		
Philippines PICCS	: Listed.			
	16. OTHER	INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.