

# MATERIAL SAFETY DATA SHEET GEON E7370 WHITE 1027

Version Number 1.0 Revision Date 10/27/2003

Page 1 of 6 Print Date 11/12/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440) 930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON E7370 WHITE 1027
Product code	:	VC10001052
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5
Titanium dioxide	13463-67-7	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that the OSHA action level and the OSHA exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

# MATERIAL SAFETY DATA SHEET GEON E7370 WHITE 1027

Version Number 1.0 Revision Date 10/27/2003 Page 2 of 6 Print Date 11/12/2011

Medical Conditions Aggravated by Exposure:	:	: None known.			
		4. FIRST AID MEASURES			
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
		5. FIRE-FIGHTING MEASURES			
Flash point	:	Not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: : :	Not applicable Not applicable Not applicable water, foam, carbon dioxide (CO2), dry powdernone.			
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.			
Unusual Fire/Explosion Hazards	:	May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.			
	6. A	CCIDENTAL RELEASE MEASURES			
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			



# MATERIAL SAFETY DATA SHEET GEON E7370 WHITE 1027

Version Number 1.0 Revision Date 10/27/2003 Page 3 of 6 Print Date 11/12/2011

	7.	HANDLING AND STO	DRAGE	
Handling	0 C C	ake measures to prevent nly in areas with appropr ondensates may contain c lean hoods, ducts, and oth hese materials.	iate exhaust ventilation. combustible or toxic resid	Processing fume lue. Periodically
Storage		Keep containers dry and ti nd contamination. Keep		isture absorption
8. E	XPOSURE	CONTROLS / PERSO	NAL PROTECTION	
Respiratory protection	: N	No personal respiratory pr	otective equipment norm	ally required.
Eye/Face Protection	: S	afety glasses with side-sh	iields.	
Hand protection	: P	Protective gloves.		
Skin and body protection	: L	long sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		Handle in accordance with Vash hands before breaks		
Engineering measures Exposure limit(s)		Ieat only in areas with ap ppropriate exhaust ventila		tion. Provide
Components	Value	Exposure time	Exposure type	e List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fracti	
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	ge	ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSI	CAL AND CHEMICAL	PROPERTIES	
Form	: Solid	i F	vaporation rate :	Not applicable
Appearance			pecific Gravity :	Not determined
	: WH		Sulk density :	Not established
Color	· Verv	y faint V	apor pressure :	Not applicable
Odor			7 1 <b>.</b>	NT / 1º 11
	: Not		'apour density:H:	Not applicable Not applicable

<u>PolyOne</u>.

# MATERIAL SAFETY DATA SHEET **GEON E7370 WHITE 1027**

Version Number 1.0 Revision Date 10/27/2003

Page 4 of 6 Print Date 11/12/2011

	10. STABILITY AND REACTIVITY
Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use
Bioaccumulation Potential	: No data available
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.



# MATERIAL SAFETY DATA SHEET GEON E7370 WHITE 1027

Version Number 1.0 Revision Date 10/27/2003 Page 5 of 6 Print Date 11/12/2011

Contaminated packaging	:	Recycling is preferred y has the responsibility for and disposal in accorda and local regulations.	or proper waste	e classification,	transportation
	1	4. TRANSPORT INFO	ORMATION		
U.S. DOT Classification	:	Not regulated for trans	-		
ICAO/IATA (air)	:	Not regulated for transp	portation.		
IMO / IMDG (maritime)	:	Not regulated for transp	portation.		
	15	. REGULATORY INF	ORMATION		
US Regulations:					
OSHA Status	:	Classified as hazardous	based on com	ponents.	
TSCA Status	:	All components of this Inventory.	product are lis	ted on or exemp	pt from the TSCA
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)			
Not applicable					
California Proposition 65	:	WARNING! This proc California to cause can		chemical know	on to the State of
SARA Title III Section 302 Ext	rem	ely Hazardous Substance	2		
Not applicable					
SARA Title III Section 313 Tox	ic C	hemicals:			
Not applicable Canadian Regulations:					
National Pollutant Relea	se Iı	ventory (NPRI)			
Chemical Name			CAS-No.	Weight %	NPRI ID#
Aluminum oxide			1344-28-1	0.25	13

DO	OI VONE CORPORATION							
PO.	POLYONE CORPORATION							
MAT	TERIAL SAF	ETY DATA SHE	ЕТ					
GE	ON E737	70 WHITE 10	027	7				
	ion Number sion Date 10			Print Date	Page 6 of 6 11/12/2011			
	WHM	IIS Classification	:	D2B				
	WHM	IS Ingredient Disc	losu	re List				
		CAS-No. 14807-96-6						
	DSL		:	All components of this product are on the Canadian Domest Substances List (DSL) or are exempt.	ic			
	National Inve	entories:						
	Austra	alia AICS	:	Listed				
	China	IECS	:	Listed				
	Europ	e EINECS	:	Not determined				
	Japan	ENCS	:	Not determined				
	Korea	a KECI	:	Not determined				
	Philip	pines PICCS	:	Listed				
				16. OTHER INFORMATION				

PolyOne

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.