

MATERIAL SAFETY DATA SHEET

GEON EXP DB 15020613001 WHITE 1405

Version Number 1.0 Revision Date 09/13/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON EXP DB 15020613001 WHITE 1405
Product code	:	VC10001122
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5
Dibutyltin mercaptide	10584-98-2	1 - 5
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that the OSHA action level and the OSHA exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.



MATERIAL SAFETY DATA SHEET

GEON EXP DB 15020613001 WHITE 1405

Version Number 1.0 Revision Date 09/13/2002 Page 2 of 6 Print Date 11/6/2011

Medical Conditions Aggravated by Exposure:	: None known.		
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases doubt, seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable. water, dry powder, foam, carbon dioxide (CO2). 		
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	 May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. 		
	5. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.		



MATERIAL SAFETY DATA SHEET

GEON EXP DB 15020613001 WHITE 1405

Version Number 1.0 Revision Date 09/13/2002 Page 3 of 6 Print Date 11/6/2011

	7.	HANDLING AND STORAG	E	
Handling		ake measures to prevent the bundle in areas with appropriate expondensates may contain combunes hoods, ducts, and other sumese materials.	khaust ventilation. Processible or toxic residue.	cessing fume Periodically
Storage		eep containers dry and tightly nd contamination. Keep in a dr		e absorption
8. I	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protectiv	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields.		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	Long sleeved clothing.		
Additional Protective Measures	: S	Safety shoes.		
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		safety practice
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Calcium carbonate	5 mg/m3	PEL:	Respirable dust.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1
Dibutyltin mercaptide	0.1 mg/m3	Time Weighted Average (TWA):	Total dust. as Sn	ACGI
	0.0 / 5		m 111 m	1 CONT

9. PHYSICAL AND CHEMICAL PROPERTIES

Short Term Exposure Limit

(STEL):

PEL:

0.2 mg/m3

0.1 mg/m3

Dibutyltin mercaptide

Total dust. as Sn

Total dust. as Sn

ACGIH

OSHA Z1



MATERIAL SAFETY DATA SHEET

GEON EXP DB 15020613001 WHITE 1405

sion Number 1.0 ision Date 09/13/2002			Page 4 c Print Date 11/6/20
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets, powder WHITE Very faint Not determined Not applicable Insoluble 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	 Not applicable. Not determined Not established Not applicable Not applicable Not applicable
	10. STABILITY AND	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from ox decomposition, do a	idizing agents and open fl not overheat.	lame. To avoid thermal
Incompatible Materials		strong acids and oxidizing alymers and acetal copoly	
Hazardous decomposition products	(NOx), other hazard Prolonged heating ((200 °C) or short ter	D2), carbon monoxide (CC dous materials, and smoke (approximately 30 minutes) rm heating at 482 °F (250 evolution of carbon mono	e are all possible. s or more) above 392 °F °C) may result in product

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
10584-98-2	Dibutyltin mercaptide	Irritant	Eyes, Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

12. ECOLOGICAL INFORMATION

Persistence and degradability:Not readily biodegradable.Environmental Toxicity:Adverse ecological impact is not known or expected under normal use.Bioaccumulation Potential:No data available.

Additional advice : Not applicable



MATERIAL SAFETY DATA SHEET

GEON EXP DB 15020613001 WHITE 1405

Version Number 1.0 Revision Date 09/13/2002 Page 5 of 6 Print Date 11/6/2011

	13. DISPOSAL CONSIDERATIONS	
Product	: Like most thermoplastics the product can be recycled possible, recycling is preferred to disposal or incinerat generator of waste material has the responsibility for p classification, transportation and disposal in accordance applicable federal, state/provincial and local regulation	tion. The proper waste ce with
Contaminated packaging	: Recycling is preferred when possible. The generator of has the responsibility for proper waste classification, t and disposal in accordance with applicable federal, sta and local regulations.	ransportation
	14. TRANSPORT INFORMATION	
U.S. DOT Classification	: Not regulated for transportation.	
ICAO/IATA	: Not regulated for transportation.	
IMO / IMDG	: Not regulated for transportation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: Classified as hazardous based on components.	
TSCA Status	: All components of this product are listed on the TSCA exempt.	inventory or are
US. EPA CERCLA Hazardo	Substances (40 CFR 302)	
Not applicable		
California Proposition 65	: WARNING! This product contains a chemical known California to cause cancer.	1 in the State of
Canadian Regulations:		
WHMIS Classification	: D2A	
WHMIS Ingredient D	closure List	



MATERIAL SAFETY DATA SHEET

GEON EXP DB 15020613001 WHITE 1405

Version Number 1.0 Revision Date 09/13/2002 Page 6 of 6 Print Date 11/6/2011

CAS-No. 10584-98-2		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.