

MATERIAL SAFETY DATA SHEET

GEON PLENSTAR EMP670A Natural 1000

Version Number 1.1 Revision Date 01/30/2003 Page 1 of 6 Print Date *11/10/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON PLENSTAR EMP670A Natural 1000
Product code	:	VC10001206
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Dibasic lead phthalate, C8H4O6Pb3	17976-43-1	1 - 5
Molybdate (Mo8O264-), tetraammonium	12411-64-2	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that the OSHA action level and the OSHA exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.



MATERIAL SAFETY DATA SHEET

GEON PLENSTAR EMP670A Natural 1000

Version Number 1.1 Revision Date 01/30/2003 Page 2 of 6 Print Date 11/10/2011

Medical Conditions	: None known.		
Aggravated by Exposure:			
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable. water, dry powder, foam, carbon dioxide (CO2). 		
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	 May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		



MATERIAL SAFETY DATA SHEET

GEON PLENSTAR EMP670A Natural 1000

ersion Number 1.1 evision Date 01/30/2003		Page 3 of 6 Print Date 11/10/2011
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXI	OSUF	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

Components	Value	Exposure time	Exposure type	List:
Molybdate	0.5 mg/m3	Time Weighted Average	Respirable dust. as Mo	ACGIH
(Mo8O264-),		(TWA):		
tetraammonium				
Molybdate	5 mg/m3	PEL:	as Mo	OSHA Z1
(Mo8O264-),				
tetraammonium				
Molybdate	0.5 mg/m3	Time Weighted Average	as Mo	ACGIH
(Mo8O264-),		(TWA):		
tetraammonium				
Dibasic lead phthalate,	0.05	PEL:	Total dust. as Pb	OSHA
C8H4O6Pb3	mg/m3			
	0.05	Time Weighted Average	Total dust. as Pb	ACGIH
	mg/m3	(TWA):		

9. PHYSICAL AND CHEMICAL PROPERTIES

Form

: Solid

Evaporation rate

: Not applicable.



MATERIAL SAFETY DATA SHEET

GEON PLENSTAR EMP670A Natural 1000

Version Number 1.1 Revision Date 01/30/2003			Page 4 of 6 Print Date 11/10/2011
Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Pellets, powder NO PIGMENT Very faint Not determined Not applicable Insoluble 	Specific Gravity Bulk density Vapor pressure Vapor density pH	 Not determined Not established Not applicable Not applicable Not applicable
	10. STABILITY AND R	EACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.		
Incompatible Materials	: Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.		
Hazardous decomposition products		s materials, and smoke proximately 30 minute heating at 482 °F (250	e are all possible. s or more) above 392 °F °C) may result in product

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
17976-43-1	Dibasic lead phthalate, C8H4O6Pb3	Systemic effects	central nervous system.
12411-64-2	Molybdate (Mo8O264-), tetraammonium	Irritant	Eyes, Skin.

Additional Health Hazard Information:

Dibasic lead phthalate, C8H4O6Pb3 17976-43-1 Systemic effects include neurotoxic, teratogenic, fetotoxic and reproductive with abdominal pain, anemia, pallor, decreased hand grip strength with characteristic "wrist drop".

12. ECOLOGICAL INFORMATION

Persistence and degradability

: Not readily biodegradable.

Environmental Toxicity

- ty : Adverse ecological impact is not known or expected under normal use.
 - 4/6



MATERIAL SAFETY DATA SHEET

GEON PLENSTAR EMP670A Natural 1000

ion Number 1.1 sion Date 01/30/2003				Page 5 Print Date 11/10/
Bioaccumulation Potential	: No data a	available.		
Additional advice	: Not appl	icable		
	13. DISPOS	SAL CONSIDE	CRATIONS	
Product	possible, generator classifica	recycling is pre r of waste mater ation, transportat	s the product can be r ferred to disposal or i ial has the responsibilition and disposal in ac provincial and local re	ncineration. The lity for proper waste ccordance with
Contaminated packaging	 Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 			cation, transportation
	14. TRAN	SPORT INFOR	RMATION	
U.S. DOT Classification	: Not regu	lated for transpo	ortation.	
ICAO/IATA	: Not regulated for transportation.			
IMO / IMDG	: Not regulated for transportation.			
	15. REGUL	ATORY INFO	RMATION	
US Regulations:				
OSHA Status	: Classifie	d as hazardous b	based on components.	
TSCA Status	 All components of this product are listed on or exempt from the TSCA Inventory. 			
US. EPA CERCLA Hazard	ous Substances (40	0 CFR 302)		
Chemical Name	CAS-No.	% in Product	RQ for component	RQ for Mixture/Product
Lead Stearate	7428-48-0	0.2194	010 lbs	4,558 LB
California Propositi 65	Californi chemical	a to cause cance	er., WARNING! This tate of California to c	



MATERIAL SAFETY DATA SHEET

GEON PLENSTAR EMP670A Natural 1000

Version Number 1.1 Revision Date 01/30/2003 Page 6 of 6 Print Date 11/10/2011

SARA Title III Section 313 Toxic Chemicals:

Chemical Name	CAS-No.	Weight %
LEAD COMPOUNDS, ORGANIC	17976-43-1	03.87
LEAD COMPOUNDS, ORGANIC	7428-48-0	00.21

Canadian Regulations:

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
12411-64-2	

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determined.
China IECS	: Not determined.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Not determined.
Philippines PICCS	: Not determined.

:

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.