

MATERIAL SAFETY DATA SHEET

GEON W2407 WHT 1024

Version Number 1.0 Revision Date 11/18/2002 Page 1 of 7 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON W2407 WHT 1024
Product code	:	VC10001309
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Antimony trioxide	1309-64-4	1 - 5
Lead oxide sulfate (Pb4O3(SO4))	12202-17-4	1 - 5
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that the OSHA action level and the OSHA exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.



MATERIAL SAFETY DATA SHEET

GEON W2407 WHT 1024

Version Number 1.0 Revision Date 11/18/2002 Page 2 of 7 Print Date 11/6/2011

Medical Conditions	:	None known.
Aggravated by Exposure:		
		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable.
Suitable extinguishing media	:	water, dry powder, foam, carbon dioxide (CO2).
Special Fire Fighting	:	Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures		pressure mode should be worn to prevent inhalation of airborne
		contaminants.
Unusual Fire/Explosion Hazards	:	May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.



MATERIAL SAFETY DATA SHEET

GEON W2407 WHT 1024

sion Number 1.0 ision Date 11/18/2002	Page Print Date 11/	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fun condensates may contain combustible or toxic residue. Periodical clean hoods, ducts, and other surfaces to minimize accumulation of these materials.	ne ly
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	n
8. EXI	OSURE CONTROLS / PERSONAL PROTECTION	
Respiratory protection	: No personal respiratory protective equipment normally required.	
Eye/Face Protection	: Safety glasses with side-shields.	
Hand protection	: Protective gloves.	
Skin and body protection	: Long sleeved clothing.	
Additional Protective Measures	: Safety shoes.	
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety pract Wash hands before breaks and at the end of workday.	tice
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Antimony trioxide	0.5 mg/m3	PEL:	as Sb	OSHA Z1
Lead oxide sulfate (Pb4O3(SO4))	0.05 mg/m3	Time Weighted Average (TWA):	as Pb	OSHA
	0.03 mg/m3	OSHA Action level:	as Pb	OSHA
	0.05 mg/m3	Time Weighted Average (TWA):	as Pb	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance : Solid : Pellets, powder Evaporation rate : Not applicable. Specific Gravity

: Not determined



MATERIAL SAFETY DATA SHEET

GEON W2407 WHT 1024

Version Number 1.0 Revision Date 11/18/2002		Page 4 of 7 Print Date 11/6/2011
Color Odor Melting point/range Boiling Point: Water solubility	: Very faint V : Not determined V	Bulk density:Not establishedVapor pressure:Not applicableVapor density:Not applicableH:Not applicable
	10. STABILITY AND REA	CTIVITY
Stability	: Stable.	
Hazardous Polymerization	: Will not occur.	
Conditions to avoid	: Keep away from oxidizing decomposition, do not ove	agents and open flame. To avoid thermal rheat.
Incompatible Materials		acids and oxidizing agents. Avoid contact and acetal copolymers during processing.
Hazardous decomposition products	(NOx), other hazardous ma Prolonged heating (approx (200 °C) or short term heat	rbon monoxide (CO), oxides of nitrogen aterials, and smoke are all possible. timately 30 minutes or more) above 392 °F ting at 482 °F (250 °C) may result in product on of carbon monoxide and hydrogen

11. TOXICOLOGICAL INFORMATION

chloride.

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.
12202-17-4	Lead oxide sulfate (Pb4O3(SO4))	Systemic effects	reproductive system, central nervous system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:



MATERIAL SAFETY DATA SHEET

GEON W2407 WHT 1024

Version Number 1.0

Revision Date 11/18/2002

Page 5 of 7 Print Date 11/6/2011

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no
12202-17-4	Lead oxide sulfate (Pb4O3(SO4))	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

Additional Health Hazard Information:

Lead oxide sulfate (Pb4O3(SO4)) 12202-17-4 Systemic effects include neurotoxic, teratogenic, fetotoxic and reproductive with abdominal pain, anemia, pallor, decreased hand grip strength with characteristic "wrist drop".

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use
Bioaccumulation Potential	: No data available.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION



MATERIAL SAFETY DATA SHEET

GEON W2407 WHT 1024

on Number 1.0 sion Date 11/18/2002				Page Print Date 11/6
U.S. DOT Classification	: Not regula	ted for transpo	rtation.	
ICAO/IATA	: Not regula	ted for transpo	rtation.	
MO / IMDG	: Not regula	ited for transpo	rtation.	
	15. REGULA	TORY INFO	RMATION	
US Regulations:				
OSHA Status	: Classified	as hazardous b	based on components.	
TSCA Status	: All compo Inventory.		roduct are listed on or	exempt from the TS
US. EPA CERCLA Hazard	lous Substances (40	CFR 302)		
Chemical Name		% in Product	RQ for component	RQ for Mixture/Product
Antimony trioxide	1309-64-4	3.8589	1,000 lbs	25,914 LB
California Proposit 65	ion : WARNIN California chemical k	to cause cance known to the St	ct contains a chemica r., WARNING! This tate of California to c	l known to the State
California Proposit 65	ion : WARNIN California chemical k other repro	to cause cance	r., WARNING! This	l known to the State
California Proposit 65 SARA Title III Section 313	ion : WARNIN California chemical k other repro	to cause cance known to the St oductive harm.	r., WARNING! This tate of California to c	I known to the State product contains a ause birth defects or
California Proposit 65 SARA Title III Section 313 Chemical N	ion : WARNIN California chemical k other repro	to cause cance cnown to the Spoductive harm.	r., WARNING! This tate of California to c	I known to the State product contains a ause birth defects or ht %
California Proposit 65 SARA Title III Section 313 Chemical N ANTIMON	ion : WARNIN California chemical k other repro	to cause cance known to the St oductive harm. CAS 1309-	r., WARNING! This tate of California to c -No. Weig	I known to the State product contains a ause birth defects or <u>ht %</u>
California Proposit 65 SARA Title III Section 31 Chemical N ANTIMON LEAD COM	ion : WARNIN California chemical k other repro 3 Toxic Chemicals: ame Y COMPOUNDS	to cause cance known to the St oductive harm. CAS 1309-	r., WARNING! This tate of California to c - <u>No. Weig</u> 64-4 03.85	I known to the State product contains a ause birth defects or <u>ht %</u>
California Proposit 65 SARA Title III Section 31 Chemical N ANTIMON LEAD COM	ion : WARNIN California chemical k other repro 3 Toxic Chemicals: ame <u>Y COMPOUNDS</u> <u>IPOUNDS, INORG</u>	to cause cance known to the St oductive harm. CAS 1309-	r., WARNING! This tate of California to c - <u>No. Weig</u> 64-4 03.85	I known to the State product contains a ause birth defects or <u>ht %</u>
California Proposit 65 SARA Title III Section 313 Chemical N ANTIMON LEAD CON Canadian Regulations:	ion : WARNIN California chemical k other repro 3 Toxic Chemicals: ame Y COMPOUNDS IPOUNDS, INORG	to cause cance known to the St oductive harm. CAS 1309-	r., WARNING! This tate of California to c - <u>No. Weig</u> 64-4 03.85	I known to the State product contains a ause birth defects or <u>ht %</u>
California Proposit 65 SARA Title III Section 313 Chemical N ANTIMON LEAD CON Canadian Regulations: WHMIS Classifica	ion : WARNIN California chemical k other repro 3 Toxic Chemicals: ame Y COMPOUNDS IPOUNDS, INORG ion : D2A Disclosure List	to cause cance known to the St oductive harm. CAS 1309-	r., WARNING! This tate of California to c - <u>No. Weig</u> 64-4 03.85	I known to the State product contains a ause birth defects or <u>ht %</u>



MATERIAL SAFETY DATA SHEET

GEON W2407 WHT 1024

Version Number 1.0 Revision Date 11/18/2002 Page 7 of 7 Print Date 11/6/2011

National Inventories:

Australia AICS	: Not determined.
China IECS	: Not determined.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Not determined.
Philippines PICCS	: Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.