

MATERIAL SAFETY DATA SHEET

GEON X155-023-145-01

Version Number 1.0 Revision Date 03/05/2003 Page 1 of 7 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON X155-023-145-01
Product code	:	VC10001654
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Antimony trioxide	1309-64-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that the OSHA action level and the OSHA exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.			
Ingestion	: May be harmful if swallowed.			
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			



MATERIAL SAFETY DATA SHEET

GEON X155-023-145-01

ision Date 03/05/2003	Print Date 11/10/2
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable. water, dry powder, foam, carbon dioxide (CO2).
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET

GEON X155-023-145-01

sion Date 03/05/2003			F	Print Date 11/10/
Handling		nly in areas with appro ondensates may contain	nt the build up of electrost priate exhaust ventilation. n combustible or toxic resi other surfaces to minimize	Processing fume idue. Periodically
Storage		eep containers dry and ad contamination. Kee	tightly closed to avoid more in a dry, cool place.	oisture absorption
8. F	XPOSURE	CONTROLS / PERS	ONAL PROTECTION	
Respiratory protection	: N	o personal respiratory	protective equipment norr	nally required.
Eye/Face Protection	: Sa	afety glasses with side	-shields.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: Sa	afety shoes.		
General Hygiene Considerations			ith good industrial hygiene ks and at the end of workd	
Engineering measures		eat only in areas with a propriate exhaust vent	appropriate exhaust ventila tilation at machinery.	ation. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure typ	e List:
Antimony trioxide	0.5 mg/m3	PEL:	as Sb	OSHA ZI
	9. PHYSIC	CAL AND CHEMICA	AL PROPERTIES	
Form	: Solid		Evaporation rate :	Not applicable.
Appearance		ts, powder	Specific Gravity :	Not determined
Color	: PUR	PLĒ	Bulk density :	Not established
Odor	: Very		Vapor pressure :	Not applicable
Melting point/range		letermined	Vapor density :	Not applicable
Boiling Point:		pplicable	pH :	Not applicable
Water solubility	: Insol	uble		
	10. S	TABILITY AND RE	ACTIVITY	
Stability	: St	able.		
Hazardous Polymerization	n : W	ill not occur.		



MATERIAL SAFETY DATA SHEET

GEON X155-023-145-01

Version Number 1.0 Revision Date 03/05/2003		Page 4 of 7 Print Date 11/10/2011
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).



MATERIAL SAFETY DATA SHEET

GEON X155-023-145-01

Version Number 1.0 Revision Date 03/05/2003 Page 5 of 7 Print Date 11/10/2011

Persistence and degradability		Not readily biod	eoradable		
	·	-	-		
Environmental Toxicity	:	Adverse ecologi	cal impact is not kr	nown or expected	l under normal use
Bioaccumulation Potential	:	No data availabl	e.		
Additional advice	:	Not applicable			
	1.	3. DISPOSAL CO	ONSIDERATION	IS	
Product	:	possible, recycli generator of was classification, tra	oplastics the prod ng is preferred to d ste material has the ansportation and di al, state/provincial	lisposal or incine responsibility fo sposal in accord	ration. The or proper waste ance with
Contaminated packaging	:	has the responsil	ferred when possib bility for proper wa accordance with ap tions.	aste classification	n, transportation
	1	4. TRANSPORT	INFORMATION	N	
U.S. DOT Classification	:	Not regulated fo	r transportation.		
ICAO/IATA	:	Not regulated fo	r transportation.		
IMO / IMDG	:	Not regulated fo	r transportation.		
	15	5. REGULATOR	Y INFORMATIC	DN	
US Regulations:					
-		Classified as has			
OSHA Status	:		zardous based on co	-	
TSCA Status	:	All components Inventory.	of this product are	listed on or exen	npt from the TSC
	Sub	stances (40 CFR 3	302)		
US. EPA CERCLA Hazardous		CAS-No.	% in Product	RQ for	RQ for
US. EPA CERCLA Hazardous Chemical Name				component	Mixture/Prod
				· · · · · · · · · · · · · · · ·	uct



MATERIAL SAFETY DATA SHEET

GEON X155-023-145-01

Version Number 1.0 Revision Date 03/05/2003			Print Date	Page 6 of 7 11/10/2011
California Proposition : 65	WARNING! This produ California to cause cance chemical known to the S other reproductive harm.	er., WARNING! ' tate of California	This product conta	uins a
SARA Title III Section 302 Extreme Not applicable	ely Hazardous Substance			
SARA Title III Section 313 Toxic C	hemicals:	CAS-No.	Waight %	
ANTIMONY COMPOUND	DS	1309-64-4	Weight % 03.97	
WHMIS Classification : WHMIS Ingredient Disclosu CAS-No. 1309-64-4 DSL : National Inventories:			Canadian Domest	ic
Australia AICS :	Not determined.			
China IECS :	Not determined.			
Europe EINECS :	Not determined.			
Japan ENCS :	Not determined.			
Korea KECI :	Not determined.			
Philippines PICCS :	Not determined.			
	16. OTHER INFORM	ATION		



MATERIAL SAFETY DATA SHEET

GEON X155-023-145-01

Version Number 1.0 Revision Date 03/05/2003 Page 7 of 7 Print Date *11/10/2011*

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.