MATERIAL SAFETY DATA SHEET GEON EXP CP 15024211403 NAT

Version Number 1.0 Revision Date 06/09/2003

Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON EXP CP 15024211403 NAT
Product code	:	VC10001980
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	471-34-1	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that the OSHA action level and the OSHA exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET GEON EXP CP 15024211403 NAT

Version Number 1.0 Revision Date 06/09/2003 Page 2 of 6 Print Date 11/11/2011

Medical Conditions	: None known.
Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 Not applicable Not applicable Not applicable. water, dry powder, foam, carbon dioxide (CO2). Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	 contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET GEON EXP CP 15024211403 NAT

ion Number 1.0 sion Date 06/09/2003			Print D	Page 3 ate 11/11/2
Handling		ake measures to prevent the bundle in areas with appropriate econdensates may contain combulean hoods, ducts, and other sublese materials.	xhaust ventilation. Procustible or toxic residue.	essing fume Periodically
Storage		eep containers dry and tightly nd contamination. Keep in a c		e absorption
8. I	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protecti	ive equipment normally r	equired.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good ash hands before breaks and a		afety practice
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	ACGIH

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range Boiling Point: Water solubility
- Solid
 Pellets, powder
 NO PIGMENT
 Very faint
 Not determined
 Not applicable
 Insoluble
- Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH
- Not applicable.
 Not determined
 Not established
 Not applicable
 Not applicable
 Not applicable

PolyOne.

MATERIAL SAFETY DATA SHEET GEON EXP CP 15024211403 NAT

Version Number 1.0 Revision Date 06/09/2003 Page 4 of 6 Print Date 11/11/2011

	10. STABILITY AND REACTIVITY
Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
471-34-1	Calcium carbonate	Irritant	Eyes, Skin.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Ch	emical Name	Route	Value	Species	
471-34-1	Calcium	carbonate	Oral LD50	6,450 mg/kg	rat	
		12. ECOLOGIO	CAL INFORMAT	ION		
Persistence and deg	gradability	: Not readily b	iodegradable.			
Environmental Tox	icity	: Adverse ecological impact is not known or expected under normal use.				
Bioaccumulation Potential :		: No data available.				
Additional advice : Not applicable						
		13. DISPOSAL	CONSIDERATIO	DNS		
Product		: Like most the	rmoplastics the pr	oduct can be recycl	ed. Where	

PolyOne.

MATERIAL SAFETY DATA SHEET GEON EXP CP 15024211403 NAT

sion Number 1.0 ision Date 06/09/2003		Page 5 Print Date 11/11/2
Contaminated packaging	 possible, recycling is preferred to disposal or i generator of waste material has the responsibil classification, transportation and disposal in ad applicable federal, state/provincial and local reference when possible. The ger has the responsibility for proper waste classification disposal in accordance with applicable federal and local regulations. 	lity for proper waste ccordance with egulations. herator of waste material cation, transportation
	14. TRANSPORT INFORMATION	
U.S. DOT Classification	: Not regulated for transportation.	
ICAO/IATA	: Not regulated for transportation.	
IMO / IMDG	: Not regulated for transportation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: Classified as hazardous based on components.	
TSCA Status	: All components of this product are listed on or Inventory.	exempt from the TSCA
US. EPA CERCLA Hazardous	Substances (40 CFR 302)	
Not applicable		
California Proposition 65	: WARNING! This product contains a chemica California to cause cancer.	l known to the State of
SARA Title III Section 302 Ex	remely Hazardous Substance	
Not applicable		
SARA Title III Section 313 To	ic Chemicals:	
Not applicable Canadian Regulations:		
National Pollutant Relea	e Inventory (NPRI)	
Not applicable		

PolyOne

MATERIAL SAFETY DATA SHEET GEON EXP CP 15024211403 NAT

Version Number 1.0 Revision Date 06/09/2003 Page 6 of 6 Print Date 11/11/2011

WH	MIS Classification	:	Not controlled.		
DSL	:	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		
National Inv	entories:				
Aust	ralia AICS	:	Listed.		
Chin	a IECS	:	Listed.		
Euro	pe EINECS	:	Not determined.		
Japa	n ENCS	:	Not determined.		
Kore	a KECI	:	Listed.		
Phili	ppines PICCS	:	Listed.		
16. OTHER INFORMATION					

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.