

MATERIAL SAFETY DATA SHEET GEON 2.00% BLACK 28

Version Number 1.0 Revision Date 09/03/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON 2.00% BLACK 28
Product code	:	VC10002286
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Spinels, chromium (III) copper black	68186-91-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that the OSHA action level and the OSHA exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.



MATERIAL SAFETY DATA SHEET **GEON 2.00% BLACK 28**

Version Number 1.0 Revision Date 09/03/2003 Page 2 of 6 Print Date 11/12/2011

Medical Conditions	Medical Conditions : None known.		
Aggravated by Exposure:			
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable. water, dry powder, foam, carbon dioxide (CO2). 		
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under 		
Hazards	fire conditions.		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		



MATERIAL SAFETY DATA SHEET GEON 2.00% BLACK 28

sion Number 1.0 ision Date 09/03/2003				Prin	Page 3 t Date 11/12/2
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.				
Storage		eep containers dry		closed to avoid moistry, cool place.	ture absorption
8. I	EXPOSURE	CONTROLS / P	ERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respira	tory protectiv	ve equipment normal	ly required.
Eye/Face Protection	: S	afety glasses with	side-shields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothi	ng.		
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure	time	Exposure type	List:
Spinels, chromium (III) copper black	0.5 mg/m3	Time Weighted (TWA)	U	as Cr	ACGIH
Spinels, chromium (III) copper black	1 mg/m3	PEL:		as Cr	OSHA Z1
	9. PHYSIC	CAL AND CHEM	IICAL PRO	PERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: BLA : Very : Not o	ts, powder CK faint determined applicable	Specifi Bulk de Vapor	c Gravity : M ensity : M pressure : M density : M	Not applicable. Not determined Not established Not applicable Not applicable Not applicable
	10. 5	STABILITY AND) REACTIV	ITY	
		3/6			



MATERIAL SAFETY DATA SHEET **GEON 2.00% BLACK 28**

Version Number 1.0 Revision Date 09/03/2003 Page 4 of 6 Print Date 11/12/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
68186-91-4	Spinels, chromium (III)	Irritant	Eyes, Skin, Respiratory system.
	copper black		

Additional Health Hazard Information:

Spinels, chromium (III) copper black 68186-91-4 The bi and trivalent forms of chrome have a low order of acute toxicity but may cause dermatitis, pulmonary sensitization and corrosive effect on eyes.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: No data available.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.



MATERIAL SAFETY DATA SHEET **GEON 2.00% BLACK 28**

Version Number 1.0 Revision Date 09/03/2003 Page 5 of 6 Print Date 11/12/2011

Contaminated packaging	:	Recycling is preferr has the responsibilit and disposal in acco and local regulation	ty for proper waste or ordance with application	classification, trai	nsportation
]	4. TRANSPORT IN	FORMATION		
U.S. DOT Classification		Not regulated for tra	angeometrica		
	:	-	-		
ICAO/IATA	:	Not regulated for tra	ansportation.		
IMO / IMDG	:	Not regulated for tra	ansportation.		
	15	5. REGULATORY I	NFORMATION		
US Regulations:					
OSHA Status	:	Classified as hazard	lous based on comp	onents.	
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardou	ıs Sut	stances (40 CFR 302))		
Not applicable					
California Proposition 65	ı :	WARNING! This p California to cause		hemical known to	o the State of
SARA Title III Section 302 E	xtrem	ely Hazardous Substa	ince		
Not applicable					
SARA Title III Section 313 T	'oxic (Chemicals:			
Chemical Name			CAS-No.	Weight %	
CHROMIUM III COI COMPOUNDS	MPOU	JNDSCOPPER	68186-91-4	2.00	
Canadian Regulations:					
	aaca I	nventory (NPRI)			
National Pollutant Rel					



MATERIAL SAFETY DATA SHEET **GEON 2.00% BLACK 28**

Version Number 1.0

Revision Date 09/03/2003

Page 6 of 6 Print Date 11/12/2011

Chemical Name	CAS-No.	Weight %	NPRI ID#
Spinels, chromium (III) copper black	68186-91-4	2.00	68
Spinels, chromium (III) copper black	68186-91-4	2.00	70

WHMIS Classification : Not controlled.

DSL	

: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Listed.
Philippines PICCS	: Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.