

MATERIAL SAFETY DATA SHEET GEON X15505810501 (90600 GRY 2441)

Version Number 1.0 Revision Date 02/23/2004

Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440) 930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON X15505810501 (90600 GRY 2441)
Product code	:	VC10002685
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Misc00029 - Misc barium compound	Not Available	1 - 5
Calcium carbonate	1317-65-3	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that the OSHA action level and the OSHA exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET GEON X15505810501 (90600 GRY 2441)

Version Number 1.0 Revision Date 02/23/2004 Page 2 of 6 Print Date 11/14/2011

Medical Conditions : None known. Aggravated by Exposure:			
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	s of	
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	at :	
Skin	: Wash off with soap and plenty of water. If skin irritation persists s medical attention.	seek	
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits			
Upper explosion limit	: Not applicable		
Lower explosion limit	: Not applicable		
Autoignition temperature	: Not applicable		
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.		
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positi	ve	
Procedures	pressure mode should be worn to prevent inhalation of airborne		
	contaminants.		
Unusual Fire/Explosion Hazards	: May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) un fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), ox of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not	
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Section		



MATERIAL SAFETY DATA SHEET GEON X15505810501 (90600 GRY 2441)

Version Number 1.0 Revision Date 02/23/2004 Page 3 of 6 Print Date 11/14/2011

	7.	HANDLING AND STORA	GE	
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.			
Storage		eep containers dry and tightly ad contamination. Keep in a c		e absorption
8. I	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protect	ive equipment normally	required.
Eye/Face Protection	: Sa	afety glasses with side-shields		
Hand protection	: P1	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Misc00029 - Misc barium compound	0.5 mg/m3	PEL:	as Ba	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Ba	ACGIH
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES	



MATERIAL SAFETY DATA SHEET GEON X15505810501 (90600 GRY 2441)

Version Number 1.0 Revision Date 02/23/2004

Page 4 of 6 Print Date 11/14/2011

Color Odor Melting point/range Boiling Point: Water solubility	: GREY: Very faint: Not determined: Not applicable: Insoluble	Bulk density Vapor pressure Vapour density pH	Not establishedNot applicableNot applicableNot applicable		
	10. STABILITY AND	REACTIVITY			
Stability	: Stable.				
Hazardous Polymerization	: Will not occur.				
Conditions to avoid	: Keep away from oxi decomposition, do n		flame. To avoid thermal		
Incompatible Materials			g agents. Avoid contact mers during processing.		
Hazardous decomposition products	(NOx), other hazard Prolonged heating (a (200 °C) or short term	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.			
	11. TOXICOLOGICAL INFORMATION				

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

12. ECOLOGICAL INFORMATION			
Persistence and degradability	:	Not readily biodegradable.	
Environmental Toxicity	:	Adverse ecological impact is not known or expected under normal use.	
Bioaccumulation Potential	:	No data available	
Additional advice	:	Not applicable	
	1	3. DISPOSAL CONSIDERATIONS	



MATERIAL SAFETY DATA SHEET GEON X15505810501 (90600 GRY 2441)

sion Number 1.0 sion Date 02/23/2004	Pa Print Date 11	age 5 1/14/2
Product	: Like most thermoplastic plastics the product can be recycled. V possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper wa classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste n has the responsibility for proper waste classification, transporta and disposal in accordance with applicable federal, state/provin and local regulations.	tion
	14. TRANSPORT INFORMATION	
U.S. DOT Classification	: Not regulated for transportation.	
ICAO/IATA (air)	: Not regulated for transportation.	
IMO / IMDG (maritime)	: Not regulated for transportation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: Classified as hazardous based on components.	
TSCA Status	: All components of this product are listed on or exempt from the Inventory.	TSCA
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)	
Not applicable		
California Proposition 65	: WARNING! This product contains a chemical known to the St California to cause cancer.	ate of
SARA Title III Section 302 E	xtremely Hazardous Substance	
Not applicable		
SARA Title III Section 313 T	oxic Chemicals:	
Chemical Name	CAS-No. Weight %	
BARIUM COMPOU	<u> </u>	
Canadian Regulations:		
U U		

	P_{c}	olyOne.
POLYONE CORPORAT	ION	
MATERIAL SAFETY DATA SHE	ET	
GEON X15505810501 (90600 GRY 2441)	
Version Number 1.0 Revision Date 02/23/2004		Page 6 of 6 Print Date 11/14/2011
National Pollutant Releas		
misc00031 - Misc Zinc Cpc	Vs Not Available 0.27	241
WHMIS Classification	: D2B	
WHMIS Ingredient Discl	osure List	
CAS-No. Not Available		
DSL	: All components of this product are on the Cana Substances List (DSL) or are exempt.	dian Domestic
National Inventories:		
Australia AICS	: Not determined	
China IECS	: Not determined	
Europe EINECS	: Not determined	
Japan ENCS	: Not determined	
Korea KECI	: Not determined	
Philippines PICCS	: Not determined	
	16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.