

MATERIAL SAFETY DATA SHEET **MSDS X155-058-140-02**

Version Number 1.0 Revision Date 07/27/2004

Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MSDS X155-058-140-02
Product code	:	VC10003016
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **MSDS X155-058-140-02**

Version Number 1.0 Revision Date 07/27/2004 Page 2 of 6 Print Date 11/15/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
sower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, toannione.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume



MATERIAL SAFETY DATA SHEET **MSDS X155-058-140-02**

sion Number 1.0 rision Date 07/27/2004			Print Da	Page 3 d ate 11/15/20	
	с	ondensates may contain combu lean hoods, ducts, and other su nese materials.			
Storage		Leep containers dry and tightly nd contamination. Keep in a d		absorption	
8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally re	equired.	
Eye/Face Protection	: S	afety glasses with side-shields			
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations	V n 7 w w n v z a	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). It is unlikely, under normal working conditions with adequate ventilation, that the exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.			
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Exposure type	ACGIH	
	15 / 0		TT + 1 1 +	00114 71	

9. PHYSICAL AND CHEMICAL PROPERTIES			
Form	: Solid	Evaporation rate	: Not applicable
Appearance	: Pellets, powder	Specific Gravity:	: Not determined
Color	: GREY	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapour density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable

PEL:

15 mg/m3

Total dust.

OSHA Z1



MATERIAL SAFETY DATA SHEET **MSDS X155-058-140-02**

Version Number 1.0 Revision Date 07/27/2004 Page 4 of 6 Print Date 11/15/2011

10. STABILITY AND REACTIVITY				
Stability	:	Stable.		
Hazardous Polymerizati	ion :	Will not occur.		
Conditions to avoid	:		m oxidizing agents an , do not overheat.	d open flame. To avoid thermal
Incompatible Materials	:			oxidizing agents., Avoid contact l copolymers during processing.
 Hazardous decomposition products Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride. 				
	11.	TOXICOLOGI	CAL INFORMATIO)N
Toxicity OverviewThis product contains theCAS-No.13463-67-7		nical Name	ich in their pure form	have the following characteristics:
12. ECOLOGICAL INFORMATION				
	1		Systemic effects	Target Organ Respiratory system.
Parsistance and degrada		2. ECOLOGICA	Systemic effects	Respiratory system.
Persistence and degrada	ability :	2. ECOLOGICA	Systemic effects	Respiratory system.
Environmental Toxicity	ability : / :	2. ECOLOGICA Not readily bio Adverse ecolog	Systemic effects AL INFORMATION degradable. gical impact is not kno	Respiratory system.
Environmental Toxicity Bioaccumulation Potent	ability : / :	2. ECOLOGICA	Systemic effects AL INFORMATION degradable. gical impact is not kno	Respiratory system.
Environmental Toxicity	ability : / :	2. ECOLOGICA Not readily bio Adverse ecolog	Systemic effects AL INFORMATION degradable. gical impact is not kno	Respiratory system.
Environmental Toxicity Bioaccumulation Potent	ability : / : tial : :	2. ECOLOGICA Not readily bio Adverse ecolog No data availal Not applicable	Systemic effects AL INFORMATION degradable. gical impact is not kno	Respiratory system.
Environmental Toxicity Bioaccumulation Potent	ability : / : tial : :	2. ECOLOGICA Not readily bio Adverse ecolog No data availal Not applicable 3. DISPOSAL C Like most ther possible recycl generator of wa classification, t	Systemic effects AL INFORMATION degradable. gical impact is not kno ble CONSIDERATIONS moplastic plastics the ing is preferred to disp aste material has the re	Respiratory system. wn or expected under normal use. product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with
Environmental Toxicity Bioaccumulation Potent Additional advice	ability : / : tial : :	2. ECOLOGICA Not readily bio Adverse ecolog No data availal Not applicable 3. DISPOSAL C Like most ther possible recycl generator of wa classification, t	Systemic effects AL INFORMATION degradable. gical impact is not kno ble CONSIDERATIONS moplastic plastics the ing is preferred to disp aste material has the re ransportation and disp	Respiratory system. wn or expected under normal use. product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with



MATERIAL SAFETY DATA SHEET **MSDS X155-058-140-02**

Version Number 1.0 Page 5 of 6 Revision Date 07/27/2004 Print Date 11/15/2011 Contaminated packaging Recycling is preferred when possible. The generator of waste material · has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION** U.S. DOT Classification Not regulated for transportation. : ICAO/IATA (air) Not regulated for transportation. · IMO / IMDG (maritime) Not regulated for transportation. : **15. REGULATORY INFORMATION US Regulations: OSHA Status** Classified as hazardous based on components. ÷ **TSCA Status** All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition WARNING! This product contains a chemical known to the State of : 65 California to cause cancer. SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: National Pollutant Release Inventory (NPRI) Chemical Name Weight % NPRI ID# CAS-No. Misc00005- Misc Zinc Cpd's Not Available 0.11 241 WHMIS Classification : Not controlled.



MATERIAL SAFETY DATA SHEET *MSDS X155-058-140-02*

Version Number 1.0 Revision Date 07/27/2004 Page 6 of 6 Print Date *11/15/2011*

	DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
Na	tional Inventories:		
	Australia AICS	:	Not determined
	China IECS	:	Not determined
	Europe EINECS	:	Not determined
	Japan ENCS	:	Not determined
	Korea KECI	:	Not determined
	Philippines PICCS	:	Not determined
			16 OTHER INFORMATION

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.