MATERIAL SAFETY DATA SHEET GEON PDS 13203-04 EXPL7111 WHITE 1000

Version Number 1.0 Revision Date 05/22/2007 Page 1 of 7 Print Date 11/28/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	GEON PDS 13203-04 EXPL7111 WHITE 1000	
Product code	:	VC10004953	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium stearate	1592-23-0	1 - 5
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.
: None known.

PolyOne

MATERIAL SAFETY DATA SHEET GEON PDS 13203-04 EXPL7111 WHITE 1000

Version Number 1.0 Revision Date 05/22/2007 Page 2 of 7 Print Date 11/28/2011

		4. FIRST AID MEASURES			
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	:	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.			
	4	5. FIRE-FIGHTING MEASURES			
Flash point	:	Not applicable			
Flammable Limits					
Upper explosion limit		Not applicable			
Lower explosion limit	:	Not applicable			
Autoignition temperature	:	Not applicable			
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.			
Suitable extinguishing media	·	Carbon dioxide blanket, water spray, Dry powder, roam.			
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne			
Unusual Fire/Explosion Hazards	:	contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
	6. A(CCIDENTAL RELEASE MEASURES			
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
		7. HANDLING AND STORAGE			
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume			



MATERIAL SAFETY DATA SHEET GEON PDS 13203-04 EXPL7111 WHITE 1000

sion Number 1.0 vision Date 05/22/2007		Page 3 of Print Date 11/28/201
Storage	:	condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXP	OSUF	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). It is unlikely, under normal working conditions with adequate ventilation, that the exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium stearate	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average	as Ti	MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit	as Ti	MX OEL
		(STEL):		

9. PHYSICAL AND CHEMICAL PROPERTIES

MATERIAL SAFETY DATA SHEET GEON PDS 13203-04 EXPL7111 WHITE 1000

Version Number 1.0 Revision Date 05/22/2007 Page 4 of 7 Print Date 11/28/2011

	10. STABILITY AND REACTIVITY	
Stability	: Stable.	
Hazardous Polymerization	: Will not occur.	
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.	
Incompatible Materials	: Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.	
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in produc decomposition and evolution of carbon monoxide and hydrogen chloride.	

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1592-23-0	Calcium stearate	Oral LD50	> 10 gm/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

|--|

PolyOne

MATERIAL SAFETY DATA SHEET GEON PDS 13203-04 EXPL7111 WHITE 1000

Version Number 1.0 Revision Date 05/22/2007 Page 5 of 7 Print Date 11/28/2011

13463-67-7	Titanium d	lioxide	no	2B	no
IARC Carcinogen Cl 1 - The component is 2A - The component 2B - The component NTP Carcinogen Cla 1 - The component is 2 - The component is	carcinogenic is probably ca is possibly car ssifications:	rcinogenic to hun cinogenic to hum a human carcinoge	ans. en.		
	1:	2. ECOLOGICA	L INFORMATION	1	
Persistence and degra	adability :	Not readily biod	degradable.		
Environmental Toxic	eity :	Adverse ecolog	ical impact is not kno	own or expected ur	nder normal use
Bioaccumulation Pot	ential :	No data availab	le		
Additional advice	:	Not applicable			
	1	3. DISPOSAL C	ONSIDERATIONS	\$	
Product	:	possible recycli generator of wa classification, tr applicable feder	noplastic plastics the ng is preferred to dis ste material has the r ransportation and dis ral, state/provincial a	posal or incinerati esponsibility for p posal in accordance nd local regulation	on. The proper waste ce with ns.
Contaminated packaş	ging :	has the responsi	eferred when possible ibility for proper was accordance with app ations.	te classification, t	ransportation
]	14. TRANSPORT	T INFORMATION		
U.S. DOT Classificat	tion :	Not regulated for	or transportation.		
ICAO/IATA (air)	:	-	or transportation.		
IMO / IMDG (mariti	me) :	Not regulated for	or transportation.		
	15	5. REGULATOR	RY INFORMATION	N	
US Regulations:					
OSHA Status	:	Classified as ha	zardous based on co	mponents.	

PolyOne

MATERIAL SAFETY DATA SHEET GEON PDS 13203-04 EXPL7111 WHITE 1000

Version Number 1.0 Revision Date 05/22/2007 Page 6 of 7 Print Date 11/28/2011

Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification	:	D2A
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET GEON PDS 13203-04 EXPL7111 WHITE 1000

Version Number 1.0 Revision Date 05/22/2007 Page 7 of 7 Print Date 11/28/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.