MATERIAL SAFETY DATA SHEET GEON X155-021-144-12 BLACK 2999

Version Number 1.0 Revision Date 07/17/2007 Page 1 of 6 Print Date 11/30/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone Emergency telephone | : | Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|----------------------------------|---|---|
| Product name | : | GEON X155-021-144-12 BLACK 2999 |
| Product code | : | VC10005047 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |
| | | |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % | |
|-------------------|-----------|----------|--|
| Calcium carbonate | 1317-65-3 | 5 - 10 | |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|---|
| Acute exposure | |
| Inhalation Ingestion | Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed. |
| Eyes | : Resin particles, like other inert materials, are mechanically irritating to eyes. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |

PolyOne

MATERIAL SAFETY DATA SHEET GEON X155-021-144-12 BLACK 2999

Version Number 1.0 Revision Date 07/17/2007 Page 2 of 6 Print Date 11/30/2011

| | 4. FIRST AID MEASURES |
|--|---|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seel medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards | Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all |
| | possible. 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume |



MATERIAL SAFETY DATA SHEET GEON X155-021-144-12 BLACK 2999

| sion Number 1.0 ision Date 07/17/2007 | | | Print D | Page 3 ate 11/30/2 |
|--|---|--|---|--|
| | | | | |
| | с | ondensates may contain combu lean hoods, ducts, and other su nese materials. | | |
| Storage | | Leep containers dry and tightly nd contamination. Keep in a d | | absorption |
| 8. E | XPOSURE | CONTROLS / PERSONAL | PROTECTION | |
| Respiratory protection | | lo personal respiratory protecti usty conditions occur wear app | | - |
| Eye/Face Protection | : S | afety glasses with side-shields | | |
| Hand protection | : P | rotective gloves | | |
| Skin and body protection | : L | ong sleeved clothing | | |
| Additional Protective Measures | : S | : Safety shoes | | |
| General Hygiene Considerations | V n 7 w w w n v a | landle in accordance with good Vash hands before breaks and a hay contain residual vinyl chlor 5-01-4) below 8.5 ppm (0.000 vorking conditions with adequa vill be exceeded for residual VC ecessary precautions (e.g. mec entilation, air-monitoring, resp irborne levels of any vapors in eleased during heating or proce | at the end of workday. T ride monomer (VCM) (C 85%). It is unlikely, under the ventilation, that the ex CM. However, the user sh hanical ventilation, local iratory protection, etc.) to cluding VCM or dusts th | his product AS number or normal posure limit nould take th exhaust o ensure at may be |
| Engineering measures | | leat only in areas with appropr ppropriate exhaust ventilation | | Provide |
| Exposure limit(s) | | | | |
| Components | Value | Exposure time | Exposure type | List: |
| Calcium carbonate | 5 mg/m3 | PEL: | Respirable fraction. | OSHA Z1 |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| | 10 mg/m3 | Time Weighted Average (TWA): | | MX OEL |
| | 20 mg/m3 | Short Term Exposure Limit (STEL): | | MX OEL |
| | 9. PHYSI | CAL AND CHEMICAL PRO | PERTIES | |
| | : Solid | | | applicable |

Form Appearance

: Solid : pellets, powder Evaporation rate: Not applicableSpecific Gravity: Not determined

MATERIAL SAFETY DATA SHEET GEON X155-021-144-12 BLACK 2999

Version Number 1.0 Revision Date 07/17/2007 Page 4 of 6 Print Date 11/30/2011

| Color Odour Melting point/range Boiling Point: Water solubility | : V : N : N | LACK ery faint ot determined ot applicable soluble | Bulk density Vapour pressure Vapour density pH | :: | Not established Not applicable Not applicable Not applicable |
|---|-------------------|---|---|----------|---|
| | 1 |). STABILITY AND RE | CACTIVITY | | |
| Stability | : | Stable. | | | |
| Hazardous Polymerization | : | Will not occur. | | | |
| Conditions to avoid | : | Keep away from oxidizide decomposition, do not o | | me. | To avoid thermal |
| Incompatible Materials | : | Incompatible with stron with acetal homopolyme | 6 6 | <u> </u> | |
| Hazardous decomposition products | : | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride. | | | ull possible. hore) above 392 °F hay result in product |

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|-----------|-------------------|------------------|---------------------------------|
| 1317-65-3 | Calcium carbonate | Irritant | Eyes, Skin. |
| | | Systemic effects | Eyes, Skin, Respiratory system. |

| : Not readily biodegradable. |
|--|
| : Adverse ecological impact is not known or expected under normal use. |
| : No data available |
| : Not applicable |
| 13. DISPOSAL CONSIDERATIONS |
| : Like most thermoplastic plastics the product can be recycled. Where |
| |

PolyOne.

MATERIAL SAFETY DATA SHEET GEON X155-021-144-12 BLACK 2999

| rsion Number 1.0 vision Date 07/17/2007 | Page 5 of Print Date 11/30/201 | | | |
|---|--|--|--|--|
| | possible recycling is preferred to disposal or incineration. The | | | |
| | generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. | | | |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. | | | |
| | 14. TRANSPORT INFORMATION | | | |
| U.S. DOT Classification | : Not regulated for transportation. | | | |
| ICAO/IATA (air) | : Not regulated for transportation. | | | |
| IMO / IMDG (maritime) | : Not regulated for transportation. | | | |
| | 15. REGULATORY INFORMATION | | | |
| US Regulations: | | | | |
| OSHA Status | : Classified as hazardous based on components. | | | |
| TSCA Status | : All components of this product are listed on or exempt from the TSCA Inventory. | | | |
| US. EPA CERCLA Hazardou | s Substances (40 CFR 302) | | | |
| Not applicable | | | | |
| California Proposition 65 | : Not applicable | | | |
| SARA Title III Section 302 E | stremely Hazardous Substance | | | |
| Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation | | | | |
| SARA Title III Section 313 Toxic Chemicals: | | | | |
| Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation | | | | |
| Canadian Regulations: | | | | |

PolyOne

MATERIAL SAFETY DATA SHEET GEON X155-021-144-12 BLACK 2999

Version Number 1.0 Revision Date 07/17/2007

_

Page 6 of 6 Print Date 11/30/2011

| National Pollutant Release Inventory (NPRI) | | | | |
|---|----------------|---|--|--|
| Not applicable | Not applicable | | | |
| WHMIS Classification | : | Not controlled. | | |
| DSL | : | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. | | |
| National Inventories: | | | | |
| Australia AICS | : | Not determined | | |
| China IECS | : | Not determined | | |
| Europe EINECS | : | Listed | | |
| Japan ENCS | : | Not determined | | |
| Korea KECI | : | Not determined | | |
| Philippines PICCS | : | Not determined | | |
| | | 16. OTHER INFORMATION | | |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.