Ine

Version Number 1.5 Revision Date 02/24/2015 Page 1 of 15 Print Date 02/25/2015

SAFETY DATA SHEET

GEON L6607 WHITE

Section 1. Identification		
GHS product identifier	:	GEON L6607 WHITE
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	VC10005242
Product type	:	solid
Relevant identified uses of the subs	stance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
(with hours of operation)		accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.



Version Number 1.5 Revision Date 02/24/2015 Page 2 of 15 Print Date 02/25/2015

Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	VC10005242

CAS number/other identifiers

Ingredient name	%	CAS number
Calcium carbonate	10 - 30	471-34-1
Titanium dioxide	5 - 10	13463-67-7
Quartz	0.1 - 1	14808-60-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated



Version Number 1.5	Page 3 of 15
Revision Date 02/24/2015	Print Date 02/25/2015

Ingestion:clothing and shoes. Get medical attention if symptoms occur.Ingestion:Wash out mouth with water. Remove victim to fresh air and keep at
rest in a position comfortable for breathing. If material has been
swallowed and the exposed person is conscious, give small quantities
of water to drink. Do not induce vomiting unless directed to do so by
medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential	acute	health	effects

Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. No known significant effects or critical hazards. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atte	ntio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the	:	No specific fire or explosion hazard.

PolyOne.

Version Number 1.5	Page 4 of 15
Revision Date 02/24/2015	Print Date 02/25/2015

chemical		
Hazardous thermal	:	May emit Hydrogen Chloride (HCl).
decomposition products		Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containm	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.



Version Number 1.5 Revision Date 02/24/2015

Page 5 of 15 Print Date 02/25/2015

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits			
Calcium carbonate	OSHA PEL (1993-06-30)			
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust			
	PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable			
	fraction			
Titanium dioxide	OSHA PEL 1989 (1989-03-01)			
	PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust			
	OSHA PEL (1993-06-30)			
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust			
	ACGIH TLV (1996-05-18)			
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:			
	Permissible Exposure Level 10 mg/m3			
Quartz	OSHA PEL 1989 (1989-03-01) Calculated as Quartz			
	PEL: Permissible Exposure Level 0.1 mg/m3 Form: Respirable dust			
	OSHA - PEL Z3 (1997-09-03)			
	Time Weighted Average (TWA) Form: Respirable			
	5/15			



Version Number 1.5 Revision Date 02/24/2015

		Time Weighted Average (TWA) 10 mg/m3 Form: Respirable Time Weighted Average (TWA) 30 mg/m3 Form: Total dust NIOSH REL (1994-06-01) Time Weighted Average (TWA) 0.05 mg/m3 Form: Respirable dust ACGIH TLV (2005-12-09) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 0.025 mg/m3 Form: Respirable fraction
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a rick assessment indicates this is pagessent.
Body protection	:	if a risk assessment indicates this is necessary. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be
Other skin protection	:	approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary.

One.

Version Number 1.5 Revision Date 02/24/2015

Page 7 of 15 Print Date 02/25/2015

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	WHITE
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.			
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).			
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.			
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.			
7/4 5					



Version Number 1.5 Revision Date 02/24/2015 Page 8 of 15 Print Date 02/25/2015

Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers
		during processing.
Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition
products		products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Calcium carbonate				
	LD50 Oral	Rat	6,450 mg/kg	-
Titanium dioxide				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Quartz		•		•

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation	
Calcium carbonate	Eyes - Severe	Rabbit		24 hrs	-	
	irritant					
	Skin -	Rabbit		24 hrs	-	
	Moderate					
	irritant					
Conclusion/Summary						
Skin	: M	ixture.Not ful	ly tested.			
Eves	: Mixture Not fully tested.					

Lyes Respiratory	 Mixture.Not fully tested. Mixture.Not fully tested.
Sensitization	

:

Conclusion/Summary		
Skin	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.

Mutagenicity



Version Number 1.5 Revision Date 02/24/2015 Page 9 of 15 Print Date 02/25/2015

Conclusion/Summary	:	Mi	xture.Not fully	tested.		
<u>Carcinogenicity</u>						
Conclusion/Summary <u>Classification</u>	:	Mi	xture.Not fully	tested.		
Product/ingredient	OSHA		IARC	NTP		
name	USIIA		IARC			
Titanium dioxide			2B			
Quartz			1			
Quartz			Ŧ			
<u>Reproductive toxicity</u>						
Conclusion/Summary	:	Mi	xture.Not fully	tested.		
Teratogenicity						
Conclusion/Summary	:	Mi	xture.Not fully	tested.		
Specific target organ toxicity Not available.	(single exp	posur	<u>e)</u>			
Specific target organ toxicity Not available.	(repeated	expo	<u>sure)</u>			
Aspiration hazard Not available.						
Information on the likely rout exposure	tes of :	No	t available.			
Potential acute health effects						
Eye contact	:	No	known signifi	ant effects or critical hazards.		
Inhalation				nposition products may cause a health hazard.		
	•			y be delayed following exposure.		
Skin contact	:			ant effects or critical hazards.		
Ingestion		No known significant effects or critical hazards.				
Symptoms related to the phys	ical, chem	ical a	nd toxicologic	al characteristics		
Eye contact	:	No	specific data.			
Inhalation	:	No	specific data.			
Skin contact	:		specific data.			
Ingestion	:	No specific data.				

PolyOne

Version Number 1.5 Revision Date 02/24/2015 Page 10 of 15 Print Date 02/25/2015

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Calcium carbonate			
	Acute LC50 56,000 mg/l Fresh	Fish - Western	96 h
	water	mosquitofish	
	Chronic NOEC 61,000 mg/l Fresh	Fish - Rainbow	28 d
	water	trout,donaldson trout	
	Chronic NOEC 61,000 mg/l Fresh	Fish - Rainbow	35 d
	water	trout,donaldson trout	



Version Number 1.5 Revision Date 02/24/2015 Page 11 of 15 Print Date 02/25/2015

	Chronic NOEC 61,000 mg/l Fresh	Fish - Rainbow	42 d
	water	trout,donaldson trout	12 0
	Chronic NOEC 61,000 mg/l Fresh	Fish - Rainbow	35 d
	water	trout, donaldson trout	
	Chronic NOEC 61,000 mg/l Fresh	Fish - Rainbow	42 d
	water	trout,donaldson trout	
Titanium dioxide			
	Acute LC50 1,000,000 µg/l Marine water	Fish - Mummichog	96 h
	Acute LC50 1,000 mg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 5.5 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute LC50 10 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 35.9 mg/l Fresh water	Aquatic plants - Green algae	72 h
	Acute EC50 5.83 mg/l Fresh water	Aquatic plants - Green algae	72 h
GEON L6607 WHITE			1
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not readily available a	s they are bound within the	e polymer matrix.
Conclusion/Summary	: Chemicals are not readil polymer matrix.	y available as they are bou	nd within the
Persistence and degradability	<u>v</u>		
Conclusion/Summary	: Chemicals are not readil polymer matrix.	y available as they are bou	nd within the
Conclusion/Summary	: Chemicals are not readil polymer matrix.	y available as they are bou	nd within the

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		352.00	low

Mobility in soil



Version Number 1.5 Revision Date 02/24/2015

Page 12 of 15 Print Date 02/25/2015

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	possible. Disposal of should at all times co protection and waste authority requirement products via a license disposed of untreated requirements of all at should be recycled. I when recycling is no disposed of in a safe	aste should be avoided or minimized wherever this product, solutions and any by-products omply with the requirements of environmental disposal legislation and any regional local ats. Dispose of surplus and non-recyclable ed waste disposal contractor. Waste should not be d to the sewer unless fully compliant with the uthorities with jurisdiction. Waste packaging incineration or landfill should only be considered t feasible. This material and its container must be way. Empty containers or liners may retain some
	1	oid dispersal of spilled material and runoff and terways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Consult mode specific transport rules
IMO/IMDG (maritime)	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed



Version Number	er 1.5
Revision Date	02/24/2015

Page 13 of 15 Print Date 02/25/2015

United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Nickel antimony yellow rutile (C.I. Pigment Yellow 53) Vinyl chloride monomer United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Not listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

<u>SARA 311/312</u>

Classification

Not applicable.

:



Version Number 1.5 Revision Date 02/24/2015 Page 14 of 15 Print Date 02/25/2015

Composition/information on ingredients

Name	%	Classification
Calcium carbonate	10 - 30	AH
Titanium dioxide	5 - 10	СН
Quartz	0.1 - 1	СН
-		

<u>SARA 313</u>

Not applicable.

State regulations		
Massachusetts	:	The following components are listed: Titanium dioxide
New York	:	None of the components are listed.
New Jersey	:	The following components are listed: Ethene, chloro-, homopolymer Titanium dioxide 2-Propenenitrile, polymer with Ethenylbenzene
Pennsylvania	:	Quartz The following components are listed: Titanium dioxide

Quartz

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
International lists	:	 Australia inventory (AICS): Not determined. Taiwan inventory (CSNN): Not determined. Malaysia Inventory (EHS Register): Not determined. EINECS: Not determined. Japan inventory: Not determined. China inventory (IECSC): Not determined. Korea inventory: Not determined. New Zealand Inventory of Chemicals (NZIoC): Not determined.

14/15



Version Number 1.5 Revision Date 02/24/2015

Page 15 of 15 Print Date 02/25/2015

Philippines inventory (PICCS): Not determined.

Chemical Weapons Convention	:	Not listed
List Schedule I Chemicals		
Chemical Weapons Convention	:	Not listed
List Schedule II Chemicals		
Chemical Weapons Convention	:	Not listed
List Schedule III Chemicals		

Section 16. Other information

History		
Date of printing	:	02/25/2015
Date of issue/Date of revision	:	02/24/2015
Date of previous issue	:	08/21/2014
Version	:	1.5
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.