## MATERIAL SAFETY DATA SHEET VLTPWDMB (5% Mangano Violet #11)

Version Number 1.1 Revision Date 03/14/2013

Page 1 of 7 Print Date 3/14/2013

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone : Emergency telephone : number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	VLTPWDMB (5% Mangano Violet #11)
Product code	:	VC10005559
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Diphosphoric acid, ammonium	10101-66-3	1 - 5
manganese(3+) salt (1:1:1)		

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.

#### POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact			
: Resin particles, like other inert materials, can be mechanically irritating.			
: May be harmful if swallowed.			
: Resin particles, like other inert materials, are mechanically irritating to eyes.			
: Experience shows no unusual dermatitis hazard from routine handling.			
: Refer to Section 11 for Toxicological Information.			

PolyOne.

## MATERIAL SAFETY DATA SHEET VLTPWDMB (5% Mangano Violet #11)

Version Number 1.1 Revision Date 03/14/2013 Page 2 of 7 Print Date 3/14/2013

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>not applicable</li> <li>not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE

PolyOne.

# MATERIAL SAFETY DATA SHEET VLTPWDMB (5% Mangano Violet #11)

ersion Number 1.1 evision Date 03/14/2013	_	Page 3 of 7 Print Date 3/14/2013
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXI	POSUI	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). It is unlikely, under normal working conditions with adequate ventilation, that the exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

PolyOne.

# MATERIAL SAFETY DATA SHEET VLTPWDMB (5% Mangano Violet #11)

Version Number 1.1 Revision Date 03/14/2013 Page 4 of 7 Print Date 3/14/2013

Components	Value	Expos	ure time	Exposure type	List:
Diphosphoric acid, ammonium manganese(3+) salt (1:1:1)	1 mg/m3	Recommended exposure limit (REL):		Fume. as Mn	NIOSH
	3 mg/m3		Exposure Limit 'EL):	Fume. as Mn	NIOSH
	5 mg/m3		imit Value:	as Mn	OSHA Z1
	5 mg/m3	Ceiling L	imit Value:	as Mn	OSHA Z1A
	9. PHYSI	CAL AND CH	EMICAL PRO	PERTIES	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: PUR : very : Not	ets, powder PLE faint determined pplicable	Specific Bulk de Vapour	Gravity:Nonsity:Nopressure:nodensity:no	ot applicable of determined of established t applicable t applicable t applicable
	10. 5	STABILITY A	ND REACTIVI	TY	
Stability	: Т	The product is s	table if stored and	d handled as prescribe	ed.
Hazardous Polymerizatior	1 : V	Vill not occur.			
Conditions to avoid			n oxidizing agents do not overheat.	s and open flame. To	avoid thermal
Incompatible Materials				nd oxidizing agents., A cetal copolymers durin	
Hazardous decomposition products	() P () p	NOx), other ha rolonged heati 200 °C) or shoi	zardous materials ng (approximatel t term heating at osition and evolu	onoxide (CO), oxides and smoke are all po y 30 minutes or more 482 °F (250 °C) may tion of carbon monox	ossible. ) above 392 °F result in
	11. TC	XICOLOGIO	CAL INFORMA	TION	
This mixture has not been health data for the individ					re based on exis
<u>Toxicity Overview</u> This product contains the	following co	omponents whi	ch in their pure fo	orm have the followin	g characteristics



# MATERIAL SAFETY DATA SHEET VLTPWDMB (5% Mangano Violet #11)

Version Number 1.1 Revision Date 03/14/2013 Page 5 of 7 Print Date 3/14/2013

10101-66-3	Diphospho ammonium manganese		Irritant	Eyes, Skin.		
	12	2. ECOLOGICA	L INFORMAT	TION		
Persistence and deg	gradability :	Not readily biod	legradable.			
Environmental Tox	icity :	Adverse ecolog use.	ical impact is no	ot known or expected under normal		
Bioaccumulation P	otential :	no data availabl	e			
Additional advice	:	not applicable				
	1	3. DISPOSAL C	ONSIDERATI	ONS		
Product	:	possible recycli generator of wa classification, tr	ng is preferred t ste material has ransportation and	s the product can be recycled. Where o disposal or incineration. The the responsibility for proper waste d disposal in accordance with cial and local regulations.		
Contaminated packaging		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	1	4. TRANSPOR	<b>FINFORMAT</b>	ION		
U.S. DOT Classific	eation :	Not regulated for	or transportation			
ICAO/IATA	:	Not regulated for	or transportation			
IMO/IMDG (marit	ime) :	Not regulated for	or transportation			
	15	. REGULATOR	Y INFORMA	ΓΙΟΝ		
US Regulations:						
OSHA Stat	us :	Classified as ha	zardous based o	n components.		
TSCA Statu	is :	All component TSCA Inventor		are listed on or exempt from the		
US. EPA CERCLA	Hazardous Sub	stances (40 CFR	302)			
not app	blicable					

# MATERIAL SAFETY DATA SHEET VLTPWDMB (5% Mangano Violet #11)

Version Number 1.1 Revision Date 03/14/2013 Page 6 of 7 Print Date 3/14/2013

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name	CAS-No.	Weight percent
MANGANESE COMPOUNDSMANGANESE	10101-66-3	1.00 - 5.00
COMPOUNDS		

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Diphosphoric acid, ammonium manganese(3+) salt (1:1:1)	10101-66-3	1.00 - 5.00	

WHMIS Classification : D2B

WHMIS Ingredient Disclosure List

CAS-No.	
10101-66-3	3

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed

:

PolyOne

## MATERIAL SAFETY DATA SHEET VLTPWDMB (5% Mangano Violet #11)

Version Number 1.1 Revision Date 03/14/2013 Page 7 of 7 Print Date 3/14/2013

Philippines PICCS : Listed

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.