PolvOne

## MATERIAL SAFETY DATA SHEET **15565-03 EXP87729 TRANS**

Version Number 1.1 Revision Date 03/25/2014 Page 1 of 7 Print Date 4/1/2014

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	15565-03 EXP87729 TRANS
Product code	:	VC10006818
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
2-Benzotriazolyl-4-methylphenol	2440-22-4	1 - 5
8-Oxa-3,5-dithia-4-stannatetradecanoic acid, 10-ethyl-4,4-dimethyl-7-oxo-, 2-ethylhexyl ester	57583-35-4	1 - 5
Stannane, methyltris(2- ethylhexyloxycarbonylmethylthio)-	57583-34-3	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	:	Inhalation, Ingestion, Skin contact		
Acute exposure				
Inhalation	:	Resin particles, like other inert materials, can be mechanically irritating.		
Ingestion Eyes		May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to		

PolyOne.

# MATERIAL SAFETY DATA SHEET 15565-03 EXP87729 TRANS

Version Number 1.1 Revision Date 03/25/2014 Page 2 of 7 Print Date 4/1/2014

Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	<ul> <li>not applicable</li> <li>not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) undafire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.

PolyOne.

# MATERIAL SAFETY DATA SHEET 15565-03 EXP87729 TRANS

Version Number 1.1 Revision Date 03/25/2014 Page 3 of 7 Print Date 4/1/2014

Methods for cleaning up		comptly by sweeping or vacuum. Package all material in alboard or metal containers for disposal.
	7. HANDL	NG AND STORAGE
Handling	only in area condensate	ares to prevent the build up of electrostatic charge. Heat as with appropriate exhaust ventilation. Processing fume as may contain combustible or toxic residue. Periodically as, ducts, and other surfaces to minimize accumulation of ials.
Storage		iners dry and tightly closed to avoid moisture absorption ination. Keep in a dry, cool place.
8. EXI	POSURE CONTR	OLS/PERSONAL PROTECTION
Respiratory protection		l respiratory protective equipment normally required. If tions occur wear appropriate respiratory protection.
Eye/Face Protection	: Safety glas	ses with side-shields
Hand protection	: Protective	gloves
Skin and body protection	: Long sleev	ed clothing
Additional Protective Measures	: Safety shoe	S
General Hygiene Considerations	practice. V product ma number 75- normal wor exposure li user should ventilation, protection, VCM or du	ccordance with good industrial hygiene and safety Vash hands before breaks and at the end of workday. This y contain residual vinyl chloride monomer (VCM) (CAS 01-4) below 8.5 ppm (0.00085%). It is unlikely, under king conditions with adequate ventilation, that the mits will be exceeded for residual VCM. However, the take the necessary precautions (e.g. mechanical local exhaust ventilation, air-monitoring, respiratory etc.) to ensure airborne levels of any vapors including sts that may be released during heating or processing are lated levels.
Engineering measures		n areas with appropriate exhaust ventilation. Provide exhaust ventilation at machinery.
Exposure limit(s)		
9.	PHYSICAL ANI	CHEMICAL PROPERTIES
Form	: solid	Evapouration rate : Not applicable

## **MATERIAL SAFETY DATA SHEET** 15565-03 EXP87729 TRANS

Version Number 1 1 R

Version Number 1.1	
Revision Date 03/25/2014	
Appearance	: pellets, powder
Colour	: TRANSPARENT

Colour Odour Melting point/range Boiling Point: Water solubility

Hazardous Polymerization

#### Stability

Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. Incompatible with strong acids and oxidizing agents., Avoid contact Incompatible Materials : with acetal homopolymers and acetal copolymers during processing. Hazardous decomposition Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen :

products

(200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

(NOx), other hazardous materials, and smoke are all possible.

Prolonged heating (approximately 30 minutes or more) above 392 °F

### **11. TOXICOLOGICAL INFORMATION**

**10. STABILITY AND REACTIVITY** 

Will not occur.

: very faint

: insoluble

:

·

: Not determined

: not applicable

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
57583-35-4	8-Oxa-3,5-dithia-4- stannatetradecanoic acid, 10-ethyl-4,4-dimethyl-7- oxo-, 2-ethylhexyl ester	Irritant	Eyes, Skin.
57583-34-3	Stannane, methyltris(2- ethylhexyloxycarbonylmet hylthio)-	Irritant	Eyes, Skin.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
2440-22-4	2-Benzotriazolyl-4- methylphenol	Oral LD50	6,500 mg/kg	mouse

·

:

Specific Gravity

Vapour pressure

Vapour density

Bulk density

pН

The product is stable if stored and handled as prescribed.

Page 4 of 7 Print Date 4/1/2014

Not determined

Not established

: not applicable

: not applicable

: not applicable

PolyOne.

# MATERIAL SAFETY DATA SHEET 15565-03 EXP87729 TRANS

Version Number 1.1 Revision Date 03/25/2014 Page 5 of 7 Print Date 4/1/2014

57583-34-3	Stannane, methyl ethylhexyloxycar hylthio)-		0 920 mg/kg	rat		
	12. EC	OLOGICAL INFORM	IATION			
Persistence and degrada	bility : Not	readily biodegradable.				
Environmental Toxicity	: Adv use.	erse ecological impact i	s not known or expec	ted under normal		
Bioaccumulation Poten	tial : no d	ata available				
Additional advice	: not a	pplicable				
	13. DIS	POSAL CONSIDERA	TIONS			
Product	poss gene class	most thermoplastic pla ible recycling is preferro rator of waste material ification, transportation icable federal, state/prov	ed to disposal or incir has the responsibility and disposal in accor	eration. The for proper waste rdance with		
Contaminated packagin	mate	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TR	ANSPORT INFORM	ATION			
U.S. DOT Classificatio	n : Not	regulated for transportat	tion.			
ICAO/IATA	: Not	regulated for transportat	tion.			
IMO/IMDG (maritime) :		Not regulated for transportation.				
	15. RE(	GULATORY INFORM	IATION			
US Regulations:						
OSHA Status	: Clas	sified as hazardous base	ed on components.			
TSCA Status		All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Ha	zardous Substance	s (40 CFR 302)				
not applica	ble					

hlvUn<u>e</u>

## MATERIAL SAFETY DATA SHEET 15565-03 EXP87729 TRANS

Version Number 1.1 Revision Date 03/25/2014 Page 6 of 7 Print Date 4/1/2014

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

:

not applicable

WHMIS Classification : D2B

WHMIS Ingredient Disclosure List

CAS-No. 57583-34-3

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Not determined
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Listed

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne.

## MATERIAL SAFETY DATA SHEET **15565-03 EXP87729 TRANS**

Version Number 1.1 Revision Date 03/25/2014 Page 7 of 7 Print Date 4/1/2014

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.