GEON A5500 BLACK 2999

Version Number 1.2 Revision Date 06/05/2017 Page 1 of 14 Print Date 06/06/2017

SAFETY DATA SHEET

GEON A5500 BLACK 2999

Section 1. Identification	on	
GHS product identifier	:	GEON A5500 BLACK 2999
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	VC10006937
Product type	:	solid
<u>Relevant identified uses of the subs</u> Product use	stance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
		Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 95.7 %
		1/14



GEON A5500 BLACK 2999

Version Number 1.2 Revision Date 06/05/2017 Page 2 of 14 Print Date 06/06/2017

GHS label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
<u>Precautionary statements</u> General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.

: None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	VC10006937

CAS number/other identifiers

Hazards not otherwise classified

Ingredient name	%	CAS number
Carbon black	1 - 5	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

:

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

Immediately flush eyes with plenty of water, occasionally lifting the

P<u>olyOne</u>

GEON A5500 BLACK 2999

Version Number 1.2	Page 3 of 14
Revision Date 06/05/2017	Print Date 06/06/2017

		upper and lower eyelids. Check for and remove any contact lenses.
		Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable
		for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated
		clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at
		rest in a position comfortable for breathing. If material has been
		swallowed and the exposed person is conscious, give small quantities
		of water to drink. Do not induce vomiting unless directed to do so by
		medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact Inhalation Skin contact Ingestion	 No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	No specific data.
Ingestion	: No specific data.
Indication of immediate medica	l attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist
Specific treatments	immediately if large quantities have been ingested or inhaled.No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without

suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or CO₂.

P<u>olyOne</u>

GEON A5500 BLACK 2999

Version Number 1.2 Revision Date 06/05/2017 Page 4 of 14 Print Date 06/06/2017

Unsuitable extinguishing media	:	None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent ai	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.



GEON A5500 BLACK 2999

Version Number 1.2 Revision Date 06/05/2017

Page 5 of 14 Print Date 06/06/2017

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name		Exposure limits
Carbon black		OSHA PEL 1989 (1989-03-01)
		PEL: Permissible Exposure Level 3.5 mg/m3
		OSHA PEL (1993-06-30)
		PEL: Permissible Exposure Level 3.5 mg/m3
		NIOSH REL (1994-06-01)
		Time Weighted Average (TWA) 3.5 mg/m3
		Time Weighted Average (TWA)
		ACGIH TLV (2010-12-06)
		TLV-TWA: Threshold Limit Value - Time weighted average PEL:
		Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker
		exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be
		checked to ensure they comply with the requirements of
		environmental protection legislation. In some cases, fume scrubbers,

P<u>olyOne</u>

GEON A5500 BLACK 2999

Version Number 1.2 Revision Date 06/05/2017

Page 6 of 14 Print Date 06/06/2017

		filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	BLACK
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.

Ine

GEON A5500 BLACK 2999

Version Number 1.2 Revision Date 06/05/2017 Page 7 of 14 Print Date 06/06/2017

Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity



GEON A5500 BLACK 2999

Version Number 1.2 Revision Date 06/05/2017 Page 8 of 14 Print Date 06/06/2017

Product/ingredient name	Result	Species	Dose	Exposure
Carbon black	Result	Species		Liposule
	LD50 Oral	Rat	15,400 mg/kg	-
Conclusion/Summary		ure.Not fully tester		l
Concrasion, Summary	• 1/1/1	uren (or rung tester		
Irritation/Corrosion				
Conclusion/Summary				
Skin	: Mixt	ure.Not fully tested	d.	
Eyes	: Mixt	ure.Not fully tested	d.	
Respiratory	: Mixt	ure.Not fully tested	d.	
Sensitization				
Conclusion/Summary			_	
Skin		ure.Not fully tested		
Respiratory	: Mixt	ure.Not fully tested	d.	
Mutagenicity				
Conclusion/Summary	• Mixe	ura Not fully tosta	4	
Conclusion/Summary	: Mixt	ure.Not fully tested		
Carcinogenicity				
Caremogenietty				
Conclusion/Summary	: Mixt	ure.Not fully teste	4	
Classification	• • • • • • • • • • • • • • • • • • • •			
Product/ingredient	OSHA 1	ARC NT	P	
name				
Carbon black	2	2B		
<u>Reproductive toxicity</u>				
Conclusion/Summary	: Mixt	ure.Not fully tested	d.	
Teratogenicity				
~				
Conclusion/Summary	: Mixt	ure.Not fully tested	d.	
Specific target organ toxicity (single exposure) Not available.				
<u>Specific target organ toxicity (repeated exposure)</u> Not available.				
Aspiration hazard				

<u>PolyOne</u>

GEON A5500 BLACK 2999

Version Number 1.2 Revision Date 06/05/2017 Page 9 of 14 Print Date 06/06/2017

Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Symptoms related to the physical, cl	hemio	cal and toxicological characteristics
Eye contact Inhalation Skin contact Ingestion	::	No specific data. No specific data. No specific data. No specific data.
Delayed and immediate effects as we	ell as	chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects Numerical measures of toxicity	:::::::::::::::::::::::::::::::::::::::	No known significant effects or critical hazards. No known significant effects or critical hazards.
Tumericar measures of toxicity		

Acute toxicity estimates



GEON A5500 BLACK 2999

Version Number 1.2 Revision Date 06/05/2017 Page 10 of 14 Print Date 06/06/2017

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result		Species	Exposure
Carbon black				
	Acute EC50 37.563 mg/l Fresh		Aquatic invertebrates.	48 h
	water		Daphnia	
	Acute LC50	0 61.547 mg/l Fresh	Aquatic invertebrates.	48 h
	water		Daphnia	
GEON A5500 BLACK 2999				
Remarks - Acute - Aquatic	Chemicals	are not readily available	as they are bound within the	e polymer matrix.
invertebrates.:				
Conclusion/Summary	:	Chemicals are not read	lily available as they are bou	ind within the
		polymer matrix.		
Persistence and degradability Conclusion/Summary Conclusion/Summary	:	polymer matrix.	lily available as they are bou lily available as they are bou	
Bioaccumulative potential <u>Mobility in soil</u>	·	polymer matrix.		
Soil/water partition coefficie (KOC)	nt :	Not available.		
Other adverse effects	:	No known significant e	effects or critical hazards.	

Section 13. Disposal considerations

vOne

GEON A5500 BLACK 2999

Version Number 1.2 Revision Date 06/05/2017 Page 11 of 14 Print Date 06/06/2017

products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Listed 1,2-Benzenedicarboxylic acid, dinonyl ester, branched and linear
	United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed

P<u>olyOne</u>

GEON A5500 BLACK 2999

Version Number 1.2	Page 12 of 14
Revision Date 06/05/2017	Print Date 06/06/2017

	 United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priopollutants: Listed 2-Ethylhexanoic acid zinc salt United States - EPA Clean water act (CWA) section 311 - 	
		Hazardous substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical:
		Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed

DEA List II Chemicals (Essential : Not listed **Chemicals**)

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

Name	%	Classification
Carbon black	1 - 5	СН

<u>SARA 313</u>



GEON A5500 BLACK 2999

Version Number 1.2 Revision Date 06/05/2017

Page 13 of 14 Print Date 06/06/2017

Not applicable.

State regulations		
Massachusetts	:	The following components are listed:
		Carbon black
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
		Ethene, chloro-, homopolymer
		Carbon black
Pennsylvania	:	The following components are listed:
		Carbon black

<u>California Prop. 65</u> WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		

Inventory list

Australia	: All components	are listed or exempted.
Canada	: All components	are listed or exempted.
China	: All components	are listed or exempted.
Europe inventory	: All components	are listed or exempted.
Japan	: Not determined	•
New Zealand	: Not determined	
Philippines	: Not determined	
Republic of Korea	: All components	are listed or exempted.
Taiwan	:	-
Turkey	:	
United States	: All components	are listed or exempted.

Section 16. Other information

History		
Date of printing	:	06/06/2017
Date of issue/Date of revision	:	06/05/2017
Date of previous issue	:	03/13/2014
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
13/14		



GEON A5500 BLACK 2999

Version Number 1.2 Revision Date 06/05/2017 Page 14 of 14 Print Date 06/06/2017

Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.