### **GEON HTX LA425C Brown**

Version Number 1.2 Revision Date 05/08/2019 Page 1 of 17 Print Date 05/09/2019

# SAFETY DATA SHEET

#### GEON HTX LA425C Brown

Section 1. Identification	on	
GHS product identifier		GEON HTX LA425C Brown
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	VC10007101
Product type	:	solid
Relevant identified uses of the subs Product use	tance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.

#### GHS label elements

### **GEON HTX LA425C Brown**

Version Number 1.2 Revision Date 05/08/2019

**a**•

.

.

Page 2 of 17 Print Date 05/09/2019

Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

.

1

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	VC10007101

#### CAS number/other identifiers

Ingredient name	%	CAS number
Carbon black	0 - 0.3	1333-86-4
Titanium dioxide	0 - 0.3	13463-67-7
Styrene	0 - 0.3	100-42-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures



## **GEON HTX LA425C Brown**

Version Number 1.2 Revision Date 05/08/2019

#### Page 3 of 17 Print Date 05/09/2019

#### Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atte	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without

See toxicological information (Section 11)

suitable training.



### **GEON HTX LA425C Brown**

Version Number 1.2 Revision Date 05/08/2019 Page 4 of 17 Print Date 05/09/2019

## **Section 5. Firefighting measures**

#### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal	:	May emit Hydrogen Chloride (HCl).
decomposition products		Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and

/Une

### **GEON HTX LA425C Brown**

Version Number 1.2	Page 5 of 17
Revision Date 05/08/2019	Print Date 05/09/2019

Large spill

place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## **Section 7. Handling and storage**

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

:

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits	
Styrene	OSHA PEL 1989 (1989-03-01) TWA 215 mg/m3 50 ppm STEL 425 mg/m3 100 ppm OSHA PEL Z2 (1993-06-30) TWA 100 ppm CEIL 200 ppm CEIL 600 ppm	



## **GEON HTX LA425C Brown**

Version Number 1.2 Revision Date 05/08/2019

		NIOSH REL (1994-06-01) TWA 215 mg/m3 50 ppm STEL 425 mg/m3 100 ppm ACGIH TLV (1997-05-21) TWA 85 mg/m3 20 ppm STEL 170 mg/m3 40 ppm
Titanium dioxide		OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Carbon black		OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 TWA 0.1 mgPAH/m <sup>3</sup> ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used
		when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.



## **GEON HTX LA425C Brown**

Version Number 1.2 Revision Date 05/08/2019

#### Page 7 of 17 Print Date 05/09/2019

Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

#### **Appearance**

Physical state		solid [Pellets.]
Color	:	BROWN
Odor	:	Not available.
Odor threshold	:	Not available.
pH		Not available.
Melting point		Not available.
Boiling point		Not available.
Flash point		Not available.
Burning time		Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Fianinaunity (sonu, gas)	•	INOL available.
I ower and upper evaluation		Lower: Not available
Lower and upper explosive	:	Lower: Not available.
(flammable) limits	:	<b>Upper:</b> Not available.
(flammable) limits Vapor pressure	:	<b>Upper:</b> Not available. Not available.
(flammable) limits Vapor pressure Vapor density	:	<b>Upper:</b> Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density	:	<b>Upper:</b> Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density	:	<b>Upper:</b> Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density	:	<b>Upper:</b> Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility		<b>Upper:</b> Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water	:	Upper: Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-		Upper: Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water		<b>Upper:</b> Not available. Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature		Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available.

ne

### **GEON HTX LA425C Brown**

Version Number 1.2 Revision Date 05/08/2019

Page 8 of 17 Print Date 05/09/2019

Viscosity

Dynamic: Not available. Kinematic: Not available.

## Section 10. Stability and reactivity

:

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Information on toxicological effects**

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-
<b>Remarks - Inhalation:</b>	No applicable toxi	city data		
<b>Remarks - Dermal:</b>	No applicable toxi	city data		
Titanium dioxide				
Remarks - Oral:	No applicable toxi	city data		
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Styrene				
	LD50 Oral	Rat	2,650 mg/kg	-
	LC50 Inhalation	Rat	2,770 ppm	4 h
	LC50 Inhalation	Rat	11.8 Mg/l	4 h
Remarks - Dermal:	No applicable toxi	city data		
Con aleration / Common and	N.C	ma Not fully tootad		

**Conclusion/Summary** 

Mixture.Not fully tested. :

Irritation/Corrosion



## **GEON HTX LA425C Brown**

Version Number 1.2 Revision Date 05/08/2019

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Styrene	Eyes - Mild	Human			-
	irritant				
	Skin - Mild	Rabbit			-
	irritant				
	Skin -	Rabbit			-
	Moderate				
	irritant				
	Eyes - Severe	Rabbit			-
	irritant				
	Eyes -	Rabbit		24 hrs	-
	Moderate				
	irritant				
Conclusion/Summary					
Skin		ixture.Not fu			
Eyes		ixture.Not fu			
Respiratory	: M	ixture.Not fu	illy tested.		
<b>Sensitization</b>					
Conclusion/Summary					
Skin		ixture.Not fu			
Respiratory	: M	ixture.Not fu	illy tested.		
<b>Mutagenicity</b>					
Conclusion/Summary	: M	ixture.Not fu	ally tested.		
<b>Carcinogenicity</b>					
Conclusion/Summary	: M	ixture.Not fu	Illy tested.		
Classification					
Product/ingredient	OSHA	IARC	NTP		
name					
Carbon black		2B			
Titanium dioxide		2B			
Styrene		2B			

#### **Conclusion/Summary** : Mixture.Not fully tested.

<u>PolyOne</u>

### **GEON HTX LA425C Brown**

Version Number 1.2 Revision Date 05/08/2019 Page 10 of 17 Print Date 05/09/2019

<b>Teratogenicity</b>		
Conclusion/Summary	:	Mixture.Not fully tested.
Specific target organ toxicity (single Not available.	e exp	<u>osure)</u>
Specific target organ toxicity (repeation Not available.	ated o	exposure)
Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Symptoms related to the physical, c	hemi	cal and toxicological characteristics
Eye contact Inhalation Skin contact Ingestion	::	No specific data. No specific data. No specific data. No specific data.
Delayed and immediate effects as w	ell as	chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
		10/17



### **GEON HTX LA425C Brown**

Version Number 1.2 Revision Date 05/08/2019 Page 11 of 17 Print Date 05/09/2019

General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects No known significant effects or critical hazards.

Numerical measures of toxicity

#### Acute toxicity estimates

Not available.

## Section 12. Ecological information

#### **Toxicity**

0 1 11 1			Exposure
Carbon black			
Remarks - Acute - Fish:	No applicable toxicity data		
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
<b>Remarks - Chronic -</b>	No applicable toxicity data		
Aquatic invertebrates.:			
Titanium dioxide			
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h
	water		
Remarks - Acute - Fish:	Acute		
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
Remarks - Acute - Aquatic	Acute		
invertebrates.:		•	
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
<b>Remarks - Acute - Aquatic</b>	Acute		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		



## **GEON HTX LA425C Brown**

Version Number 1.2 Revision Date 05/08/2019 Page 12 of 17 Print Date 05/09/2019

plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Styrene				
	Acute LC50 4.02 Mg/l Fresh water	Fish - Fish	96 h	
Remarks - Acute - Fish:	Acute			
	Acute EC50 0.0047 Mg/l Fresh	Aquatic invertebrates.	48 h	
	water	Daphnia		
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
	Acute LC50 52 Mg/l Marine water	Aquatic invertebrates.	48 h	
		Crustaceans		
Remarks - Acute - Aquatic	Acute			
invertebrates.:	A outo EC50 1 4 Mail Eroch water	Aquatia planta Algaa	72 h	
Demontra Acreto Acreetio	Acute EC50 1.4 Mg/l Fresh water Acute	Aquatic plants - Algae	/2 n	
Remarks - Acute - Aquatic plants:	Acute			
plants:	Acute EC50 0.72 Mg/l Fresh water	Aquatic plants - Algae	96 h	
Remarks - Acute - Aquatic	Acute	Aqualle plants - Algae	90 II	
plants:	Acute			
plants.	Acute NOEC 0.063 Mg/l Fresh	Aquatic plants - Algae	96 h	
	water	riquate plants riigae	<b>y</b> 0 II	
Remarks - Acute - Aquatic	Chronic			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
GEON HTX LA425C Brown				
Remarks - Acute - Aquatic	Chemicals are not readily available as	s they are bound within the	polymer matrix.	
invertebrates.:				
Conclusion/Summary	: Chemicals are not readily polymer matrix.	y available as they are bound	nd within the	
Persistence and degradability	Y			
Conclusion/Summary	: Chemicals are not readily polymer matrix.	y available as they are boun	nd within the	

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential



### **GEON HTX LA425C Brown**

Version Number 1.2 Revision Date 05/08/2019

#### Page 13 of 17 Print Date 05/09/2019

Styrene	0.35	13.49	low	
Mobility in soil				
Soil/water partition coefficient (KOC)	: Not available.			

**Other adverse effects** : No known significant effects or critical hazards.

### Section 13. Disposal considerations

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product recidues. Avoid dispersal of spilled material and runoff and
		product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## **Section 14. Transport information**

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

## Section 15. Regulatory information

### **GEON HTX LA425C Brown**

Version Number 1.2	Page 14 of 17
Revision Date 05/08/2019	Print Date 05/09/2019

United States - TSCA 12(b) - Chemical export notification: None **U.S. Federal regulations** : of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Vinyl chloride monomer Rutile, antimony chromium buff Phthalocyanine green Acrylonitrile Ethyl benzene United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed **United States - Department of commerce - Precursor chemical:** Not listed Clean Air Act Section 112(b) • Listed Hazardous Air Pollutants (HAPs) **Clean Air Act Section 602 Class I** Not listed : Substances Clean Air Act Section 602 Class II Not listed : Substances **DEA List I Chemicals (Precursor** Not listed • **Chemicals**)

### **GEON HTX LA425C Brown**

Version Number 1.2 Revision Date 05/08/2019 Page 15 of 17 Print Date 05/09/2019

**DEA List II Chemicals (Essential** : Not listed **Chemicals**)

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

: Not applicable.

#### **Composition/information on ingredients**

No products were found.

Name	%	Classification
Carbon black	> 0 - <= 0.3	CARCINOGENICITY - Category 2
Styrene	> 0 - <= 0.3	FLAMMABLE LIQUIDS - Category 3 ACUTE TOXICITY - inhalation - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A CARCINOGENICITY - Category 2
Titanium dioxide	> 0 - <= 0.3	CARCINOGENICITY - Category 2

#### SARA 313

	Product name	CAS number	%
Form R - Reporting	Styrene	100-42-5	0 - 0.3
requirements			
Supplier notification	Styrene	100-42-5	0 - 0.3
	-		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: None of the components are listed.
New York	: The following components are listed: Styrene
New Jersey	: The following components are listed: Ethene, chloro-, homopolymer Carbon black Titanium dioxide



### **GEON HTX LA425C Brown**

Version Number 1.2 Revision Date 05/08/2019 Page 16 of 17 Print Date 05/09/2019

Pennsylvania

Styrene The following components are listed: Carbon black

Titanium dioxide

Styrene

#### California Prop. 65

**WARNING:** This product can expose you to chemicals including Carbon black, Titanium dioxide, Styrene, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable
		dosage level
Styrene	No.	No.
Titanium dioxide	No.	No.
Carbon black	No.	No.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
Inventory list		
Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

## **Section 16. Other information**

Hazardous Material Information System (U.S.A.)

Health

0



### **GEON HTX LA425C Brown**

Version Number 1.2 Revision Date 05/08/2019 Page 17 of 17 Print Date 05/09/2019

Flammability	0
Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<b>History</b>		
Date of printing	:	05/09/2019
Date of issue/Date of revision	:	05/08/2019
Date of previous issue	:	03/21/2014
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.