GEON P505 brown 3247

Version Number 1.2 Revision Date 08/30/2019 Page 1 of 18 Print Date 09/02/2019

SAFETY DATA SHEET

GEON P505 brown 3247

Section 1. Identification		
GHS product identifier Chemical name	:	GEON P505 brown 3247 Mixture
CAS number Other means of identification	:	Mixture VC10007356
Product type	:	solid
Relevant identified uses of the substance or mixture and uses advised against		
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.

GHS label elements

ne

GEON P505 brown 3247

Version Number 1.2 Revision Date 08/30/2019

a•

.

.

Page 2 of 18 Print Date 09/02/2019

Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

.

1

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	VC10007356

CAS number/other identifiers

Ingredient name	%	CAS number
Di(2-ethylhexyl)phthalate	10 - 25	117-81-7
Titanium dioxide	0.3 - 1	13463-67-7
Carbon black	0.3 - 1	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures



GEON P505 brown 3247

Version Number 1.2 Revision Date 08/30/2019

Page 3 of 18 Print Date 09/02/2019

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion Over-exposure signs/symptoms	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Eye contact Inhalation Skin contact Ingestion	::	No specific data. No specific data. No specific data. No specific data.
Indication of immediate medical att	entio	n and special treatment needed, if necessary
Notes to physician Specific treatments	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures



GEON P505 brown 3247

Version Number 1.2 Revision Date 08/30/2019

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal	:	May emit Hydrogen Chloride (HCl).
decomposition products		Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material
4/18		

ne.

GEON P505 brown 3247

Version Number 1.2 Revision Date 08/30/2019 Page 5 of 18 Print Date 09/02/2019

and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3	
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01)	
5/40		



GEON P505 brown 3247

Version Number 1.2 Revision Date 08/30/2019

Page 6 of 18 Print Date 09/02/2019

	TWA 3.5 mg/m3 TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Di(2-ethylhexyl)phthalate	OSHA PEL 1989 (1989-03-01) TWA 5 mg/m3 STEL 10 mg/m3 OSHA PEL (1993-06-30) TWA 5 mg/m3 NIOSH REL (1994-06-01) TWA 5 mg/m3 STEL 10 mg/m3 ACGIH TLV (1999-03-01) TWA 5 mg/m3
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	 Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures Eye/face protection	 Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. 6/18



GEON P505 brown 3247

Version Number 1.2		Page 7 of 18
Revision Date 08/30/2019		Print Date 09/02/2019
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	BROWN
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	•	Lower: Not available.
Lower and apper explosive	•	
(flammable) limits	•	Upper: Not available.
	:	
(flammable) limits	:	Upper: Not available.
(flammable) limits Vapor pressure	:	Upper: Not available. Not available.
(flammable) limits Vapor pressure Vapor density	:	Upper: Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density	:	Upper: Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility		Upper: Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water	:	Upper: Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-		Upper: Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water	: : : : : : : : : : : : : : : : : : : :	Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature	: : : : : : : : : : : : : : : : : : : :	Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature	: : : : : : : : : : : : : : : : : : : :	Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.

Section 10. Stability and reactivity

:

Reactivity

No specific test data related to reactivity available for this product or its ingredients.



GEON P505 brown 3247

Version Number 1.2	Page 8 of 18
Revision Date 08/30/2019	Print Date 09/02/2019

Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium dioxide				
Remarks - Oral:	No applicable toxi	city data		
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-
Remarks - Inhalation:	No applicable toxi	city data		
Remarks - Dermal:	No applicable toxicity data			
Di(2-ethylhexyl)phthalate				
	LD50 Oral	Rat	30,000 mg/kg	-
Remarks - Inhalation:	No applicable toxi	city data		
	LD50 Dermal	Rabbit	25,000 mg/kg	-
Conclusion/Summary	. Mixtu	re Not fully tested		

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild irritant	Human		72 hrs	-
$\mathbf{D}^{\prime}(2)$ with a life size of \mathbf{b} and \mathbf{b} is the first size of \mathbf{b}		D-11.4		241	
Di(2-ethylhexyl)phthalate	Eyes - Mild irritant	Rabbit		24 hrs	-
	Skin - Mild irritant	Rabbit		24 hrs	-
	Eyes - Mild	Rabbit			-



GEON P505 brown 3247

Version Number 1.2 Revision Date 08/30/2019 Page 9 of 18 Print Date 09/02/2019

	irritant				
Conclusion/Summary	•	•	-	•	•
Skin	: M	ixture.Not full	y tested.		
Eyes	: Mixture.Not fully tested.				
Respiratory	: Mixture.Not fully tested.				
<u>Sensitization</u>					
Conclusion/Summary					
Skin	: M	ixture.Not full	y tested.		
Respiratory		ixture.Not full			
Mutagenicity					
Conclusion/Summary	: M	ixture.Not full	y tested.		
Carcinogenicity					
Conclusion/Summary	: M	ixture.Not full	y tested.		
<u>Classification</u>					
Product/ingredient	OSHA	IARC	NTP		
name					
Titanium dioxide		2B			
Carbon black		2B			
Di(2-ethylhexyl)phthalate		2B			
Reproductive toxicity					
Conclusion/Summary	: M	ixture.Not full	y tested.		
<u>Teratogenicity</u>					
Conclusion/Summary	: M	ixture.Not full	y tested.		
Specific target organ toxicit Not available.	y (single exposu	<u>re)</u>			
Specific target organ toxicit Not available.	y (repeated expo	osure)			
Aspiration hazard Not available.					
Information on likely routes exposure	of : No	ot available.			



GEON P505 brown 3247

Version Number 1.2 Revision Date 08/30/2019

Potential acute health effects

Page 10 of 18 Print Date 09/02/2019

Eve contact No known significant effects or critical hazards. : Inhalation No known significant effects or critical hazards. : Skin contact No known significant effects or critical hazards. : Ingestion No known significant effects or critical hazards. : Symptoms related to the physical, chemical and toxicological characteristics Eye contact No specific data. : Inhalation : No specific data. No specific data. **Skin contact** : No specific data. Ingestion : Delayed and immediate effects as well as chronic effects from short and long-term exposure Short term exposure Potential immediate effects Not available. : **Potential delayed effects** Not available. : Long term exposure **Potential immediate effects** Not available. : Potential delayed effects Not available. • **Potential chronic health effects** Mixture.Not fully tested. **Conclusion/Summary** : General No known significant effects or critical hazards. : Carcinogenicity No known significant effects or critical hazards. : Mutagenicity No known significant effects or critical hazards. : Teratogenicity No known significant effects or critical hazards. : **Developmental effects** : No known significant effects or critical hazards. **Fertility effects** No known significant effects or critical hazards. : Numerical measures of toxicity Acute toxicity estimates

Not available.



GEON P505 brown 3247

Version Number 1.2 Revision Date 08/30/2019 Page 11 of 18 Print Date 09/02/2019

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure	
Titanium dioxide				
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h	
	water			
Remarks - Acute - Fish:	Acute		-	
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h	
		Crustaceans		
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h	
		Daphnia		
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Carbon black				
Remarks - Acute - Fish:	No applicable toxicity data		40.1	
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h	
	water	Daphnia		
Remarks - Acute - Aquatic	Acute			
invertebrates.:	N			
Remarks - Acute - Aquatic	No applicable toxicity data			
plants: Remarks - Chronic - Fish:	No angliashla tagiaita data			
Remarks - Chronic - Fish:	No applicable toxicity data			
Aquatic invertebrates.:				
Di(2-ethylhexyl)phthalate				
Di(2-etitymexyt)philiatate	Acute LC50 1,106.2 Mg/l Fresh	Fish - Fish	96 h	
	water	11511 - 11511	90 II	
Remarks - Acute - Fish:	Acute	1	1	
	Acute EC50 0.000133 Mg/l Fresh	Aquatic invertebrates.	48 h	
	water	Daphnia		
Remarks - Acute - Aquatic	Acute	<u>, </u>		
invertebrates.:				
	Acute EC50 31 Mg/l Marine water	Aquatic plants - Algae	96 h	



GEON P505 brown 3247

Version Number 1.2 Revision Date 08/30/2019 Page 12 of 18 Print Date 09/02/2019

Remarks - Acute - Aquatic	Acute		
plants:			
	Acute NOEC 0.076 Mg/l Marine	Aquatic plants - Algae	72 h
	water		
Remarks - Acute - Aquatic	Chronic		
plants:			
	Chronic NOEC 0.012 Mg/l Fresh	Fish - Fish	28 d
	water		
Remarks - Chronic - Fish:	Chronic		
	Chronic NOEC 0.109 Mg/l Fresh	Aquatic invertebrates.	21 d
	water	Crustaceans	
Remarks - Chronic -	Chronic		
Aquatic invertebrates.:			
	Chronic NOEC 0.077 Mg/l Fresh	Aquatic invertebrates.	21 d
	water	Daphnia	
Remarks - Chronic -	Chronic		
Aquatic invertebrates.:			
GEON P505 brown 3247			
Remarks - Acute - Aquatic	Chemicals are not readily available as they are bound within the polymer matrix.		
invertebrates.:			
Conclusion/Summary	: Chemicals are not readily available as they are bound within the		
	polymer matrix.		
Persistence and degradability	<u>v</u>		

Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Di(2-ethylhexyl)phthalate	7.6	1,380.00	high

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations



GEON P505 brown 3247

Version Number 1.2	Page 13 of 18
Revision Date 08/30/2019	Print Date 09/02/2019

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

:

Ingredient	CAS #	Status	Reference number
Di(2-ethylhexyl)phthalate	117-81-7	Listed	

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not
	listed

13/18

<u>vOne</u>.

GEON P505 brown 3247

Version Number 1.2	
Revision Date 08/30/2019	

		United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Poly(oxy-1,2-ethanediyl), .alpha(4- nonylphenyl)omegahydroxy-,branched United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Di(2-ethylhexyl)phthalate Rutile, antimony chromium buff Zinc chloride (ZnCl2)
		Phenol Vinyl chloride monomer
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean on eat (CAA) section 112 - Assidental
		United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed
		United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

DEA List II Chemicals (Essential : Not listed

Chemicals)

Chemical Name	CAS-No.	RQ for component		
11/18				



GEON P505 brown 3247

Version Number 1.2 Revision Date 08/30/2019 Page 15 of 18 Print Date 09/02/2019

Di(2-ethylhexyl)phthalate	117-81-7	100 lb(s) 45.4 kg	
---------------------------	----------	----------------------	--

SARA 311/312

Classification

: Not applicable.

Composition/information on ingredients

No products were found.

Name	%	Classification
Di(2-ethylhexyl)phthalate	>= 10 - <= 25	EYE IRRITATION - Category 2B CARCINOGENICITY - Category 2
Carbon black	>= 0.3 - <= 1	CARCINOGENICITY - Category 2
Titanium dioxide	>= 0.3 - <= 1	CARCINOGENICITY - Category 2

SARA 313

	Product name	CAS number	%
Form R - Reporting	Di(2-ethylhexyl)phthalate	117-81-7	10 - 25
requirements			
	Rutile, antimony chromium buff	68186-90-3	1 - 3
Supplier notificationDi(2-ethylhexyl)phthalate		117-81-7	10 - 25
	Rutile, antimony chromium buff	68186-90-3	1 - 3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	None of the components are listed.
New York	: The following components are listed: Di(2-ethylhexyl)phthalate
New Jersey	: The following components are listed: Calcium carbonate Iron oxide Rutile, antimony chromium buff Carbon black
	15/18

GEON P505 brown 3247

Version Number 1.2 Revision Date 08/30/2019 Page 16 of 18 Print Date 09/02/2019

Pennsylvania

Titanium dioxide Di(2-ethylhexyl)phthalate Ethene, chloro-, homopolymer The following components are listed: Titanium dioxide Carbon black Rutile, antimony chromium buff Iron oxide Calcium carbonate

:

Di(2-ethylhexyl)phthalate

California Prop. 65

WARNING: This product can expose you to chemicals including Di(2-ethylhexyl)phthalate, which is known to the State of California to cause cancer and birth defects or other reproductive harm. This product can expose you to chemicals including Carbon black, Titanium dioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	No.	No.
Carbon black	No.	No.
Di(2-ethylhexyl)phthalate	No.	No.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations		
Inventory list		
Australia	:	Not determined.
Canada	:	At least one component is not listed in DSL but all such components are listed in NDSL.
China	:	Not determined.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
		16/18

GEON P505 brown 3247

Version Number 1.2 Revision Date 08/30/2019 Page 17 of 18 Print Date 09/02/2019

Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>IIIStol y</u>		
Date of printing	:	09/02/2019
Date of issue/Date of revision	:	08/30/2019
Date of previous issue	:	10/18/2012
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or

)ne

GEON P505 brown 3247

Version Number 1.2 Revision Date 08/30/2019 Page 18 of 18 Print Date 09/02/2019

completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.