MATERIAL SAFETY DATA SHEET **GEON 86851 TRANS**

Version Number 1.2 Revision Date 01/19/2012

Page 1 of 6 Print Date 8/22/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:		1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON 86851 TRANS
Product code	:	VC10007953
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		

PolyOne.

MATERIAL SAFETY DATA SHEET **GEON 86851 TRANS**

Version Number 1.2 Revision Date 01/19/2012 Page 2 of 6 Print Date 8/22/2012

overheating or combustion. When symptoms persist or in all cadoubt seek medical advice. Ingestion : Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice. Eyes : Rinse immediately with plenty of water, also under the eyelids, least 15 minutes. If eye irritation persists, seek medical attention Skin : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. Skin : not applicable Flash point : not applicable Flash point : not applicable Suitable extinguishing media : Carbon dioxide blanket, Water spray, Dry powder, Foam. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in pos pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : May emit Hydrogen Chloride (HCI) or Carbon Monoxide (CO) fire conditions. Carbon dioxide (CO2), carbon monoxide (CO) soides of nitrogen (NOx), other hazardous materials, and smoke all possible. Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product shou be allowed to enter drains, water courses or the soil. Methods for cleaning up	Medical Conditions Aggravated by Exposure:	: None known.		
overheating or combustion. When symptoms persist or in all cadoubt seek medical advice. Ingestion : Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice. Eyes : Rinse immediately with plenty of water, also under the eyelids, least 15 minutes. If eye irritation persists, seek medical attention Skin : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. Skin : not applicable Flash point : not applicable Flash point : not applicable Suitable extinguishing media : Carbon dioxide blanket, Water spray, Dry powder, Foam. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in pos pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : May emit Hydrogen Chloride (HCI) or Carbon Monoxide (CO) fire conditions. Carbon dioxide (CO2), carbon monoxide (CO) soides of nitrogen (NOx), other hazardous materials, and smoke all possible. Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product shou be allowed to enter drains, water courses or the soil. Methods for cleaning up		4. FIRST AID MEASURES		
Eyes : Rinse immediately with plenty of water, also under the eyelids, least 15 minutes. If eye irritation persists, seek medical attention Skin : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. Skin : Instead attention. Skinbel Exists : Instead attention. Skinbel Exists : Instead attention. Skinbel Exists : Instead attention.	Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.		
least 15 minutes. If eye irritation persists, seek medical attention Skin : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. 5. FIRE-FIGHTING MEASURES Flash point : not applicable Flammable Limits Upper explosion limit Lower explosion limit : not applicable Autoignition temperature : Not applicable Suitable extinguishing media : Carbon dioxide blanket, Water spray, Dry powder, Foam. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in pos pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) fire conditions. Carbon dioxide (CO2), carbon monoxide (CO) oxides of nitrogen (NOx), other hazardous materials, and smoke all possible. 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product shou be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all materi	Ingestion			
seek medical attention. seek medical attention. Seek medical attention. S. FIRE-FIGHTING MEASURES Flash point : not applicable Flash point : not applicable Flammable Limits Upper explosion limit : not applicable Lower explosion limit : not applicable Suitable extinguishing media : Carbon dioxide blanket, Water spray, Dry powder, Foam. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in pospressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) oxides of nitrogen (NOx), other hazardous materials, and smoke all possible. 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product shou be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all materi	Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Flash point : not applicable Flammable Limits Upper explosion limit : not applicable Lower explosion limit : not applicable Autoignition temperature : Not applicable Suitable extinguishing media : Carbon dioxide blanket, Water spray, Dry powder, Foam. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in pospressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) fire conditions. Carbon dioxide (CO2), carbon monoxide (CO) oxides of nitrogen (NOx), other hazardous materials, and smoke all possible. Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product shou be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all materi	Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
Flammable Limits Upper explosion limit : not applicable Lower explosion limit : not applicable Autoignition temperature : Not applicable Suitable extinguishing media : Carbon dioxide blanket, Water spray, Dry powder, Foam. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in pospressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) fire conditions. Carbon dioxide (CO2), carbon monoxide (CO) oxides of nitrogen (NOx), other hazardous materials, and smoke all possible. Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product shou be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all materi		5. FIRE-FIGHTING MEASURES		
Upper explosion limit Lower explosion limit: not applicable : not applicableAutoignition temperature Suitable extinguishing media: Not applicableSpecial Fire Fighting 	Flash point	: not applicable		
Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product shou be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all materi	Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 		
impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product shou be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all materi		6. ACCIDENTAL RELEASE MEASURES		
be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all materi	Personal precautions			
	Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
13 of this MSDS for proper disposal methods.	Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
7. HANDLING AND STORAGE		7. HANDLING AND STORAGE		

PolyOne

MATERIAL SAFETY DATA SHEET **GEON 86851 TRANS**

rsion Number 1.2 vision Date 01/19/2012		Page 3 of 6 Print Date 8/22/2012
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EX	POSU	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). It is unlikely, under normal working conditions with adequate ventilation, that the exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		
There are no known bazardo	us com	ponents above regulatory thresholds in this product

There are no known hazardous components above regulatory thresholds in this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour Melting point/range Boiling Point:
- : solid
 : pellets, powder
 : TRANSPARENT
 : very faint
 : Not determined
 : not applicable
- Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH
- Not applicable
 Not determined
 Not established
 not applicable
 not applicable
 not applicable

PolyOne.

MATERIAL SAFETY DATA SHEET **GEON 86851 TRANS**

Version Number 1.2 Revision Date 01/19/2012 Page 4 of 6 Print Date 8/22/2012

	10. STABILITY AND REACTIVITY
Stability	: Stable
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.
	11. TOXICOLOGICAL INFORMATION
There are no known hazardous	components above regulatory thresholds in this product. 12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: no data available
Bioaccumulation Fotentia	
Additional advice	: not applicable
	not applicable 13. DISPOSAL CONSIDERATIONS
	13. DISPOSAL CONSIDERATIONS
Additional advice	13. DISPOSAL CONSIDERATIONS 13. DISPOSAL CONSIDERATIONS : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with

PolyOne

MATERIAL SAFETY DATA SHEET **GEON 86851 TRANS**

Version Number 1.2 Revision Date 01/19/2012

Page 5 of 6 Print Date 8/22/2012

U.S. DOT Classification	: Not regul	ated for transportation.		
	-	-		
ICAO/IATA	: Not regula	ated for transportation.		
IMO/IMDG (maritime)	: Not regula	ated for transportation.		
	15. REGULA	ATORY INFORMATI	ION	
US Regulations:				
OSHA Status		no known hazardous co s in this product.	omponents above	regulatory
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardou	s Substances (40	CFR 302)		
not applicable				
California Proposition 65	: Not applie	cable		
SARA Title III Section 302 E	xtremely Hazard	ous Substance		
Unless specific chemicals are	identified under	this section this produc	t is Not Applicabl	e under this regula
emess specific chemicals are		uns section, uns produc	is not repricable	e under tins regul
SARA Title III Section 313 T	oxic Chemicals:			
XX 1 'C' 1 ' 1	• 1	a		1 4 1 1
Unless specific chemicals are	identified under	this section, this produc	t is Not Applicabl	e under this regula
Canadian Regulations:				
National Pollutant Rel	and Inventory (N			
	ase inventory (iv	CAS-No.	Weight	NPRI ID#
Chemical Name			percent	
Chemical Name				
Chemical Name 2-Ethylhexanoic acid zinc s	alt	136-53-8	0.10 - 1.00	

PolyOne

MATERIAL SAFETY DATA SHEET **GEON 86851 TRANS**

Version Number 1.2 Revision Date 01/19/2012 Page 6 of 6 Print Date 8/22/2012

DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		
National Inventories:				
Australia AICS	:	Not determined		
China IECS	:	Not determined		
Europe EINECS	:	Listed		
Japan ENCS	:	Not determined		
Korea KECI	:	Not determined		
Philippines PICCS	:	Not determined		
16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.