MATERIAL SAFETY DATA SHEET 16734-02 EXPAP600S NATURAL

Version Number 1.0 Revision Date 06/21/2012 Page 1 of 7 Print Date 8/26/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	16734-02 EXPAP600S NATURAL
Product code	:	VC10008584
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications
		**

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Barium bis(nonylphenolate)	28987-17-9	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET 16734-02 EXPAP600S NATURAL

Version Number 1.0 Revision Date 06/21/2012 Page 2 of 7 Print Date 8/26/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE

PolyOne.

MATERIAL SAFETY DATA SHEET 16734-02 EXPAP600S NATURAL

sion Number 1.0 ision Date 06/21/2012		Page 3 Print Date 8/26/2
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXI	POSUI	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). It is unlikely, under normal working conditions with adequate ventilation, that the exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

PolvOne

MATERIAL SAFETY DATA SHEET 16734-02 EXPAP600S NATURAL

Version Number 1.0 Revision Date 06/21/2012

Page 4 of 7 Print Date 8/26/2012

Components	Value	Exposure time Exposure type		List:
Barium	0.5 mg/m3	Time Weighted Average	as Ba	ACGIH
bis(nonylphenolate)		(TWA):		
	0.5 mg/m3	PEL:	as Ba	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Ba	OSHA Z1A
	0.5 mg/m3	Time Weighted Average (TWA):	as Ba	MX OEL
	0.5 mg/m3	Recommended exposure limit (REL):	as Ba	NIOSH

9. PHYSICAL AND CHEMICAL PROPERTIES

Form
Appearance
Colour
Odour
Melting point/range
Boiling Point:
Water solubility

solid
pellets, powder
TRANSPARENT
very faint
Not determined
not applicable
insoluble

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH

- : Not applicable
- : Not determined
- : Not established
- : not applicable
- : not applicable
- : not applicable

10. STABILITY AND REACTIVITY

Stability	:	Stable
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and

11. TOXICOLOGICAL INFORMATION

hydrogen chloride.

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ

PolyOne.

MATERIAL SAFETY DATA SHEET 16734-02 EXPAP600S NATURAL

Version Number 1.0 Revision Date 06/21/2012

Page 5 of 7 Print Date 8/26/2012

28987-17-9 Bari bis(n	um 10nylphe	enolate)	Irritant	Eyes, Skin.	
	12.	ECOLOGICA	AL INFORMAT	TION	
Persistence and degradability		Not readily bio	degradable.		
Environmental Toxicity		Adverse ecolog use.	gical impact is no	ot known or expected under normal	
Bioaccumulation Potential	:	no data availab	le		
Additional advice	:	not applicable			
	13.	DISPOSAL C	CONSIDERATI	ONS	
Product		possible recycli generator of wa classification, tr applicable fede	ing is preferred t iste material has ransportation an ral, state/provinc	s the product can be recycled. Where o disposal or incineration. The the responsibility for proper waste d disposal in accordance with cial and local regulations.	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14	. TRANSPOR	T INFORMAT	ION	
U.S. DOT Classification	:	Not regulated for	or transportation		
ICAO/IATA	:	Not regulated for	or transportation		
IMO/IMDG (maritime)	:	Not regulated f	or transportation	ι.	
	15.	REGULATOR	RY INFORMA	ΓΙΟΝ	
US Regulations:					
OSHA Status	:	Classified as ha	azardous based o	n components.	
TSCA Status	:	All component TSCA Inventor		are listed on or exempt from the	
US. EPA CERCLA Hazardo	us Subst	ances (40 CFR	302)		
not applicable					

PolyOne.

MATERIAL SAFETY DATA SHEET 16734-02 EXPAP600S NATURAL

Version Number 1.0 Revision Date 06/21/2012 Page 6 of 7 Print Date 8/26/2012

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name	CAS-No.	Weight percent
ZINC COMPOUNDS	136-53-8	1.00 - 5.00
BARIUM COMPOUNDS [EXCEPT BASO4]	2457-01-4	1.00 - 5.00
BARIUM COMPOUNDS [EXCEPT BASO4]	28987-17-9	10.00 - 30.00

Canadian Regulations:

Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
2-Ethylhexanoic acid zinc salt	136-53-8	1.00 - 5.00	
Barium bis(nonylphenolate)	28987-17-9	10.00 - 30.00	

WHMIS Classification : D2B

WHMIS Ingredient Disclosure List

CAS-No.	
112-34-5	
2457-01-4	
28987-17-9	

DSL

: DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Listed
Japan ENCS	:	Not determined

MATERIAL SAFETY DATA SHEET 16734-02 EXPAP600S NATURAL

Version Number 1.0 Revision Date 06/21/2012 Page 7 of 7 Print Date 8/26/2012

Korea KECI

: Not determined

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.