PolvOne

MATERIAL SAFETY DATA SHEET 16877-02 EXPE4001 NATURAL 0000

Version Number 1.0 Revision Date 04/17/2013 Page 1 of 6 Print Date 4/17/2013

POLYONE CORPORATI 33587 Walker Road, Avoi		OH 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	16877-02 EXPE4001 NATURAL 0000
Product code	:	VC10009215
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Calcium stearate	1592-23-0	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		

PolyOne.

MATERIAL SAFETY DATA SHEET 16877-02 EXPE4001 NATURAL 0000

Version Number 1.0 Revision Date 04/17/2013 Page 2 of 6 Print Date 4/17/2013

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat

PolyOne.

MATERIAL SAFETY DATA SHEET 16877-02 EXPE4001 NATURAL 0000

cc cl th : K au POSURE : N du : S	nly in areas with appropriate e ondensates may contain combu- ean hoods, ducts, and other su- lese materials. teep containers dry and tightly nd contamination. Keep in a d CONTROLS/PERSONAL	Istible or toxic residue. F rfaces to minimize accur closed to avoid moisture ry, cool place. PROTECTION ve equipment normally re	Periodically nulation of absorption equired. If
cc cl th : K au POSURE : N du : S	ondensates may contain combu- ean hoods, ducts, and other su lese materials. The containers dry and tightly nd contamination. Keep in a docontamination. Keep in a docontamination of the control of the	Istible or toxic residue. F rfaces to minimize accur closed to avoid moisture ry, cool place. PROTECTION ve equipment normally re	Periodically nulation of absorption equired. If
an POSURE : N du : Sa	nd contamination. Keep in a d CONTROLS/PERSONAL	ry, cool place. PROTECTION ve equipment normally r	equired. If
: N di : S	o personal respiratory protecti usty conditions occur wear app	ve equipment normally r	
dı : S	usty conditions occur wear app		
			ction.
· D	afety glasses with side-shields		
. 1	rotective gloves		
: L	ong sleeved clothing		
: S	afety shoes		
pi pi ni ez us vo pi V	ractice. Wash hands before br roduct may contain residual vi umber 75-01-4) below 8.5 ppm ormal working conditions with xposure limits will be exceede ser should take the necessary p entilation, local exhaust ventile rotection, etc.) to ensure airbon CM or dusts that may be relea	eaks and at the end of wo nyl chloride monomer (V n (0.00085%). It is unlike a dequate ventilation, tha d for residual VCM. How precautions (e.g. mechani ation, air-monitoring, res me levels of any vapors in	orkday. This (CM) (CAS ely, under at the vever, the cal piratory ncluding
			Provide
Value	Exposure time	Exposure type	List:
	Time Weighted Average (TWA):	Exposure type	ACGIH
PHYSIC	CAL AND CHEMICAL PRO	PERTIES	
: pelle : NO I	ts, powder Specif PIGMENT Bulk d	ic Gravity : Not ensity : Not	applicable determined established applicable
	: H pr pr nd e? us vd vd bd vd bd vd bd vd vd vd vd vd vd vd vd vd vd vd vd vd	practice. Wash hands before br product may contain residual vi number 75-01-4) below 8.5 ppn normal working conditions with exposure limits will be exceeded user should take the necessary p ventilation, local exhaust ventila protection, etc.) to ensure airbor VCM or dusts that may be relead below regulated levels. : Heat only in areas with appropriate exhaust ventilation Value Exposure time mg/m3 Time Weighted Average (TWA): PHYSICAL AND CHEMICAL PRO : solid Evapo : pellets, powder Specifi : NO PIGMENT Bulk d	 Handle in accordance with good industrial hygiene and s practice. Wash hands before breaks and at the end of we product may contain residual vinyl chloride monomer (V number 75-01-4) below 8.5 ppm (0.00085%). It is unlike normal working conditions with adequate ventilation, the exposure limits will be exceeded for residual VCM. How user should take the necessary precautions (e.g. mechani ventilation, local exhaust ventilation, air-monitoring, resportection, etc.) to ensure airborne levels of any vapors in VCM or dusts that may be released during heating or probelow regulated levels. Heat only in areas with appropriate exhaust ventilation. appropriate exhaust ventilation at machinery. Value Exposure time Exposure type mg/m3 Time Weighted Average (TWA): PHYSICAL AND CHEMICAL PROPERTIES : solid Evapouration rate : Not pellets, powder Specific Gravity : Not

<u>PolyOne</u>

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET 16877-02 EXPE4001 NATURAL 0000

Version Number 1.0 Revision Date 04/17/2013 Page 4 of 6 Print Date *4/17/2013*

Melting point/range Boiling Point: Water solubility	Not determinednot applicableinsoluble	Vapour d pH	lensity : :	not applicable not applicable	
	10. STABILITY A	AND REACTIVIT	ГY		
Stability	: The product is s	table if stored and	handled as presc	ribed.	
Hazardous Polymerization	: Will not occur.				
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.				
Incompatible Materials		ith strong acids and opolymers and ace			
Hazardous decomposition products	(NOx), other ha Prolonged heatin (200 °C) or shor	rt term heating at 4 osition and evolut	and smoke are a 30 minutes or m 82 °F (250 °C) r	ll possible. hore) above 392 °F nay result in	
This mixture has not been eva health data for the individual <u>Toxicity Overview</u> This product contains the foll	components which com	prise the mixture.			
CAS-No. Chemical Name		Effect Target Organ			
LC50 / LD50 This product contains the foll CAS-No. 1592-23-0 Calci	lowing components whic Chemical Name ium stearate	ch, in their pure fo Route Oral LD50	rm, have the foll Value > 10 gm/kg	owing toxicity data: Species rat	
	12. ECOLOGICA	L INFORMATIO	DN		
Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Adverse ecological impact is not known or expected under normal use.					
Environmental Toxicity	-	ical impact is not k	known or expecte	ed under normal	

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET 16877-02 EXPE4001 NATURAL 0000

Version Number 1.0 Revision Date 04/17/2013 Page 5 of 6 Print Date 4/17/2013

	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO/IMDG (maritime)	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 E	xtremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regula
SARA Title III Section 313 T	oxic Chemicals:

PolyOne.

MATERIAL SAFETY DATA SHEET 16877-02 EXPE4001 NATURAL 0000

Version Number 1.0 Revision Date 04/17/2013

_

Page 6 of 6 Print Date 4/17/2013

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation							
Canadian Regulations:							
National Pollutant Release Inventory (NPRI)							
not applicable							
WHMIS Classification	:	Not controlled.					
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.					
National Inventories:							
Australia AICS	:	Listed					
China IECS	:	Listed					
Europe EINECS	:	Listed					
Japan ENCS	:	Not determined					
Korea KECI	:	Listed					
Philippines PICCS	:	Listed					
		16. OTHER INFORMATION					

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.