MATERIAL SAFETY DATA SHEET 16879-01 EXPA8502 Trans (COST ONLY)

Version Number 1.0 Revision Date 04/17/2013

Page 1 of 6 Print Date 4/18/2013

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	16879-01 EXPA8502 Trans (COST ONLY)
Product code	:	VC10009219
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET 16879-01 EXPA8502 Trans (COST ONLY)

Version Number 1.0 Revision Date 04/17/2013 Page 2 of 6 Print Date 4/18/2013

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat



MATERIAL SAFETY DATA SHEET 16879-01 EXPA8502 Trans (COST ONLY)

ersion Number 1.0 evision Date 04/17/2013		Page 3 of 6 Print Date <i>4/18/2013</i>
Storage	 condensates r clean hoods, these materia Keep contain 	with appropriate exhaust ventilation. Processing fume nay contain combustible or toxic residue. Periodically ducts, and other surfaces to minimize accumulation of ls. ers dry and tightly closed to avoid moisture absorption ation. Keep in a dry, cool place.
8. EX	SURE CONTRO	LS/PERSONAL PROTECTION
Respiratory protection		espiratory protective equipment normally required. If ons occur wear appropriate respiratory protection.
Eye/Face Protection	: Safety glasses	s with side-shields
Hand protection	: Protective glo	ves
Skin and body protection	: Long sleeved	clothing
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations	practice. Wa product may of number 75-01 normal worki exposure limit user should ta ventilation, lo protection, etc	ordance with good industrial hygiene and safety sh hands before breaks and at the end of workday. This contain residual vinyl chloride monomer (VCM) (CAS 1-4) below 8.5 ppm (0.00085%). It is unlikely, under ng conditions with adequate ventilation, that the ts will be exceeded for residual VCM. However, the ike the necessary precautions (e.g. mechanical ocal exhaust ventilation, air-monitoring, respiratory c.) to ensure airborne levels of any vapors including s that may be released during heating or processing are ed levels.
Engineering measures		areas with appropriate exhaust ventilation. Provide whaust ventilation at machinery.
Exposure limit(s)		
There are no known hazardou	omponents above	regulatory thresholds in this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility
- solid
 pellets, powder
 TRANSPARENT
 very faint
 Not determined
 not applicable
 insoluble
- Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH
- Not applicable
 Not determined
 Not established
 not applicable
 not applicable
 not applicable

PolyOne

MATERIAL SAFETY DATA SHEET 16879-01 EXPA8502 Trans (COST ONLY)

Version Number 1.0 Revision Date 04/17/2013

_

Page 4 of 6 Print Date 4/18/2013

	10. STABILITY AND REACTIVITY
Stability	: The product is stable if stored and handled as prescribed.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.
	11 ΤΟΥΙΟΟΙ ΟΟΙΟΛΙ ΙΝΈΟΡΜΑΤΙΟΝ
There are no known hazardous	11. TOXICOLOGICAL INFORMATION components above regulatory thresholds in this product.
There are no known hazardous	
	components above regulatory thresholds in this product.
Persistence and degradability	components above regulatory thresholds in this product. 12. ECOLOGICAL INFORMATION
Persistence and degradability Environmental Toxicity	 components above regulatory thresholds in this product. 12. ECOLOGICAL INFORMATION : Not readily biodegradable. : Adverse ecological impact is not known or expected under normal
Persistence and degradability Environmental Toxicity Bioaccumulation Potential	 components above regulatory thresholds in this product. 12. ECOLOGICAL INFORMATION : Not readily biodegradable. : Adverse ecological impact is not known or expected under normal use.
There are no known hazardous Persistence and degradability Environmental Toxicity Bioaccumulation Potential Additional advice	 components above regulatory thresholds in this product. 12. ECOLOGICAL INFORMATION : Not readily biodegradable. : Adverse ecological impact is not known or expected under normal use. : no data available

generator of waste material has the responsibility for proper waste
classification, transportation and disposal in accordance with
applicable federal, state/provincial and local regulations.Contaminated packaging:Recycling is preferred when possible. The generator of waste
material has the responsibility for proper waste classification,

14. TRANSPORT INFORMATION

state/provincial and local regulations.

transportation and disposal in accordance with applicable federal,

PolyOne

MATERIAL SAFETY DATA SHEET 16879-01 EXPA8502 Trans (COST ONLY)

Version Number 1.0 Revision Date 04/17/2013 Page 5 of 6 Print Date 4/18/2013

ICAO/IATA	: Not regu	lated for transportation.		
IMO/IMDG (maritime)	_	lated for transportation.		
	_	_		
	15. REGUI	ATORY INFORMATI	ON	
US Regulations:				
OSHA Status		e no known hazardous co ds in this product.	omponents above	regulatory
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardo	us Substances (4	0 CFR 302)		
not applicable				
California Proposition 65	n : Not appl	licable		
SARA Title III Section 302 I	Extremely Hazar	dous Substance		
Unless specific chemicals are	identified under	r this saction this produce	t is Not Applicabl	a under this regula
oness speeme chemicars are		t this section, this produc		e under this regula
SARA Title III Section 313	Coxic Chemicals	:		
Unless specific chemicals are	identified under	r this section, this produc	t is Not Applicabl	e under this regula
Canadian Regulations:				
National Pollutant Rel	ease Inventory (NPRI)		
Chemical Name	(CAS-No.	Weight	NPRI ID#
Phenol, nonyl-, phosphite	(3.1)	26523-78-4	0.10 - 1.00	
r nenoi, nonyi-, phosphile	5.1)	20323-70-4	0.10 - 1.00	
			0.10 - 1.00	

PolvOne

MATERIAL SAFETY DATA SHEET 16879-01 EXPA8502 Trans (COST ONLY)

Version Number 1.0 Revision Date 04/17/2013 Page 6 of 6 Print Date *4/18/2013*

DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		
National Inventories:				
Australia AICS	:	Not determined		
China IECS	:	Not determined		
Europe EINECS	:	Listed		
Japan ENCS	:	Not determined		
Korea KECI	:	Not determined		
Philippines PICCS	:	Not determined		
16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.