MATERIAL SAFETY DATA SHEET **16879-01 EXPA8502 TRANS**

Version Number 1.0 Revision Date 05/06/2013 Page 1 of 6 Print Date 5/7/2013

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	16879-01 EXPA8502 TRANS
Product code	:	VC10009253
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.			
Ingestion	: May be harmful if swallowed.			
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			

PolyOne.

MATERIAL SAFETY DATA SHEET **16879-01 EXPA8502 TRANS**

Version Number 1.0 Revision Date 05/06/2013 Page 2 of 6 Print Date 5/7/2013

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat

PolyOne

MATERIAL SAFETY DATA SHEET 16879-01 EXPA8502 TRANS

sion Number 1.0 ision Date 05/06/2013		Page 3 o Print Date <i>5/7/20</i>	
Storage	:	only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	
8. EX	POSU	RE CONTROLS/PERSONAL PROTECTION	
Respiratory protection	:	No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.	
Eye/Face Protection	:	Safety glasses with side-shields	
Hand protection	:	Protective gloves	
Skin and body protection	:	Long sleeved clothing	
Additional Protective Measures	:	Safety shoes	
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). It is unlikely, under normal working conditions with adequate ventilation, that the exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.	
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	
Exposure limit(s)			
	us com	nonents above regulatory thresholds in this product	

There are no known hazardous components above regulatory thresholds in this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility
- : solid : pellets, powder : TRANSPARENT : very faint : Not determined : not applicable : insoluble
- Evapouration rate Specific Gravity Bulk density Vapour pressure : not applicable Vapour density pН
- : Not applicable : Not determined : Not established : not applicable : not applicable

PolyOne

MATERIAL SAFETY DATA SHEET 16879-01 EXPA8502 TRANS

Version Number 1.0 Revision Date 05/06/2013

_

Page 4 of 6 Print Date 5/7/2013

	10.	STABILITY AND REACTIVITY
Stability	: 7	The product is stable if stored and handled as prescribed.
Hazardous Polymerization	: `	Will not occur.
Conditions to avoid		Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials		Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	(] (]	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.
	11. T(OXICOLOGICAL INFORMATION
	compo	onents above regulatory thresholds in this product.
	compo	
There are no known hazardous	compo 12.	onents above regulatory thresholds in this product.
There are no known hazardous Persistence and degradability	compo 12. :]	onents above regulatory thresholds in this product.
There are no known hazardous Persistence and degradability Environmental Toxicity	12.	onents above regulatory thresholds in this product. ECOLOGICAL INFORMATION Not readily biodegradable. Adverse ecological impact is not known or expected under normal
There are no known hazardous Persistence and degradability Environmental Toxicity Bioaccumulation Potential	compo 12. : 1 : 1	onents above regulatory thresholds in this product. ECOLOGICAL INFORMATION Not readily biodegradable. Adverse ecological impact is not known or expected under normal use.
	compo 12. : 1 : 1 : 1	onents above regulatory thresholds in this product. ECOLOGICAL INFORMATION Not readily biodegradable. Adverse ecological impact is not known or expected under normal use. no data available

possible recycling is preferred to disposal or incineration. The
generator of waste material has the responsibility for proper waste
classification, transportation and disposal in accordance with
applicable federal, state/provincial and local regulations.Contaminated packaging:Recycling is preferred when possible. The generator of waste
material has the responsibility for proper waste classification,
transportation and disposal in accordance with applicable federal,
state/provincial and local regulations.

14. TRANSPORT INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET **16879-01 EXPA8502 TRANS**

Version Number 1.0 Revision Date 05/06/2013 Page 5 of 6 Print Date 5/7/2013

ΙϹΑΟ/ΙΑΤΑ	· Not	gulated for transportation			
IUAU/IATA	: Not re	gulated for transportation.			
IMO/IMDG (maritime)	: Not re	gulated for transportation.			
	15. REGU	JLATORY INFORMATI	ION		
US Regulations:					
OSHA Status		: There are no known hazardous components above regulatory thresholds in this product.			
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardo	is Substances	(40 CFR 302)			
not applicable					
SARA Title III Section 302 E Unless specific chemicals are	-		t is Not Applicabl	e under this regula	
SARA Title III Section 313 7	oxic Chemica	ls:			
Unless specific chemicals are	identified und	ler this section, this produc	t is Not Applicabl	e under this regula	
Canadian Regulations:					
National Pollutant Rel	ease Inventory		W-:-1-4		
Chemical Name		CAS-No.	Weight percent	NPRI ID#	
Phenol, nonyl-, phosphite ((3:1)	26523-78-4	0.10 - 1.00		
			0.10 - 1.00		
Miscellaneous Zinc Compo	ounds	0-31-7	0.10 - 1.00	241	
Miscenaneous Zinc Compo			1		
Miscenaneous Zine Compo					

PolyOne

MATERIAL SAFETY DATA SHEET 16879-01 EXPA8502 TRANS

Version Number 1.0 Revision Date 05/06/2013 Page 6 of 6 Print Date 5/7/2013

N	DSL Jational Inventories:	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
	Australia AICS	:	Not determined	
	China IECS	:	Not determined	
	Europe EINECS	:	Listed	
	Japan ENCS	:	Not determined	
	Korea KECI	:	Not determined	
	Philippines PICCS	:	Not determined	
				+

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.