

MATERIAL SAFETY DATA SHEET

EXP 11115814803BLK

Version Number 1.0 Revision Date 04/18/2002 Page 1 of 7 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	EXP 11115814803BLK
Product code	:	X11115814803
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Antimony trioxide	1309-64-4	1 - 5
Carbon black	1333-86-4	1 - 5
Lead oxide sulfate (Pb4O3(SO4))	12202-17-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that OSHA exposure levels will be exceeded for residual VCM. However, it is recommended that the user take necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.



MATERIAL SAFETY DATA SHEET

EXP 11115814803BLK

Version Number 1.0 Revision Date 04/18/2002 Page 2 of 7 Print Date 11/4/2011

Medical Conditions Aggravated by Exposure:		
		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable.
Suitable extinguishing media	:	water, dry powder, foam, carbon dioxide (CO2).
Special Fire Fighting	:	Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures		pressure mode should be worn to prevent inhalation of airborne
		contaminants.
Unusual Fire/Explosion Hazards	:	May emit Hydogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.



MATERIAL SAFETY DATA SHEET

EXP 11115814803BLK

sion Date 04/18/2002			Print I	Date 11/4/
	7.	HANDLING AND STORA	GE	
Handling	or cc cl	ake measures to prevent the b aly in areas with appropriate e ondensates may contain comb ean hoods, ducts, and other su ese materials.	exhaust ventilation. Proce ustible or toxic residue. I	essing fume Periodically
Storage		eep containers dry and tightly ad contamination. Keep in a c		absorption
8. H	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protect	ive equipment normally r	equired.
Eye/Face Protection	: Sa	afety glasses with side-shields	s.	
Hand protection	: P1	rotective gloves.		
Skin and body protection	: Lo	ong sleeved clothing.		
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		eat only in areas with appropropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Antimony trioxide	0.5 mg/m3	PEL:	as Sb	OSHA Z
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black	ACGIH
Carbon black	3.5 mg/m3	PEL:	Total dust. as carbon black	OSHA ZI
Lead oxide sulfate (Pb4O3(SO4))	0.05 mg/m3	Time Weighted Average (TWA):	as Pb	ACGIH
Lead oxide sulfate (Pb4O3(SO4))	0.05 mg/m3	Time Weighted Average (TWA):	as Pb	OSHA
	0.03 mg/m3	OSHA Action level:	as Pb	OSHA

9. PHYSICAL AND CHEMICAL PROPERTIES

Form

: Solid

Evaporation rate

: Not applicable.

MATERIAL SAFETY DATA SHEET

EXP 11115814803BLK

Poly	One.

ersion Number 1.0 evision Date 04/18/2002		Page 4 of Print Date 11/4/201
Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Pellets, powder BLACK Very faint Not determined Not applicable Insoluble Specific Gravity Bulk density Vapor pressure PH	
	10. STABILITY AND REACTIVITY	
Stability	: Stable.	
Hazardous Polymerization	: Will not occur.	
Conditions to avoid	: Keep away from oxidizing agents and open decomposition, do not overheat.	flame. To avoid thermal
Incompatible Materials	: Incompatible with strong acids and oxidizing	ng agents.
Hazardous decomposition products	 Carbon dioxide (CO2), carbon monoxide (C (NOx), other hazardous materials, and smol Prolonged heating (approximately 30 minut F (200 deg C) or short term heating at 482 I result in product decomposition and evolution hydrogen chloride. 	ke are all possible. es or more) above 392 Deg Deg F (250 deg C) may

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
12202-17-4	Lead oxide sulfate	Systemic effects	reproductive system, central
	(Pb4O3(SO4))		nervous system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:



MATERIAL SAFETY DATA SHEET

EXP 11115814803BLK

Version Number 1.0 Revision Date 04/18/2002 Page 5 of 7 Print Date 11/4/2011

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no
1333-86-4	Carbon black	no	2B	no
12202-17-4	Lead oxide sulfate	no	2B	no
	(Pb4O3(SO4))			

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

Additional Health Hazard Information:

Lead oxide sulfate (Pb4O3(SO4)) 12202-17-4 Systemic effects include neurotoxic, teratogenic, fetotoxic and reproductive with abdominal pain, anemia, pallor, decreased hand grip strength with characteristic "wrist drop".

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use
Bioaccumulation Potential	: No data available.
Additional advice	: Not applicable



MATERIAL SAFETY DATA SHEET

EXP 11115814803BLK

has the responsibility for proper wa and disposal in accordance with ap and local regulations. U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground) ICAO/IATA IMO / IMDG Segulations: OSHA Status IS Regulations: OSHA Status IS Classified as hazardous based on co TSCA Status IS Classified as hazardous based on co TSCA Status IS Classified as hazardous based on co TSCA Status IS ARA Title III Section 302 Extremely Hazardous Substance Chemical Name CAS-No. 10,10'-Oxybisphenoxarsine	Pa Print Date 1		
has the responsibility for proper wa and disposal in accordance with ap and local regulations.	isposal or incineration. The responsibility for proper was sposal in accordance with		
U.S. D.O.T. / CA T.D.G. : Not regulated for transportation. Classification (Non-bulk ground) ICAO/IATA : Not regulated for transportation. IMO / IMDG : Not regulated for transportation. IMO / IMDG : Not regulated for transportation. IS. REGULATORY INFORMATIO US Regulations: OSHA Status : Classified as hazardous based on co TSCA Status : All components of this product are i exempt. California Proposition 65 California Proposition 55 SARA Title III Section 302 Extremely Hazardous Substance Chemical Name CAS-No. 10,10'-Oxybisphenoxarsine 58-36-6	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial		
Classification (Non-bulk ground) ICAO/IATA : Not regulated for transportation. IMO / IMDG : Not regulated for transportation. IMO / IMDG : Not regulated for transportation. US Regulations: IS. REGULATORY INFORMATION US Regulations: : Classified as hazardous based on control of this product are resempt. CALIFORM Transportation : All components of this product are resempt. California Proposition : WARNING! This product contains california to cause cancer., WARN chemical known in the State of California to cause cancer. SARA Title III Section 302 Extremely Hazardous Substance Chemical Name CAS-No. 10,10'-Oxybisphenoxarsine 58-36-6	I		
IMO / IMDG : Not regulated for transportation. IS. REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on colspan="2">Classified as hazardous based on colspan="2">Colspan="2">Classified as hazardous based on colspan="2">Classified as hazardous based on colspan="2">Colspan="2">Classified as hazardous based on colspan="2">Colspan="2">Classified as hazardous based on colspan="2">Colspan="2">Classified as hazardous based on colspan="2">Classified as hazardous based on colspan="2" Classified as hazardous based on colspan="2"			
IS. REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on colspan="2">Classified as hazardous based on colspan="2" Classified as hazardous based on colspan="2" Classified as hazardous based on c			
US Regulations: OSHA Status : Classified as hazardous based on co TSCA Status : All components of this product are in exempt. California Proposition : WARNING! This product contains 65 : California to cause cancer., WARN chemical known in the State of Calion other reproductive harm. SARA Title III Section 302 Extremely Hazardous Substance <u>Chemical Name</u> <u>CAS-No.</u> 10,10'-Oxybisphenoxarsine <u>58-36-6</u>	MO / IMDG : Not regulated for transportation.		
OSHA Status : Classified as hazardous based on control of this product are seven the exempt. California Proposition : All components of this product containers 65 : WARNING! This product containers California to cause cancer., WARN : Claifornia to cause cancer., WARN chemical known in the State of California to cause cancer. : SARA Title III Section 302 Extremely Hazardous Substance Chemical Name : CAS-No. 10,10'-Oxybisphenoxarsine : 58-36-6	N		
OSHA Status : Classified as hazardous based on control of this product are seven the exempt. California Proposition : All components of this product containers 65 : WARNING! This product containers California to cause cancer., WARN : Claifornia to cause cancer., WARN chemical known in the State of California to cause cancer. : SARA Title III Section 302 Extremely Hazardous Substance Chemical Name : CAS-No. 10,10'-Oxybisphenoxarsine : 58-36-6			
exempt. California Proposition 65 California to cause cancer., WARN California to cause cancer., WARN chemical known in the State of Cal other reproductive harm. SARA Title III Section 302 Extremely Hazardous Substance <u>Chemical Name</u> <u>CAS-No.</u> 10,10'-Oxybisphenoxarsine <u>58-36-6</u>	omponents.		
65 California to cause cancer., WARN chemical known in the State of Cal other reproductive harm. SARA Title III Section 302 Extremely Hazardous Substance Chemical Name CAS-No. 10,10'-Oxybisphenoxarsine 58-36-6	isted on the TSCA inventory		
Chemical NameCAS-No.10,10'-Oxybisphenoxarsine58-36-6	ING! This product contains		
10,10'-Oxybisphenoxarsine 58-36-6			
SARA Title III Section 313 Toxic Chemicals:	RQ for component500 lbs		
Chemical Name CAS-No.	Weight %		
ANTIMONY COMPOUNDS 1309-64-4	1.69		
LEAD COMPOUNDS, INORGANIC 12202-17-4	2.46		

WHMIS Classification : D2A



MATERIAL SAFETY DATA SHEET

EXP 11115814803BLK

Version Number 1.0 Revision Date 04/18/2002 Page 7 of 7 Print Date 11/4/2011

WHMIS Ingredient Disclosure List			
	losu	ire List	
CAS-No.			
<u>1309-64-4</u> <u>1333-86-4</u>	_		
1353-80-4	_		
544-63-8			
112-80-1			
57-11-4			
DSL	:	Listed.	
National Inventories:			
Australia AICS	:	Listed.	
China IECS	:	Listed.	
Europe EINECS	:	Not determined.	
Japan ENCS	:	Not determined.	
Korea KECI	:	Listed.	
Philippines PICCS	:	Listed.	
		16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.