

MATERIAL SAFETY DATA SHEET

EXP CP 15502101507 VIOLET

Version Number 1.1 Revision Date 02/13/2003 Page 1 of 7 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	EXP CP 15502101507 VIOLET
Product code	:	X15502101507
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Antimony trioxide	1309-64-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that the OSHA action level and the OSHA exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.



MATERIAL SAFETY DATA SHEET

EXP CP 15502101507 VIOLET

Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable. water, dry powder, foam, carbon dioxide (CO2).
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under
Hazards	fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET

EXP CP 15502101507 VIOLET

			гши	Date 11/10/2	
Handling		Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.			
Storage		Keep containers dry and tightly and contamination. Keep in a contamination.		re absorption	
8. E	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: 1	No personal respiratory protect	ive equipment normally	required.	
Eye/Face Protection	: 5	Safety glasses with side-shields	5.		
Hand protection	: I	Protective gloves.			
Skin and body protection	: I	Long sleeved clothing.			
Additional Protective Measures	: \$	Safety shoes.			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		Heat only in areas with appropriate exhaust ventilation		. Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Antimony trioxide	0.5 mg/m3	PEL:	as Sb	OSHA Z1	
	9. PHYSI	CAL AND CHEMICAL PRO	OPERTIES		
Form	: Soli	d Evanc	oration rate : No	ot applicable.	
Appearance				ot determined	
Color				ot established	
Odor	: Ver	y faint Vapor	pressure : No	ot applicable	
Melting point/range				ot applicable	
Boiling Point:		applicable pH	: No	ot applicable	
XX7. 4 1 1. 11. 4	: Inso	luble			
Water solubility	10	STABILITY AND REACTIV	VITY		
	10.				
Stability		Stable.			
	: \$	Stable. Will not occur.			



MATERIAL SAFETY DATA SHEET

EXP CP 15502101507 VIOLET

Version Number 1.1 Revision Date 02/13/2003		Page 4 of 7 Print Date 11/10/2011
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).



MATERIAL SAFETY DATA SHEET

EXP CP 15502101507 VIOLET

Version Number 1.1 Revision Date 02/13/2003 Page 5 of 7 Print Date 11/10/2011

Persistence and degradability	: Not readily biodegradable.					
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.					
Bioaccumulation Potential	:	: No data available.				
Additional advice	:	Not applicable				
	1	3. DISPOSAL C	ONSIDERATION	S		
Product	:	possible, recycli generator of was classification, tr	oplastics the product of the product of the product of the preferred to dester material has the ansportation and dial, state/provincial	lisposal or incine responsibility fo sposal in accord	ration. The or proper waste ance with	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste mater has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.					
	1	4. TRANSPORT	INFORMATION	N		
U.S. DOT Classification	:	Not regulated fo	r transportation.			
ICAO/IATA	:	: Not regulated for transportation.				
IMO / IMDG	:	Not regulated fo	r transportation.			
	15	5. REGULATOR	Y INFORMATIO	N		
US Regulations:						
OSHA Status	:	Classified as haz	zardous based on co	omponents.		
TSCA Status	:	All components Inventory.	of this product are	listed on or exen	npt from the TSC	
	Sub	stances (40 CFR 3	302)			
US. EPA CERCLA Hazardous		CAS-No.	% in Product	RQ for	RQ for Mixture/Prod	
US. EPA CERCLA Hazardous				component	uct	



MATERIAL SAFETY DATA SHEET

EXP CP 15502101507 VIOLET

Version Number 1.1 Page 6 of 7 Print Date 11/10/2011 Revision Date 02/13/2003 California Proposition WARNING! This product contains a chemical known to the State of : California to cause cancer., WARNING! This product contains a 65 chemical known to the State of California to cause birth defects or other reproductive harm. SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Chemical Name CAS-No. Weight % ANTIMONY COMPOUNDS 1309-64-4 03.97 Canadian Regulations: WHMIS Classification : D2A WHMIS Ingredient Disclosure List CAS-No. 1309-64-4 DSL : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. National Inventories: Australia AICS Not determined. : China IECS Not determined. : **Europe EINECS** Not determined. : Japan ENCS Not determined. : Korea KECI Not determined. : **Philippines PICCS** Not determined. : **16. OTHER INFORMATION**



MATERIAL SAFETY DATA SHEET

EXP CP 15502101507 VIOLET

Version Number 1.1 Revision Date 02/13/2003 Page 7 of 7 Print Date *11/10/2011*

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.