

MATERIAL SAFETY DATA SHEET

## EXP 15503402925 BLACK

Version Number 1.0 Revision Date 04/17/2002 Page 1 of 7 Print Date 11/4/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY<br>TELEPHONE    | : | Product Stewardship (440)-930-1395   |
|-------------------------------|---|--|
| Emergency telephone<br>number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name                  | : | EXP 15503402925 BLACK  |
| Product code                  | : | X15503402925   |
| Chemical Name                 | : | Mixture  |
| CAS-No.                       | : | Mixture  |
| Product Use                   | : | Industrial Applications  |

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components        | CAS-No.    | Weight % |
|-------------------|------------|----------|
| Quartz            | 14808-60-7 | 0.1 - 1  |
| Antimony trioxide | 1309-64-4  | 1 - 5    |
| Carbon black      | 1333-86-4  | 1 - 5    |
| Calcium carbonate | 1317-65-3  | 10 - 30  |

#### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that OSHA exposure levels will be exceeded for residual VCM. However, it is recommended that the user take necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

#### POTENTIAL HEALTH EFFECTS

| Routes of Exposure:     | : Inhalation, Ingestion, Skin contact   |
|-------------------------|---|
| Acute exposure          |   |
| Inhalation<br>Ingestion | <ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul> |
| Eyes                    | : Resin particles, like other inert materials, are mechanically irritating to eyes.   |



### MATERIAL SAFETY DATA SHEET

# EXP 15503402925 BLACK

| sion Date 04/17/2002   | Print Date 11/4/2  |
|--|--|
| Skin   | : Experience shows no unusual dermatitis hazard from routine handling  |
| Chronic exposure   | : Refer to Section 11 for Toxicological Information.   |
| Medical Conditions<br>Aggravated by Exposure:  | : None known.  |
|  | 4. FIRST AID MEASURES  |
| Inhalation   | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.                     |
| Ingestion  | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.   |
| Eyes   | : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.  |
| Skin   | : Wash off with soap and plenty of water. If skin irritation persists see medical attention.   |
|  | 5. FIRE-FIGHTING MEASURES  |
| Flash point  | : Not applicable   |
| Flammable Limits<br>Upper explosion limit<br>Lower explosion limit<br>Autoignition temperature<br>Suitable extinguishing media | <ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable.</li> <li>water, dry powder, foam, carbon dioxide (CO2).</li> </ul>  |
| Special Fire Fighting<br>Procedures  | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne   |
| Unusual Fire/Explosion<br>Hazards  | <ul> <li>contaminants.</li> <li>May emit Hydogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.</li> </ul>  |
|  | 6. ACCIDENTAL RELEASE MEASURES   |
| Personal precautions   | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.   |
| Environmental precautions  | : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.  |
| Methods for cleaning up  | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |



MATERIAL SAFETY DATA SHEET

# EXP 15503402925 BLACK

Version Number 1.0 Revision Date 04/17/2002 Page 3 of 7 Print Date 11/4/2011

|                                   |      | 7. HANDLING AND STORAGE  |
|-----------------------------------|------|--|
| Handling                          | :    | Take measures to prevent the build up of electrostatic charge. Heat<br>only in areas with appropriate exhaust ventilation. Processing fume<br>condensates may contain combustible or toxic residue. Periodically<br>clean hoods, ducts, and other surfaces to minimize accumulation of<br>these materials. |
| Storage                           | :    | Keep containers dry and tightly closed to avoid moisture absorption<br>and contamination. Keep in a dry, cool place.   |
| 8. EXI                            | POSU | RE CONTROLS / PERSONAL PROTECTION  |
| Respiratory protection            | :    | No personal respiratory protective equipment normally required.  |
| Eye/Face Protection               | :    | Safety glasses with side-shields.  |
| Hand protection                   | :    | Protective gloves.   |
| Skin and body protection          | :    | Long sleeved clothing.   |
| Additional Protective<br>Measures | :    | Safety shoes.  |
| General Hygiene<br>Considerations | :    | Handle in accordance with good industrial hygiene and safety practice<br>Wash hands before breaks and at the end of workday.   |
| Engineering measures              | :    | Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.   |

Exposure limit(s)

| Components                  | Value         | Exposure time                | Exposure type                  | List:   |
|-----------------------------|---------------|------------------------------|--------------------------------|---------|
| Antimony trioxide 0.5 mg/m3 |               | PEL:                         | as Sb                          | OSHA Z1 |
| Calcium carbonate 10 mg/m3  |               | Time Weighted Average (TWA): | Total dust.                    | ACGIH   |
| Calcium carbonate           | 5 mg/m3       | PEL:                         | Respirable dust.               | OSHA Z1 |
|                             | 15 mg/m3      | PEL:                         | Total dust.                    | OSHA Z1 |
| Carbon black                | 3.5 mg/m3     | Time Weighted Average (TWA): | Total dust. as carbon<br>black | ACGIH   |
| Carbon black                | 3.5 mg/m3     | PEL:                         | Total dust. as carbon<br>black | OSHA Z1 |
| Quartz                      | 0.05<br>mg/m3 | Time Weighted Average (TWA): | Respirable dust.               | ACGIH   |
| Quartz                      | 0.1 mg/m3     | PEL:                         | Respirable dust.               | OSHA    |
|                             | 0.3 mg/m3     | PEL:                         | Total dust.                    | OSHA    |

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### MATERIAL SAFETY DATA SHEET

# EXP 15503402925 BLACK

Version Number 1.0 Revision Date 04/17/2002

Form

Color

Odor

Appearance

| <b>PolyOne</b> |
|----------------|
|----------------|

| : Solid           | Evaporation rate |
|-------------------|------------------|
| : Pellets, powder | Specific Gravity |
| : BLACK           | Bulk density     |
| : Very faint      | Vapor pressure   |
| : Not determined  | Vapor density    |
| : Not applicable  | pH               |
| : Insoluble       | *                |

Print Date 11/4/2011 : Not applicable.

: Not determined

: Not established

: Not applicable

Page 4 of 7

Melting point/range : Not applicable ty : Not applicable **Boiling Point:** Water solubility **10. STABILITY AND REACTIVITY** : Stable. Stability Hazardous Polymerization Will not occur. : Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. **Incompatible Materials** Incompatible with strong acids and oxidizing agents. : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen Hazardous decomposition : (NOx), other hazardous materials, and smoke are all possible. products Prolonged heating (approximately 30 minutes or more) above 392 Deg F (200 deg C) or short term heating at 482 Deg F (250 deg C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

| CAS-No.    | Chemical Name     | Effect           | Target Organ                    |
|------------|-------------------|------------------|---------------------------------|
| 14808-60-7 | Quartz            | Systemic effects | Eyes, Respiratory system.       |
| 1309-64-4  | Antimony trioxide | Systemic effects | Eyes, Respiratory system.       |
|            |                   | sensitizer       | Skin.                           |
| 1333-86-4  | Carbon black      | Systemic effects | Eyes, Respiratory system.       |
| 1317-65-3  | Calcium carbonate | Irritant         | Eyes, Skin.                     |
|            |                   | Systemic effects | Eyes, Skin, Respiratory system. |

#### LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

| CAS-No.   | Chemical Name     | Route       | Value          | Species |
|-----------|-------------------|-------------|----------------|---------|
| 1309-64-4 | Antimony trioxide | Oral LD50   | > 34,600 mg/kg | rat     |
| 1333-86-4 | Carbon black      | Oral LD50   | >15,400 mg/kg  | rat     |
|           |                   | Dermal LD50 | > 3 gm/kg      | rabbit  |



MATERIAL SAFETY DATA SHEET

# EXP 15503402925 BLACK

Version Number 1.0 Revision Date 04/17/2002

Page 5 of 7 Print Date 11/4/2011

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

| CAS-No.    | Chemical Name     | OSHA | IARC | NTP |
|------------|-------------------|------|------|-----|
| 14808-60-7 | Quartz            | no   | 1    | 1   |
| 1309-64-4  | Antimony trioxide | no   | 2B   | no  |
| 1333-86-4  | Carbon black      | no   | 2B   | no  |

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

- 2A The component is probably carcinogenic to humans.
- 2B The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:

Quartz 14808-60-7 This material in its free releasable form may cause respiratory tract irritation, and possibly silicosis which is a scarring of the lungs.

#### Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

#### Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

#### **12. ECOLOGICAL INFORMATION**

| Persistence and degradability | : | Not readily biodegradable.   |
|-------------------------------|---|--|
| Environmental Toxicity        | : | Adverse ecological impact is not known or expected under normal use. |
| Bioaccumulation Potential     | : | No data available.   |
| Additional advice             | : | Not applicable   |
|                               |   |  |

#### **13. DISPOSAL CONSIDERATIONS**



### MATERIAL SAFETY DATA SHEET

# EXP 15503402925 BLACK

| ion Number 1.0<br>sion Date 04/17/2002                         |  | Page<br>Print Date 11/4  |    |  |  |  |
|--|--|--|----|--|--|--|
| Product  | possible, recy<br>generator of<br>classification | Like most thermoplastics the product can be recycled. Where<br>possible, recycling is preferred to disposal or incineration. The<br>generator of waste material has the responsibility for proper waste<br>classification, transportation and disposal in accordance with<br>applicable federal, state/provincial and local regulations. |    |  |  |  |
| Contaminated packaging   | has the response<br>and disposal                 | Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.   |    |  |  |  |
|  | 14. TRANSPO                                      | ORT INFORMATION  |    |  |  |  |
| U.S. D.O.T. / CA T.D.G.<br>Classification (Non-bulk<br>ground) | : Not regulated                                  | d for transportation.  |    |  |  |  |
| ICAO/IATA  | : Not regulated                                  | Not regulated for transportation.  |    |  |  |  |
| IMO / IMDG   | : Not regulated                                  | Not regulated for transportation.  |    |  |  |  |
|  | 15. REGULATO                                     | ORY INFORMATION  |    |  |  |  |
| US Regulations:  |  |  |    |  |  |  |
| OSHA Status  | : Classified as                                  | : Classified as hazardous based on components.   |    |  |  |  |
| TSCA Status  | : All component exempt.                          | : All components of this product are listed on the TSCA inventory or are exempt.   |    |  |  |  |
| US. EPA CERCLA Hazardou  | us Substances (40 CF                             | FR 302)  |    |  |  |  |
|  | CAS-No.<br>1309-64-4                             | ι.<br>·  |    |  |  |  |
| California Proposition<br>65                                   | California to                                    | This product contains a chemical known in the State<br>cause cancer., WARNING! This product contains a<br>own in the State of California to cause birth defects or<br>active harm.   | of |  |  |  |
| SARA Title III Section 313 T                                   | Toxic Chemicals:                                 |  |    |  |  |  |
| Chemical Nan<br>ANTIMONY                                       | ne<br>COMPOUNDS                                  | CAS-No.         Weight %           1309-64-4         2.79  |    |  |  |  |
| Canadian Regulations:  |  |  |    |  |  |  |
| WHMIS Classificatio  | n : D2A  |  |    |  |  |  |
| WHMIS Ingredient D   | isclosure List                                   |  |    |  |  |  |



MATERIAL SAFETY DATA SHEET

# EXP 15503402925 BLACK

Version Number 1.0 Revision Date 04/17/2002 Page 7 of 7 Print Date 11/4/2011

| CAS-No.    |  |
|------------|--|
| 1309-64-4  |  |
| 1333-86-4  |  |
| 7439-92-1  |  |
| 7439-97-6  |  |
| 14808-60-7 |  |
| 8052-41-3  |  |

DSL

National Inventories:

| Australia AICS    | : | Listed.         |
|-------------------|---|-----------------|
| China IECS        | : | Listed.         |
| Europe EINECS     | : | Not determined. |
| Japan ENCS        | : | Not determined. |
| Korea KECI        | : | Not determined. |
| Philippines PICCS | : | Listed.         |
|                   |   |                 |

: Listed.

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.