SYNPLAST MIXED PHTHALATE

Version Number 1.10 Revision Date 05/15/2017 Page 1 of 17 Print Date 05/16/2017

SAFETY DATA SHEET

SYNPLAST MIXED PHTHALATE

Section 1. Identification		
GHS product identifier	:	SYNPLAST MIXED PHTHALATE
Chemical name	:	Mixed Phthalates including DEHP, DINP
CAS number	:	Mixture
Other means of identification	:	ZMIXPN0000
Product type	:	liquid
<u>Relevant identified uses of the subs</u> Product use	stance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	EYE IRRITATION - Category 2B CARCINOGENICITY - Category 2

GHS label elements



SYNPLAST MIXED PHTHALATE

Version Number 1.10 Revision Date 05/15/2017 Page 2 of 17 Print Date 05/16/2017

Hazard pictograms	:	
Signal word Hazard statements	:	Warning Causes eye irritation. Suspected of causing cancer.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash hands thoroughly after handling.
Response	:	IF exposed or concerned: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	:	Store locked up.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixed Phthalates including DEHP, DINP
Other means of identification	:	ZMIXPN0000

CAS number/other identifiers

Ingredient name	%	CAS number
Di(2-ethylhexyl)phthalate	30 - 60	117-81-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

<u>yUne</u>.

SYNPLAST MIXED PHTHALATE

Version Number 1.10 Revision Date 05/15/2017 Page 3 of 17 Print Date 05/16/2017

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	:	Causes eye irritation.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

Over-exposure signs/symptoms



SYNPLAST MIXED PHTHALATE

Version Number 1.10 Revision Date 05/15/2017 Page 4 of 17 Print Date 05/16/2017

Eye contact	:	Adverse symptoms may include the following: irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
<u>Indication of immediate medica</u> Notes to physician	al attention :	n and special treatment needed, if necessary Treat symptomatically. Contact poison treatment specialist
Specific treatments	:	immediately if large quantities have been ingested or inhaled. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures



SYNPLAST MIXED PHTHALATE

Version Number 1.10	Page 5 of 17
Revision Date 05/15/2017	Print Date 05/16/2017

For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for contain	ent and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty
---------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



SYNPLAST MIXED PHTHALATE

Version Number 1.10	Page 6 of 17
Revision Date 05/15/2017	Print Date 05/16/2017

Advice on general occupational hygiene	:	 containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name		Exposure limits
Di(2-ethylhexyl)phthalate		OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 5 mg/m3 Maximum permissible limit of exposure in the short term (short- term exposure limit). 10 mg/m3 OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 5 mg/m3 NIOSH REL (1994-06-01) Time Weighted Average (TWA) 5 mg/m3 Maximum permissible limit of exposure in the short term (short- term exposure limit). 10 mg/m3 ACGIH TLV (1999-03-01) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 5 mg/m3
Appropriate engineering controls Environmental exposure controls	:	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Emissions from ventilation or work process equipment should be
	•	6/17

<u>PolyOne</u>

SYNPLAST MIXED PHTHALATE

Version Number 1.10	Page 7 of 17
Revision Date 05/15/2017	Print Date 05/16/2017

		checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

PolyOne

SYNPLAST MIXED PHTHALATE

Version Number 1.10 Revision Date 05/15/2017 Page 8 of 17 Print Date 05/16/2017

Physical state	:	liquid [liquid]
Color	:	AMBER
Odor	:	Not available.
Odor threshold	:	Not available.
pH	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
		Ummone Net ereilehle
(flammable) limits		Upper: Not available.
(flammable) limits Vapor pressure	:	Not available.
	:	
Vapor pressure	:	Not available.
Vapor pressure Vapor density	:	Not available. Not available.
Vapor pressure Vapor density Relative density	:	Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility	:	Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water		Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-	:	Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water		Not available. Not available. Not available. Not available. Not available. 4.88
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature		Not available. Not available. Not available. Not available. 4.88 Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature		Not available. Not available. Not available. Not available. A.88 Not available. Not available. Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

olyOne.

SYNPLAST MIXED PHTHALATE

Version Number 1.10 Revision Date 05/15/2017

Page 9 of 17 Print Date 05/16/2017

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Di(2-ethylhexyl)phthalate				
	LD50 Oral	Rat	30,000 mg/kg	-
	LD50 Dermal	Rabbit	25,000 mg/kg	-
Conclusion/Summary	: Mixtu	are.Not fully tested.		

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Di(2-ethylhexyl)phthalate	Eyes - Mild	Rabbit		24 hrs	-
	irritant				
	Skin - Mild	Rabbit		24 hrs	-
	irritant				
	Eyes - Mild	Rabbit			-
	irritant				
Conclusion/Summary					
Skin	: N	lixture.Not fully	tested.		
Eyes	: M	lixture.Not fully	tested.		
Respiratory	: M	lixture.Not fully	tested.		
<u>Sensitization</u> Conclusion/Summary Skin Respiratory <u>Mutagenicity</u> Conclusion/Summary	: N	lixture.Not fully lixture.Not fully lixture.Not fully	tested.		
<u>Carcinogenicity</u> Conclusion/Summary	: N	lixture.Not fully	tested.		
Classification		-			
Product/ingredient	OSHA	IARC	NTP		
name					
Di(2-ethylhexyl)phthalate		2B	Reasona	bly anticipated to b	e a human carcinogen.

<u>PolyOne</u>

SYNPLAST MIXED PHTHALATE

Version Number 1.10 Revision Date 05/15/2017 Page 10 of 17 Print Date 05/16/2017

<u>Reproductive toxicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
<u>Teratogenicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
Specific target organ toxicity (single Not available.	e exp	<u>osure)</u>
Specific target organ toxicity (repe Not available.	ated e	exposure)
Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	:	Causes eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Symptoms related to the physical, c	hemi	cal and toxicological characteristics
Eye contact	:	Adverse symptoms may include the following: irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effects as w	<u>ell as</u>	chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects		Not available.
Potential delayed effects	:	Not available.
Long term exposure		

P<u>olyOne</u>

SYNPLAST MIXED PHTHALATE

Version Number 1.10 Revision Date 05/15/2017 Page 11 of 17 Print Date 05/16/2017

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Di(2-ethylhexyl)phthalate	-		· -
	Acute LC50 1,106.2 mg/l Fresh water	Fish - Fish	96 h
	Acute LC50 11,000 µg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 133 µg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 2 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 3.31 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 31,000,000 µg/l Marine water	Aquatic plants - Algae	96 h
	Acute NOEC 76 µg/l Marine water	Aquatic plants - Algae	3 d
	Chronic NOEC 502 µg/l Fresh water	Fish - Fish	90 d
	Chronic NOEC 12 µg/l Fresh water	Fish - Fish	28 d



SYNPLAST MIXED PHTHALATE

Version Number 1.10 Revision Date 05/15/2017

Page 12 of 17 Print Date 05/16/2017

Chronic NOEC 12 µg/l Fresh water	Fish - Fish	28 d
Chronic NOEC 12 µg/l Fresh water	Fish - Fish	28 d
Chronic NOEC 40 µg/l Fresh water	Fish - Fish	35 d
Chronic NOEC 77 µg/l Fresh water	Aquatic invertebrates.	21 d
	Daphnia	
Chronic NOEC 0.64 mg/l Fresh	Aquatic invertebrates.	21 d
water	Daphnia	
Chronic NOEC 0.64 mg/l Fresh	Aquatic invertebrates.	21 d
water	Daphnia	
Chronic NOEC 109 µg/l Fresh	Aquatic invertebrates.	21 d
water	Crustaceans	

Conclusion/Summary

: Not available.

Persistence and degradability

Conclusion/Summary

Not available.

:

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Di(2-ethylhexyl)phthalate	7.6	1,380.00	high
SYNPLAST MIXED	4.88	-	high
PHTHALATE			

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized where possible. Disposal of this product, solutions and any by-product should at all times comply with the requirements of environmer protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should disposed of untreated to the sewer unless fully compliant with t requirements of all authorities with jurisdiction. Waste packagin should be recycled. Incineration or landfill should only be consi when recycling is not feasible. This material and its container n disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. En	ts ntal not be he ng idered nust be
------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------

'One

SYNPLAST MIXED PHTHALATE

Version Number 1.10 Revision Date 05/15/2017 Page 13 of 17 Print Date 05/16/2017

containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Listed

Ingredient	CAS #	Status	Reference number
Di(2-ethylhexyl)phthalate	117-81-7	Listed	

Section 14. Transport information

U.S.DOT 49CFR	
Ground/Air/WaterProper	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Shipping Name:	
Technical Name:	
Hazard Class / Division	9
UN Number	UN3082
Packing Group	III
Label Required	9
II 1 0 1 /	

Hazardous Substance	RQ for
	Mixture/Product
Diethylhexyl phthalate	

International Air	Consult mode specific transport rules
ICAO/IATA	

International Water IMO/IMDG

Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Listed Diisononyl phthalate
	United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed
	40/47

<u>One</u>

SYNPLAST MIXED PHTHALATE

Version Numbe	er 1.10
Revision Date	05/15/2017

Page 14 of 17 Print Date 05/16/2017

		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
		determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR):
		Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority
		pollutants: Listed Diisodecyl phthalate
		Di(2-ethylhexyl)phthalate
		United States - EPA Clean water act (CWA) section 311 -
		Hazardous substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental
		release prevention - Flammable substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental
		release prevention - Toxic substances: Not listed
		-
		United States - Department of commerce - Precursor chemical: Not listed
		Not listed
Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs)	•	
Clean Air Act Section 602 Class I	:	Not listed
Substances	•	THE IDEA
Clean Air Act Section 602 Class II	:	Not listed
Substances	•	1.00 110100

DEA List I Chemicals (Precursor Not listed : **Chemicals**)

Chemicals)

DEA List II Chemicals (Essential :	Not listed
------------------------------------	------------

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component
---------------	---------	------------------



SYNPLAST MIXED PHTHALATE

Version Number 1.10 Revision Date 05/15/2017 Page 15 of 17 Print Date 05/16/2017

Di(2-ethylhexyl)phthalate	117-81-7	100 lb(s) 45.4 kg	
---------------------------	----------	----------------------	--

SARA 311/312

Classification

Immediate (acute) health hazard Delayed (chronic) health hazard

Composition/information on ingredients

Name	%	Classification
Di(2-ethylhexyl)phthalate	30 - 60	AH, CH

SARA 313

	Product name	CAS number	%
Form R - Reporting	Di(2-ethylhexyl)phthalate	117-81-7	30 - 60
requirements			
Supplier notification	Di(2-ethylhexyl)phthalate	117-81-7	30 - 60

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	The following components are listed: Di(2-ethylhexyl)phthalate
New Jersey	:	The following components are listed: Di(2-ethylhexyl)phthalate
Pennsylvania	:	The following components are listed: Di(2-ethylhexyl)phthalate

:

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		



SYNPLAST MIXED PHTHALATE

Version Number 1.10 Revision Date 05/15/2017 Page 16 of 17 Print Date 05/16/2017

Inventory list

Australia	: All components are listed or exempted	
Canada	: All components are listed or exempted	
China	: All components are listed or exempted	
Europe inventory	: All components are listed or exempted	
Japan	: All components are listed or exempted	
New Zealand	: All components are listed or exempted	
Philippines	: All components are listed or exempted	
Republic of Korea	: All components are listed or exempted	
Taiwan	: All components are listed or exempted	
Turkey	: Not determined.	
United States	: All components are listed or exempted	

Section 16. Other information

Hazardous Material Information System (U.S.A.) :

Health	*	1
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

History		
Date of printing	:	05/16/2017
Date of issue/Date of revision	:	05/15/2017
Date of previous issue	:	05/04/2015
Version	:	1.10
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations

16/17

<u>PolyOne</u>

SYNPLAST MIXED PHTHALATE

Version Number 1.10 Revision Date 05/15/2017 Page 17 of 17 Print Date 05/16/2017

References

Not available.

•

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.