## MATERIAL SAFETY DATA SHEET TINTM

Version Number 1.1 Revision Date 03/30/2014 Page 1 of 5 Print Date 4/9/2014

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TINTM
Product code	:	ZTINTMT000
Chemical Name	:	Triisononyl trimellitate; TINTM
CAS-No.	:	53894-23-8
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

#### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This product has not been evaluated as a whole for health effects. Information provided on the health effects of this product is based on individual components. In addition, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: Contact with eyes may cause irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET **TINTM**

Version Number 1.1 Revision Date 03/30/2014 Page 2 of 5 Print Date 4/9/2014

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: no data available
Flammable Limits	
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Auto-ignition temperature	: no data available
Suitable extinguishing media	: Carbon dioxide (CO2), Water spray can be used to cool fire exposed
Suluoio eninguisting moulu	surfaces., Dry powder, Foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne
	contaminants.
Unusual Fire/Explosion	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



### MATERIAL SAFETY DATA SHEET TINTM

#### Version Number 1.1 Revision Date 03/30/2014

## Page 3 of 5 Print Date 4/9/2014

8. EXPOSURE CONTROLS/PERSONAL PROTECTION			
Respiratory protection	: Under normal handl	ng conditions a respirator may not be requir	ed.
Eye/Face Protection	: Safety glasses with s	ide-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothin	og	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		e with good industrial hygiene and safety Is before breaks and at the end of workday.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
9.	. PHYSICAL AND CHEM	ICAL PROPERTIES	
Form	: liquid	Evapouration rate : negligible	
Form Appearance	: liquid : viscous, liquid	Evapouration rate : negligible Specific Gravity : Not determine	
Form	: liquid	Evapouration rate:negligibleSpecific Gravity:Not determineBulk density:Not applicateVapour pressure:<2 mm Hg (	le
Form Appearance Colour Odour Melting point/range	<ul> <li>liquid</li> <li>viscous, liquid</li> <li>TRANSPARENT</li> <li>very faint</li> <li>not applicable</li> </ul>	Evapouration rate : negligible Specific Gravity : Not determin Bulk density : Not applicat Vapour pressure : <2 mm Hg ( 250°C Vapour density : Not determin	ole D
Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>liquid</li> <li>viscous, liquid</li> <li>TRANSPARENT</li> <li>very faint</li> <li>not applicable</li> <li>no data available</li> </ul>	Evapouration rate : negligible Specific Gravity : Not determin Bulk density : Not applicat Vapour pressure : <2 mm Hg ( 250°C	ole
Form Appearance Colour Odour Melting point/range	<ul> <li>liquid</li> <li>viscous, liquid</li> <li>TRANSPARENT</li> <li>very faint</li> <li>not applicable</li> </ul>	Evapouration rate : negligible Specific Gravity : Not determin Bulk density : Not applicat Vapour pressure : <2 mm Hg ( 250°C Vapour density : Not determin	ole
Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>liquid</li> <li>viscous, liquid</li> <li>TRANSPARENT</li> <li>very faint</li> <li>not applicable</li> <li>no data available</li> </ul>	Evapouration rate : negligible Specific Gravity : Not determin Bulk density : Not applicat Vapour pressure : <2 mm Hg ( 250°C Vapour density : Not determin pH : not determin	ole
Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>liquid</li> <li>viscous, liquid</li> <li>TRANSPARENT</li> <li>very faint</li> <li>not applicable</li> <li>no data available</li> <li>no data available</li> <li>10. STABILITY AND</li> </ul>	Evapouration rate : negligible Specific Gravity : Not determin Bulk density : Not applicat Vapour pressure : <2 mm Hg ( 250°C Vapour density : Not determin pH : not determin	ole
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>liquid</li> <li>viscous, liquid</li> <li>TRANSPARENT</li> <li>very faint</li> <li>not applicable</li> <li>no data available</li> <li>no data available</li> <li>10. STABILITY AND</li> </ul>	Evapouration rate:negligibleSpecific Gravity:Not determineBulk density:Not applicateVapour pressure:<2 mm Hg G	ole D
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>liquid</li> <li>viscous, liquid</li> <li>TRANSPARENT</li> <li>very faint</li> <li>not applicable</li> <li>no data available</li> <li>no data available</li> </ul> <b>10. STABILITY AND</b> <ul> <li>The product is stable</li> <li>Will not occur.</li> </ul>	Evapouration rate:negligibleSpecific Gravity:Not determineBulk density:Not applicateVapour pressure:<2 mm Hg G	ole D
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>liquid</li> <li>viscous, liquid</li> <li>TRANSPARENT</li> <li>very faint</li> <li>not applicable</li> <li>no data available</li> <li>no data available</li> <li><b>10. STABILITY AND</b></li> <li>The product is stable</li> <li>Will not occur.</li> <li>Keep away from oxi</li> </ul>	Evapouration rate : negligible Specific Gravity : Not determin Bulk density : Not applicat Vapour pressure : <2 mm Hg ( 250°C Vapour density : Not determin pH : not determin <b>REACTIVITY</b>	ole D

PolyOne.

# MATERIAL SAFETY DATA SHEET **TINTM**

Version Number 1.1 Revision Date 03/30/2014 Page 4 of 5 Print Date 4/9/2014

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: Does not bioaccumulate.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO/IMDG (maritime)	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: On TSCA List
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	

PolyOne

## MATERIAL SAFETY DATA SHEET **TINTM**

Version Number 1.1 Revision Date 03/30/2014	Page 5 of 5 Print Date <i>4/9/2014</i>
California Proposition 65	Not applicable
SARA Title III Section 302 Extre	nely Hazardous Substance
Unless specific chemicals are ide	tified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Toxi	Chemicals:
Unless specific chemicals are ide	tified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Release	Inventory (NPRI)
not applicable	
WHMIS Classification	Not controlled.
DSL	Listed.
National Inventories:	
Australia AICS	Not determined
China IECS	Not determined
Europe EINECS	Listed
Japan ENCS	Listed
Korea KECI	Not determined
Philippines PICCS	Listed
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.