PolvOne

MATERIAL SAFETY DATA SHEET SYNPLAST ELECTRICAL TOTM (HIGH CELL)

Version Number 1.1 Revision Date 01/19/2012

Page 1 of 5 Print Date 8/22/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SYNPLAST ELECTRICAL TOTM (HIGH CELL)
Product code	:	ZTOTMETH00
Chemical Name	:	Trioctyl trimellitate; TOTM
CAS-No.	:	3319-31-1
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This product has not been evaluated as a whole for health effects. Information provided on the health effects of this product is based on individual components. In addition, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Contact with eyes may cause irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET SYNPLAST ELECTRICAL TOTM (HIGH CELL)

Version Number 1.1 Revision Date 01/19/2012 Page 2 of 5 Print Date 8/22/2012

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: 263 °C
Flammable Limits	
Upper explosion limit	: no data available
Lower explosion limit	: 0.26 % (V)
Autoignition temperature	: 410 °C
Suitable extinguishing media	: Carbon dioxide (CO2), Water spray can be used to cool fire exposed surfaces., Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.

PolyOne

MATERIAL SAFETY DATA SHEET SYNPLAST ELECTRICAL TOTM (HIGH CELL)

Version Number 1.1 Revision Date 01/19/2012

Page 3 of 5 Print Date 8/22/2012

		nd tightly closed to avoid moisture absorption across the state of the	
8. EXI	POSURE CONTROLS/PERS	SONAL PROTECTION	
Respiratory protection	: Under normal handling	g conditions a respirator may not be required.	
Eye/Face Protection	: Safety glasses with sid	le-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothing		
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		with good industrial hygiene and safety before breaks and at the end of workday.	
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	
Exposure limit(s) There are no known hazardou	is components above regulator	ry thresholds in this product.	
There are no known hazardou	is components above regulator		
There are no known hazardou 9. Form	PHYSICAL AND CHEMIC	CAL PROPERTIES Evaporation rate : negligible	
There are no known hazardou 9. Form Appearance	PHYSICAL AND CHEMIC : liquid : viscous, liquid	CAL PROPERTIES Evaporation rate : negligible Specific Gravity : 0.988	
There are no known hazardou 9. Form	PHYSICAL AND CHEMIC	CAL PROPERTIES Evaporation rate : negligible Specific Gravity : 0.988 Bulk density : Not applicable Vapour pressure : 0.98 mm Hg @ 2	
There are no known hazardou 9. Form Appearance Colour	 PHYSICAL AND CHEMIC ilquid viscous, liquid LIGHT YELLOW 	CAL PROPERTIES Evaporation rate : negligible Specific Gravity : 0.988 Bulk density : Not applicable	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	 PHYSICAL AND CHEMIC ilquid viscous, liquid LIGHT YELLOW very faint -38°C(-36°F) Pour point no data available 	CAL PROPERTIES Evaporation rate : negligible Specific Gravity : 0.988 Bulk density : Not applicable Vapour pressure : 0.98 mm Hg @ 2 °C °C Vapour density : Not determined pH : Not determined	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	 PHYSICAL AND CHEMIC ilquid viscous, liquid LIGHT YELLOW very faint -38°C(-36°F) Pour point no data available 0.00039 mg/l 	CAL PROPERTIES Evaporation rate : negligible Specific Gravity : 0.988 Bulk density : Not applicable Vapour pressure : 0.98 mm Hg @ 2 °C °C Vapour density : Not determined pH : Not determined	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHEMIC ilquid viscous, liquid LIGHT YELLOW very faint -38°C(-36°F) Pour point no data available 0.00039 mg/l 10. STABILITY AND R	CAL PROPERTIES Evaporation rate : negligible Specific Gravity : 0.988 Bulk density : Not applicable Vapour pressure : 0.98 mm Hg @ 2 °C °C Vapour density : Not determined pH : Not determined	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	PHYSICAL AND CHEMIC : liquid : viscous, liquid : LIGHT YELLOW : very faint : -38°C(-36°F) Pour point : no data available : 0.00039 mg/l 10. STABILITY AND R : Stable : Will not occur.	CAL PROPERTIES Evaporation rate : negligible Specific Gravity : 0.988 Bulk density : Not applicable Vapour pressure : 0.98 mm Hg @ 2 °C °C Vapour density : Not determined pH : Not determined	
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	PHYSICAL AND CHEMIC : liquid : viscous, liquid : LIGHT YELLOW : very faint : -38°C(-36°F) Pour point : no data available : 0.00039 mg/l 10. STABILITY AND R : Stable : Will not occur. : Keep away from oxidi	CAL PROPERTIES Evaporation rate : negligible Specific Gravity : 0.988 Bulk density : Not applicable Vapour pressure : 0.98 mm Hg @ 2 °C °C Vapour density : Not determined pH : Not determined EACTIVITY SEACTIVITY	

MATERIAL SAFETY DATA SHEET SYNPLAST ELECTRICAL TOTM (HIGH CELL)

Version Number 1.1 Revision Date 01/19/2012 Page 4 of 5 Print Date 8/22/2012

11. TOXICOLOGICAL INFORMATION There are no known hazardous components above regulatory thresholds in this product. **12. ECOLOGICAL INFORMATION** Persistence and degradability : Readily biodegradable. Environmental Toxicity Adverse ecological impact is not known or expected under normal : use. **Bioaccumulation Potential** Does not bioaccumulate. ٠ Additional advice no data available **13. DISPOSAL CONSIDERATIONS** : Where possible recycling is preferred to disposal or incineration. The Product generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging Recycling is preferred when possible. The generator of waste • material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION** U.S. DOT Classification : Not regulated for transportation. ICAO/IATA Not regulated for transportation. ÷ IMO/IMDG (maritime) Not regulated for transportation. : **15. REGULATORY INFORMATION US Regulations: OSHA** Status There are no known hazardous components above regulatory : thresholds in this product. **TSCA Status** : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable

PolyOne

MATERIAL SAFETY DATA SHEET SYNPLAST ELECTRICAL TOTM (HIGH CELL)

Version Number 1.1 Revision Date 01/19/2012 Page 5 of 5 Print Date 8/22/2012

California Proposition 65	: Not applicable				
SARA Title III Section 302 Extr	SARA Title III Section 302 Extremely Hazardous Substance				
Unless specific chemicals are id	entified under this section, this product is Not Applicable under this regulation				
SARA Title III Section 313 Tox	ic Chemicals:				
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation					
Canadian Regulations:					
National Pollutant Release Inventory (NPRI)					
not applicable					
WHMIS Classification	: Not controlled.				
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:					
Australia AICS	: Listed				
China IECS	: Listed				
Europe EINECS	: Listed				
Japan ENCS	: Listed				
Korea KECI	: Listed				
Philippines PICCS	: Listed				

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.