MATERIAL SAFETY DATA SHEET NYLON HMF DEWALT YELLOW

Version Number 1.2 Revision Date 09/20/2007 Page 1 of 6 Print Date 12/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	NYLON HMF DEWALT YELLOW
Product code	:	CC10060423
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact			
Acute exposure			
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		
	4. FIRST AID MEASURES		

PolyOne.

MATERIAL SAFETY DATA SHEET NYLON HMF DEWALT YELLOW

sion Date 09/20/2007		Page 2 Print Date 12/1/2
Inhalation	Move to fresh air in case of accider overheating or combustion. When doubt seek medical advice.	
Ingestion	Do not induce vomiting without me persist or in all cases of doubt seek	
Eyes	Rinse immediately with plenty of w least 15 minutes. If eye irritation p	
Skin	Wash off with soap and plenty of w medical attention.	vater. If skin irritation persists see
	. FIRE-FIGHTING MEASURES	
Flash point	Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spra	ay, Dry powder, Foam.
Special Fire Fighting Procedures	Fullface self-contained breathing appressure mode should be worn to pressure mode should be wo	oparatus (SCBA) used in positive
Unusual Fire/Explosion Hazards	contaminants. Carbon dioxide (CO2), carbon mon (NOx), other hazardous materials, a	
	CIDENTAL RELEASE MEASU	RES
Personal precautions	Wear appropriate personal protection impervious gloves, boots and cover	
Environmental precautions	Should not be released into the envi be allowed to enter drains, water co	1
Methods for cleaning up	Clean up promptly by sweeping or plastic, cardboard or metal containe of this MSDS for proper disposal m	rs for disposal. Refer to Section 1
	. HANDLING AND STORAGE	
Handling	Take measures to prevent the build only in areas with appropriate exha	
Storage	Keep containers dry and tightly clo and contamination. Keep in a dry,	

PolyOne.

MATERIAL SAFETY DATA SHEET NYLON HMF DEWALT YELLOW

Version Number 1.2 Revision Date 09/20/2007 Page 3 of 6 Print Date 12/1/2011

	POSURE CONTROLS / P	ERSONAL PROTECTION	
Respiratory protection	: No personal respira	tory protective equipment normally required.	
Eye/Face Protection	: Safety glasses with side-shields		
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothing		
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		ce with good industrial hygiene and safety pract breaks and at the end of workday.	ice
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
•			
There are no known hazardou	us components above regula	atory thresholds in this product.	
9.	. PHYSICAL AND CHEM	IICAL PROPERTIES	
Form	: Solid	Evaporation rate : Not applicable	
Appearance	: pellets	Specific Gravity : Not determine	
Color	: YELLOW	Bulk density : Not establishe	
Odour	: Very faint	Vapour pressure : Not applicable	
Melting point/range	: Not determined	Vapour density : Not applicable	
Boiling Point:	: Not applicable	pH : Not applicable	
	: Insoluble	r · · · · · · · · · · · ·	
Water solubility			
Water solubility	10. STABILITY ANI) REACTIVITY	
Water solubility Stability	10. STABILITY ANI : Stable.	O REACTIVITY	
		D REACTIVITY	
Stability	: Stable. : Will not occur.	idizing agents and open flame. To avoid thern	nal
Stability Hazardous Polymerization	 Stable. Will not occur. Keep away from ox decomposition, do not stable. 	idizing agents and open flame. To avoid thern	nal
Stability Hazardous Polymerization Conditions to avoid	 Stable. Will not occur. Keep away from ox decomposition, do Incompatible with s Carbon dioxide (CO 	idizing agents and open flame. To avoid thern not overheat.	

PolyOne.

MATERIAL SAFETY DATA SHEET NYLON HMF DEWALT YELLOW

Version Number 1.2 Revision Date 09/20/2007 Page 4 of 6 Print Date 12/1/2011

There are no known hazardous components above regulatory thresholds in this product.

Environmental Toxicity : Chemicals polymer m Bioaccumulation Potential : Chemicals polymer m Additional advice : No data av 13. DISPOSA Product : Like most possible re generator of classificati	are not readily available as they are bound within the atrix. ailable AL CONSIDERATIONS thermoplastic plastics the product can be recycled. Where cycling is preferred to disposal or incineration. The
Bioaccumulation Potential : Chemicals polymer m Additional advice : No data av 13. DISPOSA Product : Like most possible re generator o classificati	atrix. are not readily available as they are bound within the atrix. ailable AL CONSIDERATIONS thermoplastic plastics the product can be recycled. Where cycling is preferred to disposal or incineration. The
Additional advice : No data av 13. DISPOSA Product : Like most possible re generator o classificati	atrix. ailable AL CONSIDERATIONS thermoplastic plastics the product can be recycled. Where cycling is preferred to disposal or incineration. The
Product : Like most generator of classificati	AL CONSIDERATIONS thermoplastic plastics the product can be recycled. Where cycling is preferred to disposal or incineration. The
Product : Like most possible re generator o classificati	thermoplastic plastics the product can be recycled. Where cycling is preferred to disposal or incineration. The
possible re generator o classificati	cycling is preferred to disposal or incineration. The
upprouble	of waste material has the responsibility for proper waste on, transportation and disposal in accordance with federal, state/provincial and local regulations.
has the res	is preferred when possible. The generator of waste materia ponsibility for proper waste classification, transportation al in accordance with applicable federal, state/provincial egulations.
14. TRANSF	PORT INFORMATION
U.S. DOT Classification : Not regula	ted for transportation.
ICAO/IATA (air) : Refer to sp	ecific regulation.
IMO / IMDG (maritime) : Refer to sp	ecific regulation.
15. REGULA	TORY INFORMATION
US Regulations:	
	no known hazardous components above regulatory in this product.
TSCA Status : All compo Inventory.	onents of this product are listed on or exempt from the TSCA
US. EPA CERCLA Hazardous Substances (40	CFR 302)
Not applicable	

MATERIAL SAFETY DATA SHEET NYLON HMF DEWALT YELLOW

Version Number 1.2 Revision Date 09/20/2007 Page 5 of 6 Print Date 12/1/2011

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name	CAS-No.	Weight %
ZINC COMPOUNDS	1314-98-3	30.00 - 60.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight %	NPRI ID#
Zinc sulfide	1314-98-3	30.00 - 60.00	231

WHMIS Classification : Not controlled.

DSL : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing,

PolyOne.

MATERIAL SAFETY DATA SHEET NYLON HMF DEWALT YELLOW

Version Number 1.2 Revision Date 09/20/2007 Page 6 of 6 Print Date 12/1/2011

storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.