PolvOne

#### MATERIAL SAFETY DATA SHEET

#### **Orange Ring**

Version Number 1.1 Revision Date 02/15/2007 Page 1 of 7 Print Date 11/26/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone<br>Emergency telephone<br>number | : | Product Stewardship (770) 271-5902<br>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure<br>or accident). |
|--|---|---|
| Product name                               | : | Orange Ring   |
| Product code                               | : | CC10096703  |
| Chemical Name                              | : | Mixture   |
| CAS-No.                                    | : | Mixture   |
| Product Use                                | : | Industrial Applications   |

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components                                  | CAS-No.    | Weight % |
|---|------------|----------|
| Benzenesulfonic acid,                       | 5160-02-1  | 5 - 10   |
| 5-chloro-2-[(2-hydroxy-1-naphthalenyl)azo]- |            |          |
| 4-methyl-, barium salt (2:1)                |            |          |
| Titanium dioxide                            | 13463-67-7 | 5 - 10   |
| Calcium carbonate                           | 1317-65-3  | 10 - 30  |

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

| <b>Routes of Exposure:</b>      | : Inhalation, Ingestion, Skin contact   |
|---------------------------------|---|
| Acute exposure                  |   |
| Inhalation<br>Ingestion<br>Eyes | <ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul> |
| Skin                            | : Experience shows no unusual dermatitis hazard from routine handling.  |



# MATERIAL SAFETY DATA SHEET

### **Orange Ring**

Version Number 1.1 Revision Date 02/15/2007 Page 2 of 7 Print Date 11/26/2011

| Medical Conditions : None known.   |  |     |  |
|--|--|-----|--|
| Aggravated by Exposure:  |  |     |  |
|  | 4. FIRST AID MEASURES  |     |  |
| Inhalation   | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.                     | of  |  |
| Ingestion  | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.   |     |  |
| Eyes   | : Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.  | at  |  |
| Skin   | : Wash off with soap and plenty of water. If skin irritation persists s medical attention.   | eek |  |
|  | 5. FIRE-FIGHTING MEASURES  |     |  |
| Flash point  | : Not applicable   |     |  |
| Flammable Limits<br>Upper explosion limit<br>Lower explosion limit<br>Autoignition temperature<br>Suitable extinguishing media | <ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>                             |     |  |
| Special Fire Fighting<br>Procedures  | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.                                 | 'e  |  |
| Unusual Fire/Explosion<br>Hazards  | <ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>                                   |     |  |
|  | 5. ACCIDENTAL RELEASE MEASURES   |     |  |
| Personal precautions   | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.   |     |  |
| Environmental precautions  | : Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.   | iot |  |
| Methods for cleaning up  | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. |     |  |
|  | 7. HANDLING AND STORAGE  |     |  |



# MATERIAL SAFETY DATA SHEET

# Orange Ring

| Version Number 1.1<br>Revision Date 02/15/2007 |     | Page 3 of 7<br>Print Date 11/26/2011  |
|--|-----|---|
| Handling                                       | :   | Take measures to prevent the build up of electrostatic charge. Heat<br>only in areas with appropriate exhaust ventilation.<br>Keep containers dry and tightly closed to avoid moisture absorption |
| C  |     | and contamination. Keep in a dry, cool place.   |
| 8. EXPOS                                       | SUF | RE CONTROLS / PERSONAL PROTECTION   |
| Respiratory protection                         | :   | No personal respiratory protective equipment normally required.   |
| Eye/Face Protection                            | :   | Safety glasses with side-shields.   |
| Hand protection                                | :   | Protective gloves.  |
| Skin and body protection                       | :   | Long sleeved clothing.  |
| Additional Protective<br>Measures              | :   | Safety shoes.   |
| General Hygiene<br>Considerations              | :   | Handle in accordance with good industrial hygiene and safety practice.<br>Wash hands before breaks and at the end of workday.   |
| Engineering measures                           | :   | Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.  |

Exposure limit(s)

| Components  | Value     | Exposure time                     | Exposure type        | List:   |
|---|-----------|-----------------------------------|----------------------|---------|
| Calcium carbonate   | 5 mg/m3   | PEL:                              | Respirable fraction. | OSHA Z1 |
|   | 15 mg/m3  | PEL:                              | Total dust.          | OSHA Z1 |
|   | 10 mg/m3  | Time Weighted Average             |                      | MX OEL  |
|   |           | (TWA):                            |                      |         |
|   | 20 mg/m3  | Short Term Exposure Limit (STEL): |                      | MX OEL  |
| Benzenesulfonic acid,<br>5-chloro-2-[(2-hydrox<br>y-1-naphthalenyl)azo]-<br>4-methyl-, barium salt<br>(2:1) | 0.5 mg/m3 | Time Weighted Average<br>(TWA):   | as Ba                | ACGIH   |
| Titanium dioxide  | 10 mg/m3  | Time Weighted Average (TWA):      |                      | ACGIH   |
|   | 15 mg/m3  | PEL:                              | Total dust.          | OSHA Z1 |
|   | 20 mg/m3  | Short Term Exposure Limit (STEL): | as Ti                | MX OEL  |

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance : Solid : Pellets Evaporation rate Specific Gravity: Not applicableNot determined

### MATERIAL SAFETY DATA SHEET

### **Orange Ring**

| Version Number 1.1       |  |  |  |
|--------------------------|--|--|--|
| Revision Date 02/15/2007 |  |  |  |

| Color<br>Odor<br>Melting point/range<br>Boiling Point:<br>Water solubility | : Ve<br>: Ne<br>: Ne | RANGE<br>ery faint<br>ot determined<br>ot applicable<br>soluble | Bulk density<br>Vapor pressure<br>Vapour density<br>pH | :    | Not established<br>Not applicable<br>Not applicable<br>Not applicable |
|--|----------------------|---|--|------|---|
|  | 1(                   | ). STABILITY AND RE   | CACTIVITY  |      |   |
| Stability  | :                    | Stable.   |  |      |   |
| Hazardous Polymerization   | :                    | Will not occur.   |  |      |   |
| Conditions to avoid  | :                    | Keep away from oxidizi decomposition, do not o                  |  | me.  | To avoid thermal  |
| Incompatible Materials   | :                    | Incompatible with stron   | g acids and oxidizing a                                | igen | ts.   |
| Hazardous decomposition products   | :                    | Carbon dioxide (CO2),<br>(NOx), other hazardous                 |  |      | Ũ   |

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No.    | Chemical Name  | Effect           | Target Organ                    |
|------------|--|------------------|---------------------------------|
| 5160-02-1  | Benzenesulfonic acid,<br>5-chloro-2-[(2-hydroxy-1-<br>naphthalenyl)azo]-4-methy<br>1-, barium salt (2:1) | Irritant         | Eyes, Skin.                     |
| 13463-67-7 | Titanium dioxide   | Systemic effects | Respiratory system.             |
| 1317-65-3  | Calcium carbonate  | Irritant         | Eyes, Skin.                     |
|            |  | Systemic effects | Eyes, Skin, Respiratory system. |

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

| CAS-No.    | Chemical Name    | OSHA | IARC | NTP |
|------------|------------------|------|------|-----|
| 13463-67-7 | Titanium dioxide | no   | 2B   | no  |

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:



Page 4 of 7 Print Date 11/26/2011



# MATERIAL SAFETY DATA SHEET

## **Orange Ring**

Version Number 1.1 Revision Date 02/15/2007 Page 5 of 7 Print Date 11/26/2011

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

|                               | 12. ECOLOGICAL INFORMATION  |
|-------------------------------|---|
| Persistence and degradability | : Not readily biodegradable.  |
| Environmental Toxicity        | : Chemicals are not readily available as they are bound within the polymer matrix.  |
| Bioaccumulation Potential     | : Chemicals are not readily available as they are bound within the polymer matrix.  |
| Additional advice             | : No data available   |
|                               | 13. DISPOSAL CONSIDERATIONS   |
| Product                       | : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging        | : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.   |
|                               | 14. TRANSPORT INFORMATION   |
|                               |   |
| U.S. DOT Classification       | : Not regulated for transportation.   |
| ICAO/IATA (air)               | : Refer to specific regulation.   |
| IMO / IMDG (maritime)         | : Refer to specific regulation.   |
|                               | 15. REGULATORY INFORMATION  |
| US Regulations:               |   |
| OSHA Status                   | : Classified as hazardous based on components.  |
| TSCA Status                   | : All components of this product are listed on or exempt from the TSC. Inventory.   |
| US. EPA CERCLA Hazardous      | Substances (40 CFR 302)   |
| Not applicable                |   |
|                               |   |
|                               | 5/7   |

PolyOne.

### MATERIAL SAFETY DATA SHEET Orange Ring

| sion Number 1.1<br>ision Date 02/15/2007                           |       |  |                    | Print Date           | Page 6<br>11/26/2 |
|--|-------|--|--------------------|----------------------|-------------------|
|  |       |  |                    |                      |                   |
| California Proposition<br>65                                       | :     | WARNING! This pro<br>California to cause can   |                    | emical known to the  | e State of        |
| SARA Title III Section 302 Ext                                     | rem   | ely Hazardous Substanc                         | e                  |                      |                   |
| Unless specific chemicals are id                                   | enti  | fied under this section, t                     | his product is Not | Applicable under the | his regula        |
| SARA Title III Section 313 Tox<br>Unless specific chemicals are id |       |  |                    |                      | his regul:        |
| Chemical Name  |       |  | CAS-No.            | Weight %             |                   |
| BARIUM COMPOUNDSBA<br>[EXCEPT BASO4]                               | RIU   | JM COMPOUNDS                                   | 5160-02-1          | 5.00 - 10.00         |                   |
| Canadian Regulations:  |       |  |                    |                      |                   |
| National Pollutant Release   | se Iı | ventory (NPRI)                                 |                    |                      |                   |
| Not applicable   |       |  |                    |                      |                   |
| WHMIS Classification   | :     | Not controlled.                                |                    |                      |                   |
| DSL  | :     | All components of thi<br>Substances List (DSL) |                    | e Canadian Domes     | tic               |
| National Inventories:  |       |  |                    |                      |                   |
| Australia AICS   | :     | Listed   |                    |                      |                   |
| China IECS   | :     | Listed   |                    |                      |                   |
| Europe EINECS  | :     | Not determined                                 |                    |                      |                   |
| Japan ENCS   | :     | Not determined                                 |                    |                      |                   |
| Korea KECI   | :     | Listed   |                    |                      |                   |
| Philippines PICCS  | :     | Listed   |                    |                      |                   |
|  |       | 16. OTHER INFOR                                | MATION             |                      |                   |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne.

### MATERIAL SAFETY DATA SHEET Orange Ring

Version Number 1.1 Revision Date 02/15/2007

Page 7 of 7 Print Date 11/26/2011

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.